

MIRRORS

CONTENTS

MIRRORS



BEAUTY TRAY

Sit-on revolving mirror with magnifying lens, Soft Steel or Bronze finish





Dimensions		
W	Н	Code
42	64.5	32005044

Mirror base Ø 35 cm Magnifying lens Ø 13 cm Mirror Ø 42 cm

BOXMIRROR

Horizontal mirror unit th.10 cm with open-fronted container





Dimensions		
W	Н	Code
100	50	32000377

White lacquered container with mirrored back measuring W.39.7 H.39.7 D.12 cm.

LH/RH reversible

BOXMIRROR

Vertical mirror unit 10 cm thick with open-fronted container





Dimensions		
W	Н	Code
50	100	32000378

White lacquered container measuring W.12 H.90 D.12 cm with 2 shelves

LH/RH reversible

IKON

Mirror th.2.6 cm with PVC frame edged in Silver finish Aluminium



Also available with switch
Also available with switch and emergency light

Dimensio	ns	
W	Н	Code
50	50	32000383
70	50	32000384
90	50	32000385
100	50	32000386
120	50	32000387
50	75	32000388
70	75	32000389
90	75	32000390
100	75	32000391
120	75	32000392
50	100	32000393
70	100	32000394
90	100	32000395
100	100	32000396
120	100	32000397
m ^{2*}	m ^{2*}	32000782
* Value b	etween 20 and	I 200 cm



Detail of switch



Detail of emergency light

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of the user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.



LED cannot be replaced

KUDOS

Mirror th.2 cm with stratified mirror 6 plus 6 mm



Dimensions		
W	Н	Code
75	75	32000729
50	100	32000730
70	180	32000731
70	210	32000732

N.B.: no resting lamps can be inserted on this mirror.

LINK

Mirror th.3.6 cm with Silver finish Aluminium frame Available with light and magnifying lens





Available versio	ns			Dimensi	ons	
Without light	With LED light	Without light, set up for	With LED light, set up for	W	Н	Code
		Magnetique lamp	Magnetique lamp Magnetique lamp and for magnifying lens	50	50	32000710
		and for magnifying tens	and for magnifying lens	70	50	32000711
				90	50	32000712
				120	50	32000713
			50	75	32000714	
				70	75	32000715
				90	75	32000716
				120	75	32000717
				50	100	32000718
				70	100	32000719
				90	100	32000720
				120	100	32000721
				m ^{2*}	m ^{2*}	32000728

^{*} Value between 20 and 200 cm (price per square metre).



LED cannot be replaced



LINK



Detail of magnetic magnifying lens



Detail of Touch switch



Detail with Magnetique lamps


Also available with perimeter light			
Light	Temperature	Certifications	Absorption
LED with Touch switch	4000°K	IP44 - CE	4.8 W/m

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of the user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.

LUNAR

Round mirror th.4.8 cm in Soft Steel or Bronze finish







Available versions		Dimensions			
Without light	With LED light	With LED light IP 44 *	W	Н	Code
IP 20 ↑		IP 44 '	70	70	32005043

Light	Temperature	Certifications	Absorption
LED	4000°K	IP44/IP20	25 W/m

Only the following lamps can be inserted on this mirror:


Glamour	code 32000424	Glassy	code 32000414
Inout	code 32000428	Luxor	code 32000427
Opal	code 32000415	Spike	code 32000423
Wing	code 32000421	·	


The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of the user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.



LUNAR STOCK

Round mirror with 3 doors and container th.16.4 cm in Soft Steel or Bronze finish









Available versions		Dimensions			
Without light	With LED light IP 20 *	With LED light P 20 * IP 44 *		Н	Code
	11 20	11 44	80	80	32005042
* The mirror is not fitted with a switch, envisage an external one					

Light	Temperature	Certifications	Absorption
LED	4000°K	IP44/IP20	25 W/m

Only the following lamps can be inserted on this mirror:

01	1 22000/0/	01	1 22000/1/
Glamour	code 32000424	Glassy	code 32000414
Inout	code 32000428	Luxor	code 32000427
Opal	code 32000415	Spike	code 32000423
Wing	code 32000421		

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of the user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.

LUXURY

Mirror th.6.5 cm with matt lacquered polyurethane foam frame





Available versions		Dimension	Dimensions		
Without light	With LED light IP 20	With LED light IP 44	W	Н	Code
	IF 20	IF 44	120**	120**	32002655
			m ^{2*}	m ^{2*}	32002654
** ONLY IN WHITE LACQUERED VERSION WITH GOLD DECORATION					
*AVAILABLE WI	OTHS AND HEIGHTS	5: 90, 120, 150, 180, 210 c	m		

LUXURY

Available in 4 colours

Without decoration



SCAV 001 White



RAL 1013 Beige



SCAV 502 Red



SCAV 423 Black

With gold decoration



SCAV 001 White



RAL 1013 Beige



SCAV 502 Red



SCAV 423 Black

With silver decoration



SCAV 001 White



RAL 1013 Beige



SCAV 502 Red



SCAV 423 Black

Available with perimeter LED back-lighting with infra-red switch set in the middle on the underside

Light	Temperature	Certifications	Absorption
LED STRIP: 120 LEDs/m	3200°K	IP20 IP44	90x90: 29W 90x120 - 120x90: 35W 90x150 - 150x90: 41W 90x180 - 180x90: 47W 90x210 - 210x90: 53W 120x120: 41W 120x150 - 150x120: 47W 120x180 - 180x120: 53W 120x210 - 210x120: 59W 150x150: 53W 150x180 - 180x150: 59W

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of the user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.


MIRO

Mirror th.3 cm with solid beech wood or solid oak wood frame, stained in various colours





For horizontal or vertical installation



MATT LACQUERED FRAME







WOODEN FRAME







*SCAV 256 *S Antique Green K Oak



*SCAV 661 Kyoto Walnut



*SCAV 660 Antique Walnut



*SCAV 634 Antique Natural Oak without green shades



*SCAV 093 Antique Yellow Oak



*SCAV 073 Antique Cream Oak



*SCAV 741 Palette Oak



*SCAV 739 Creta Oak



*SCAV 670 Absolute White Oak



*SCAV 740 Nimbus Oak

When the composition selected in combination with the mirror includes the cabinet placed side-by-side with the top or the decorative elements, a 3 cm high top is necessary to allow the elements to be aligned.

Dimensions

Н

123.5

123.5

123.5

123.5

123.5

123.5

Code

32002656

32002657

32002658

32002659

32002660

32002661

**

W

90

120

180

90

120

180

PHOENIX

Mirror th.2.6 cm with foam profile squared internal frame









For horizontal or vertical installation

Dimensions							
Oval Round Cloud							
W	Н	Code	ø	Code	W	Н	Code
110	39	32002755	61	32002752	120	76	32002756
			68	32002753			
			80	32002754			

No resting lamps can be inserted on this mirror.

PLANET

Mirror th.6 cm with Matt White painted aluminium structure and built-in light





Matt White painted Aluminium profile th. $0.3\ cm$ Mirror th. $0.4\ cm$

Dimensions		
Ø	Code	
84.1	32004788	

Light	Temperature	Certifications	Absorption
LED STRIP: 60 LEDs/m	4000°K	IP44	11.8 W

No resting lamps can be inserted on this mirror

The mirror is not fitted with a switch, envisage an external one

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of the user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.



PORTRAIT

Mirror th.3 cm with oval matt and glossy lacquered polyurethane foam frame





Dimensions		
W	Н	Code
81	111	32003345

For horizontal or vertical installation

No resting lamps can be inserted on this mirror.

PORTRAIT

LACQUERED colours available

- MATT LACQUERED colours
- ∘ GLOSSY LACQUERED colours



Slanted mirror th.3/7 cm with white painted metal frame





Available version	าร	Dimensions		Temperature	Certifications	Absorption	
With LED light with Touch	Without light	W	Н	Code			
switch		60	120	32004753	4000°K	CE	21.5 W
		100	100	32004754	4000°K	CE	17.5 W
	110V LED kit		100	32004805	3000°K	UL	20 W
			120	32004806	3000°K	UL	24 W

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of the user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.



LED cannot be replaced LED cannot be replaced



SOFTLIGHT

Mirror th.2.6 cm with PVC frame edged in Silver finish Aluminium with low intensity perimeter light





Dimensions				
W	Н	Code		
50	75	32000358		
70	75	32000359		
90	75	32000360		
120	75	32000361		
50	100	32000362		
70	100	32000363		
90	100	32000364		
120	100	32000365		
m ^{2*}	m ^{2*}	32000781		

Light	Temperature	Certifications	Absorption
LED 4.8 W/m with Touch switch	5500°K	IP44	50x75: 12W 70x75: 13.92W 90x75: 15.84W 120x75: 18.72W 50x100: 14.4W 70x100: 16.32W 90x100: 18.24W 120x100: 21.12W

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of the user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.



SCAVOLINI

LED cannot be replaced LED cannot be replaced

^{*} Value between 20 and 200 cm (price per square metre).

SQUARE LUNAR

Rectangular mirror th.5 cm in Soft Steel or Bronze finish







Available versions			Dimensions		
Without light	With LED light IP 20 *	LED light With LED light * IP 44 *		Н	Code
	11 20			90	32005045
			90	70	32005046
* The mirror is not fitted with a switch, envisage an external one					

Light	Temperature	Certifications	Absorption
LED	4000°K	IP44/IP20	25 W/m

Only the following lamps can be inserted on this mirror:

Glamour	code 32000424	Glassy	code 32000414
Inout	code 32000428	Luxor	code 32000427
Opal	code 32000415	Spike	code 32000423
Wing	code 32000/21	•	

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of the user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.



START

Small storage cabinet D 15 cm with mirror doors and side panels, white internal structure and one internal glass shelf





Dimensions				
W	Н	D	Code	Opening
45	65	15	32002777	one 45 cm hinged door

Available in LH and RH version.

SCAVOLINI

22

START

Small storage cabinet D 15 cm with mirror doors and side panels, white internal structure and one internal glass shelf





Dimensions				
W	Н	D	Code	Opening
90	65	15	32002778	two 45 cm hinged doors
115	65	15	32002779	3 hinged doors (two 35 cm side doors and one 45 cm middle door)

SUBJECT

Small storage cabinet D 15 cm with mirror doors and side panels, white internal structure and one internal glass shelf



The doors are mirrored on the interior



Dimensions				
W	Н	D	Code	Opening
105	65	15	32002780	three 35 cm hinged doors

SWEDY

Small storage cabinet D 15 cm with 2 mirror sliding doors and side panels, white internal structure and one internal glass shelf





Detail of handle



Dimensions				
W	Н	D	Code	Opening
105	65	15	32002781	two 52.5 cm sliding doors

SWING

Mirror with chrome-finish metal frame





Dimensions				
W	Н	Code		
20	75	32002274 *		
20	100	32002275 *		

* with mobile magnifying lens

N.B.: set up for assembly on Link mirror only.

Mirror with chrome-finish metal frame with towel rail and mobile magnetic magnifying lens





Dimensions		
W	Н	Code
20	75	32002272
20	100	32002273

N.B.: set up for assembly on Link mirror only.

TILE

Mirror with rectangular matt and glossy finish lacquered and gold and silver leaf lacquered polyurethane foam frame



Dimensio	ons				
W	Н	Code	W	Н	Code
75	75	32003346	100	120	32003572
75	90	32003347	120	75	32003573
75	120	32003348	120	90	32003574
75	140	32003349	120	100	32003575
90	75	32003571	140	75	32003576
90	120	32003350	140	90	32003577
90	140	32003351	180	90	32003578
90	180	32003352	220	90	32003579
90	220	32003353			



Th. 6.6 cm without light or with IP20 light Th. 8.1 cm with IP44 light

Available with perimeter LED back-lighting with infra-red switch set in the middle on the underside

Light	Temperature	Certifications	Absorption
LED STRIP: 120 LEDs/m	3200°K	IP20 IP44	75x75: 26W 75x90 - 90x75: 29W 75x120 - 120x75: 35W 75x140 - 140x75: 39W 90x120 - 120x90: 38W 90x140 - 140x90: 42W 90x180 - 180x90: 50W 90x220 - 220x90: 58W 100x120 - 120x100: 38W

TII F

LACQUERED colours available

- MATT LACQUERED colours
- ∘ GLOSSY LACQUERED colours



GLOSSY LEAF LACQUERED colours available



Gold Leaf



Silver Leaf

The lighting systems envisaged in the mirrors are defined as mood, so they are not suitable for lighting either the whole bathroom or the whole face of the user entirely. We recommend you add other lights, possibly built-into the above-mentioned mirrors.

03.2018

VANITY

Octagonal mirror th.3.5 cm





Dimensions		
W	Н	Code
74.6	74.6	32004789

The following lamps cannot be inserted on this mirror: Contact, Magnetic and Moonray