

ACCESSORI: Spazio alla funzione

ACCESSORIES: Functionality at your disposal

ACCESSOIRES : La fonctionnalité à votre disposition

ZUBEHÖR: Raum Für Funktion

ACCESORIOS: La funcionalidad a su disposición

АКСЕССУАРЫ: Функциональность на службе вашего комфорта

Il presente catalogo Vi viene fornito, come a tutta la nostra clientela, per Vostro esclusivo uso e pertanto non potrà essere consegnato a nessuno, nemmeno in forma ridotta, in nessun paese del mondo. Salvo eventuali deroghe, che dovranno risultare da nostro atto scritto, ogni violazione a quanto sopra sarà perseguita legalmente.

This catalogue is supplied to you, as to all our customers, for your exclusive use and consequently it cannot be given to anybody, not even in a reproduction, in any country of the world. Unless for eventual exceptions, that shall result from a written deed of ours, all violations to the above will be legally prosecuted.

Le présent catalogue vous est fourni, comme à toute notre clientèle, pour votre esclusive utilisation et par conséquant ne peut pas être donné à personne, même pas en reproduction, dans aucun pays du monde.

Exclues éventuelles dérogations, qui devront résulter par de nos actes écrits, toute violation au ci-dessus sera poursuite légalement.

Dieser Katalog wird Ihnen zur Verfügung gestellt, wie all unserer Kundschaft, für Ihre persönliche und exclusive Benutzung. Daher kann er niemandem ausgehändigt werden, auch unter Form von Reproduktion, in irgenwelchem Land der Welt. Ausgenommen mögliche Abweichungen, die unter schriftlicher Form unsererseits erfolgen müssen, wird irgendwelche Verletzung vom oben-angegebenen strafrechtlich bestraft.

El presente catálogo está a su disposición, como a todos nuestros clientes, para su esclusiva utilización y no podrá ser entregado a nadie, tampoco en forma reproducida, en ningún Pais del Mundo. Con la excepción de posibles derogaciones, que resulten de nuestro acto escrito, cualquier violación a lo arriba espuesto podrá ser perseguida de forma legal.

Данный каталог предоставляется Вам, как и все нашим клиентам, в эксклюзивное пользование; не разрешается передавать его, в том числе в сокращенном виде, никаким третъим лицам ни в одну страну мира. Любые нарушения вышеуказанных ограничений, за исключением отступлений, письменно подтвержденных нашей компанией, будут преследоваться в судебном порядке.

Come and discover the world of Scavolini with your own eyes. At our authorised Dealers, you will find a wide range of products on display, along with our catalogues and a wealth of informative material.

Scavolini SpA supplies this catalogue to its clientele, who are authorised to distribute it to members of the public with no restrictions. However, it may not be given, even in copied form, to anyone in business in the fitted kitchen sector (e.g. agents, dealers, etc.) anywhere in the world. Unless authorised in writing by Scavolini SpA, all breaches of the above conditions will result in prosecution.

The colours of the materials illustrated inside this catalogue do not always match the actual hue perfectly for obvious printing reasons.

The design of Scavolini products is protected as permitted by law.

Scavolini S.p.A. has equipped its kitchens with a great number of accessories: high-tech elements which multiply the spaces and functions available, with an extraordinary variety of functional amenities providing a convenient solution to every smallest need.

The accessories and equipment which expand the functions of Scavolini kitchens are at the state of the art in terms of technologies, materials and concept, and are available for every model in a vast assortment giving the potential for thousands of different solutions, tailored to all requirements.



Scavolini has a Quality Management System in compliance with the UNI EN ISO 9001 standard, as well as an Environmental Management System in compliance with the UNI EN ISO 14001 standard. That's not all. Scavolini is also the first Italian kitchen manufacturer to have implemented a Health and Safety Management System in compliance with the OHSAS 18001 standard. All the Systems have been certified by the International Body SGS, who bestowed Scavolini with the prestigious Merit Award in recognition of the excellence achieved by the company in controlling quality, the environment and safety.

SUNLOAD GAVE THE LARTH

Scavolini has fulfilled its aim of autonomously producing green energy for its own plants. With a total surface area of 30,000 sq m of photovoltaic panels, the system can provide an annual production of approximately 3,500,000 kWh of clean energy to cover more than 80% of Scavolini's energy demand and, when demand exceeds supply, of certified energy from renewable sources.



Scavolini has obtained the "Made in Italy" product, origin and quality certification issued by COSMOB and CATAS, the two most important testing and certification laboratories for wood-furniture in Italy. This certification declares the Italian origin of the furniture, including both the kitchen and living room range as well as Scavolini bathroom furniture.

Scavolini reserves all rights to make any changes intended to improve its products without notice. No responsibility is accepted in the event of inaccuracies in this catalogue due to printing or typing errors.

Index

SCAVOLINI

ΕN

1 Equipped elements

- 1 Pull-out basket for wall unit 15 cm H.73 cm
- 2 Pull-out basket for wall unit 15 cm H.103 cm
- 3 Aluminium lining for drainer units
- 4 Pull-out baskets for 15 cm base unit
- 5 Pull-out baskets for 30 and 45 cm base units
- 6 "Sliding corner" basket equipment for 110-125 cm corner base units
- "Easygoing" basket equipment for 110 corner base units
- 9 "Easy Corner" pull-out mechanism for 110x65 cm corner base unit
 10 "Fly Moon - Essence Fly
- 10 "Fly Moon Essence Fly Moon" pull-out shelves for corner base units
- 11 "Dancer" pull-out halfcarousel for 125x65 cm corner base units
- 12 Baskets for 105 cm corner base unit
- 13 Revolving baskets for 90x90 cm corner base unit
- 14 90x90 cm corner base unit with revolving shelves
- 15 "Programma 92" single chrome-finish basket for base units
- 17 "Blum Plus" 30, 45, 60, 90,120 cm pull-out baskets and drawers with painted metal sides
- 18 "Intivo" 30, 45, 60, 90, 120 cm pull-out drawers with steel sides
- **19** "Intivo" 30, 45, 60, 90, 120 cm pull-out baskets with steel-glass sides
- 20 30, 45, 60, 90, 120 cm pull-out baskets with aluminium sides
 21 20, 45, 60, 90, 120
- **21** 30, 45, 60, 90, 120

cm pull-out baskets with metal sides

- 22 30, 45, 60, 90 cm pullout baskets with wooden sides23 Base unit with pull-
- out basket and 2 inner drawers 24 Base unit with 4 inner
- drawers 25 Base unit with 2 pull-out baskets and inner drawer
- 26 Gas cylinder holder for base units
- 27 Steel lining for sink base units
- 28 "Pixo" pull-out table for 90 cm base unit
- **28.1** "Friendly" pull-out table for 90 cm base unit with drawer and basket
- **28.2** "Friendly" pull-out table for 90 cm base unit with chair storage
- **28.3** Ironing board for 45 cm base unit with drawers
- 29 Larder unit with upper rollup door
- 31 "Tidyserver" pull-out detergent and broom organiser
- 32 "Wineserver" pull-out bottle rack wine cellar
- 33 Pull-out baskets for larder units with "Overglass" setup
- 35 Pull-out baskets for larder units with "Chrome wire" set-up
- 37 Pull-out baskets for larder units with "Essence" setup38 Set of baskets for broom
- cupboard 39 180 cm larder unit with
- sliding Aluminium frame doors
- 40 Inner chrome wire equipment for 105x105 cm corner storage cupboard
- 40.1 Storage cupboard
- 41 "Fly Moon Essence Fly Moon" pull-out shelves for

corner larder units42 Inner drawers and baskets

- for Larder unit 43 Pull-out drawers and
- baskets for base unit or larder unit
- 44 Dresser unit for 90 cm base units

1.1 Supports

- 44.1 "Telescope" breakfast bench support
- 44. 2"Podium" breakfast bench support
- 44. 3 "Flux Swing"breakfast bench support
- 44. 4 "Sloper" breakfast bench support'
- 44. 5 "Slender" breakfast bench support with one leg
- 44. 6 "Slender" breakfast bench support with two legs
- 44. 7 "Hold Up" support resting on the front of base units
- **44. 8** "Hold Up" breakfast bench support with extending supports
- 44. 9 "Hold Up+" support for base units
- **44. 11** "Levity" glass support for breakfast bench
- 44. 12 Pack of 2 legs for "Motus" table
- 44. 13 "Network" breakfast bench support resting on the front of base units
- **44. 14** "Network" breakfast bench support resting on the front of base units
- **44. 15** "Network" breakfast bench support with extending supports
- 44. 16 Universal support for "Network" top
- 44. 17 "Mizu" breakfast bench support
- 44. 18 "Blend" breakfast bench support
- 44. 19 "Clever" breakfast bench support
- **44. 20** "Infratop" support for 95x95 cm table

2 Accessories for washing area

- **46** Pack of 2 filters for tap set connection
- 47 Metal waste bin
- 48 Plastic waste bin
- 49 Sliding waste bin
- **50** Sliding waste bin, Series 550
- 51 Sliding waste bin, Series 222
- 52 Sliding metal waste bin, series 500
- 53 Sliding metal waste bin
- 54 All Out" 2-door sink base unit with pull-out baskets and waste bin joined to the doors
- 55 105-110-120-125 cm corner sink base unit with "Dividenda" pull-out waste bin
- **56** Sorter KickMatic waste bin for sink base unit 60
- **57** "Cling" Built-in waste bin for base unit 30
- 58 "Cling" Built-in waste bin for base unit 45
- **59** "Cling" Built-in waste bin for base unit 60
- 60 "Grab" Built-in waste bin for base unit 60, series 560
- **61** Built-in pull-out waste bin for 45 60 cm base unit
- 63 Waste bin for baskets, Art."KIT 3"
- 64 "Simple" built-in pull-out waste bin for sink base unit 60
- 65 "KIT980" Waste bin for 60 cm basket
- 66 Art.987GS01 Waste bin for 90 cm basket
- 67 Art.982GS01 Waste bin for 90 cm basket
- 68 Art.994GS01 Waste bin for 120 cm basket
- 69 "Split" waste bin for sink base unit 60 with 2 pullout baskets
- **70** "Split" waste bin for 90 cm basket

Index

- 71 "Split" waste bin for 120 cm basket
- 72 Sliding waste bin for 90x90 cm corner sink base unit

3 Accessories for hoods

- 73 Air outlet styling accessories
- 74 Air outlet styling accessories
- **75** Air outlet styling accessories
- **76** Air outlet styling accessories

4 Accessories for wall base, and larder units

- **76.1** Pull-out basket and drawers Internal dimension
- **78** "Orange" wooden cutlery tray
- **79** "Orange" kitchen utensil drawer organiser
- 80 "Orange" knife rack
- 81 "Orange" knife rack
- 82 "Orange" spice rack
- 83 "Kilter" cutlery tray
- 84 "Helper" pull-out basket and drawer accessories
- 86.2 "Bold" cutlery tray
- 86.3 "Dock" cutlery tray
- 87 "Single" cutlery tray
- 88 "Reset" cutlery tray
- 89 "Reset" knife rack
- **90** Ambia-Line accessories for drawers with Blum Plus Anthracite sides
- **92** Passe-Partout accessories for base units with drawers and baskets D.50 cm
- **99** "Orange" undermount knife rack/accessory organiser for base units with baskets
- **100** "Orange" plate rack for base units with baskets
- 102 "Orange" bottle and pan rack for basket
- 104 "Orange" Open Space

[09-2020]

- accessories for base units with basket
- 106 "Situs" pot lid holder
- 107 "Situs" plate rack
- **108** Pack of "Single" food rack partitions for baskets
- **109** Pack of "Single" aluminium pan rack with lid holder function
- 110 "Single" partitions for pullout baskets
- 111 "Orga-line" accessories for INTIVO range baskets with steel-glass sides
- 113 Mats for base units, wall units, shelves, baskets and drawers
- 114 "Universal" accessories
- 115 "Orange" "Boxset" storage accessories
- 116 Topper pull-out cloth holder
- 117 Cloth holder
- 118 Sponge container
- 119 Detergent container120 "Rack" plate rack for basket D.47.3 cm
- 121 "Programma 92" detergent basket
- **122** 1 mm thick Satin finish steel side facing panels
- **124** Steel side facing panels and filler strips th.4 cm
- 124.1 "Comfort" inner accessories for "Fluida" Wall System D.61.3 cm
- 124.3"Support" inner accessories for "Fluida" Wall System D.61.3 cm
- 124.6 "Metro" wall system
- 125 Aluminium larder unit bottom
- 126 Lacquered bottom cover/ top panel cover D.34 cm for wall units
- 127 "Plana" cloth holder

5 Midway units

- 131 'System' midway elements
- 133 'System' midway elements
- 135 "Ritmica" midway elements

- 136 "Opus" equipped wall panel
- 138 "Minimal" midway elements
- 140 "Equip" midway elements
- 141 "Tonda" midway elements
- 143 "Tonda magnetica" midway elements for Steel backsplash
- 144 Tonda magnetic accessory bar for backsplash
- **145** "Titan" midway elements **146.1**"Timeline" midway
 - elements
- 146.2 "Line System" system
- 146.5 "Setup" System"
- 147 "Country" midway elements
- 148 "Allinea" accessory bar
- 149 "Orizzonte" illuminated glass backsplash
- 150 Magnetic accessories for illuminated glass backsplash
- 150.1 "Orizzonte More" illuminated glass wall panel
- **150.2** "Orizzonte Up" magnetic wall panel
- 150.3 "Magneto" series of accessories with magnet for "Orizzonte" series wall panels
- 150.5 K-Concept illuminated wall panel
- 156.1 "Polar SE" midway lamp
- 156.2 "Polar SE SDM" midway lamp
- 156.3 "Polar XS SE" midway lamp
- 156.4 "Polax XL2" midway lamp
- 156.5 "Polar XL3" midway lamp
- 156.6 "Ghibli" midway lamp
- 156.8 "Blow" midway lamp
- 156.9 "Thea She Td" midway lamp
- 151 "Wand" drainer unit lamp152 Lamp for "Easy" line
- drainer units
- 153 "Sun" satin finish steel midway LED spotlight

- 154 "Dot" external spotlight
- **155** "Dot" recessed spotlight
- 156 "Saturn" recessed spotlight
- 157 "Genius" midway lamp158 "Minicorner" midway lamp
- 159 "Pole" midway lamp
- 160 "Crop" LED lamp for inside
- wall units
- 161 "Flulamp" midway lamp
- 161 "Odo" midway lamp
- 163 "Easylight" midway lamp
- 164 "Net xT" midway lamp
- 165 "Vitraled" midway lamp
- 166 "Key-dot" midway lamp
- 167 Show" recessed lamp

170 "Qi" wall lamp

baskets

out baskets

shelves

profile

flush-mount

power outlet

180 Built-in top-recessed

180.1 "Plural" built-in top-

180.2"Extra" built-in top-

180.3 "Extra" built-in top-

180.4 "Extra" built-in top-

recessed power outlet

recessed power outlet

recessed USB socket

180.5 "Corner double socket"

recessed wireless charger

Ш

177 ù

168 "Velo" vertical recessed lights169 "Qi" suspension lamp

171 "Flux" suspension lamp

units and base units with

173 Servo Drive for wall units,

174 Servo Drive for base units

175 Servo Drive 1 for sink base

units 60-90-120 with

176 LED illuminated bottom

board for wall units

177 Recessed ceiling light for

178 Aluminium wiring hole

179 "Push Pull" pull-out power

outlet tower - built-in

pull-out baskets

drainer units and hoods

and larder units with pull-

172 Kiton" lamp for base

Index

SCAVOLINI®

| | corner modular profle | 7 | Accessories for units fitting |
|------|------------------------------------|------|--|
| 181 | Reinforcing front | | |
| | profile for shelf | 203 | Wall unit fixing bar |
| | | 204 | Fixing dowels |
| 6 | Additional | 205 | Floor-mounting pack for base |
| Ŭ | accessories for | | units |
| | composition | | Caps $Ø$ 5 mm for shelf holes |
| 100 | | 207 | Wall unit fixing plates |
| 163 | for cornice shelf D.40 | 208 | Wall fastening pack for |
| | and 60 cm | | base units with drawers or |
| 184 | Hanging rack for | | baskets |
| 104 | island | | Pack of "Smove" stoppers "Kinderlok" safety |
| 185 | Steel shelf D.34 cm | 210 | mechanism |
| | th.6 cm | 210 | 1 Container for cabinet |
| 186 | Square open-fronted | 210. | internal transformer |
| | feet | 211 | "Tau" adjustable concealed |
| 187 | Height-adjustable foot | | shelf bracket |
| 188 | Transparent glass | 212 | Dowels for fitting units and |
| | partition | | shelf brackets |
| 188. | 1 Glass flame-guard | 213 | Concealed shelf bracket |
| | wall panel | 214 | "Tucano" shelf bracket |
| 188. | 2 Magnetic hook for | | Stainless steel steam guard |
| 100 | plinth fastening | | Gas connection pipe |
| | Steel casing H.15 cm Stepladder | 218 | Wiring hole plate for living |
| | Table accessories | | room wall cladding |
| | Fenix NTM door | 219 | Ceiling-mounted tie rods for |
| 152 | cleaning sponge | | shelves Wall-mounted tie rods for |
| 193 | Matt glass cleaning | 220 | shelves |
| | sponge | | 51101705 |
| 194 | Microfibre cloth | | |
| 195 | Pack of 5 "Clin & | | |
| | Clin" cloths | | |
| 196 | Liquid protector for | | |
| | granite, marble and | | |
| | composite tops | | |
| 197 | Bottle for cleaning | | |
| | laminate and coated | | |
| 100 | surfaces "Eranka" pasta far | | |
| 198 | "Franke" paste for | | |
| | cleaning stainless steel sinks | | |
| 199 | "BrioTop" universal | | |
| | degreasing detergent | | |
| 200 | Detergent for cleaning | | |
| | Quartz tops | | |
| 200 | Cesto contenitore "Qi" | | |
| | | | |





Pull-out basket for wall unit 15 cm H.73 cm

SCAVOLINI



- 1. Anthracite basket with Satin finish Steel sides with glass upper and Essence set-up with two containers with side sliding runners
- 2. Basket in chrome-finish metal with Chrome wire set-up with two containers with side sliding runners
- 3. Basket in chrome-finish metal with Overglass set-up with two containers with side sliding runners

The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming. Baskets with Overglass and Chrome wire set-up have a maximum load capacity of 25 kg, whereas baskets with Essence set-up have a maximum load capacity of 30 kg.

- CODE - 710000 - 710000 - 710194
 - 71019415





Aluminium lining for drainer units

SCAVOLINI[®]

Lining also available in **Steel**. For availability, see Elements for All Models Price List, Accessories section, Wall units/Base units/ Larder units.

Drainer unit with Aluminium lining.



Pull-out baskets for 15 cm base unit

SCAVOLINI

<image>

1. Anthracite basket with Satin finish Steel sides with glass upper and Essence set-up with two containers with side sliding runners.

2. Basket in chrome-finish metal with Chrome wire set-up with two containers with side sliding runners

3. Basket in chrome-finish metal with Overglass set-up with two containers with side sliding runners

The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing that prevents slamming. Baskets with Overglass and Chrome wire set-up have a maximum load capacity of 25 kg, whereas baskets with Essence set-up have a maximum load capacity of 20 kg.

COE - 71015017/3 - 71015017/3 - 7101943 - 7101943 - 7101943



Pull-out baskets for 30 and 45 cm base units

SCAVOLINI



- 1. Anthracite basket with Satin finish Steel sides with glass upper and Essence set-up, 30 cm $\rm RH/LH$ with two containers with side sliding runners on the bottom of the base unit.
- 2. Basket in Chrome-finish metal with Chrome wire set-up, 30 (a) 45 (b) cm RH/LH with two containers with sliding runners on the bottom of the base unit
- **3.** Basket in **Chrome-finish metal with Overglass set-up**, 30 (a) 45 (b) cm RH/LH with two containers with sliding runners on the bottom of the base unit

The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming. Baskets with Overglass and Chrome wire set-up have a maximum load capacity of 25 kg, whereas baskets with Essence set-up have a maximum load capacity of 30 kg and are only available for 30 cm base units.

| 1a - 71015110 | 3a - 71015110 |
|------------------|------------------|
| 1a - 71015111/12 | 3a - 71015111/12 |
| 2a - 71015110 | 3b - 71015420 |
| 2a - 71015111/12 | 3b - 71015421/22 |
| 2b - 71015420 | |
| 2h - 71015421/22 | |



"Sliding corner" basket equipment for 110-125 cm corner base units



- 1. Equipment with **chrome-finish metal "Sliding corner"** baskets with **Chrome wire** set-up and sliding runners for 110x65 cm RH/LH corner base unit.
- 2. Equipment with chrome-finish metal "Sliding corner" baskets with Overglass set-up and sliding runners for 110x65 cm RH/LH corner base unit.
- 3. Equipment with chrome-finish metal "Sliding corner" baskets with Chrome wire set-up and sliding runners for 125x65 cm RH/LH corner base unit.
- 4. Equipment with chrome-finish metal "Sliding corner" baskets with Overglass set-up and sliding runners for 125x65 cm RH/LH corner base unit.

Basket opening example. Maximum load capacity 40 kg (10 kg per basket). The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming.

SCAVOLINI



"Easygoing" basket equipment for 110 cm corner base units

1. Equipment with chrome-finish metal "Easygoing" baskets with Chrome wire set-up and sliding runners for 110 cm RH/LH corner base unit.

2. Equipment with chrome-finish metal "Easygoing" baskets with Overglass set-up and sliding runners for 110 cm RH/LH corner base unit.

The pull-out equipment is joined to the base unit door, while the inner baskets pull out independently. The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming. The Chrome wire baskets do not pull out of the base unit. Maximum load capacity 30 kg (20 kg for inner baskets + 10 kg for baskets joined to the door.



CODE - 71020313/14 - 71016787/88



Maximum load capacity 28 kg (7 kg per basket)

Chrome wire internal structure with two shelves and pivoting external structure with the base unit door fitted with two rounded chrome wire shelves for $110x65~{\rm cm}$ corner base unit.

SCAVOLINI[®]



"Easy Corner" pull-out mechanism for 110x65 cm corner base unit

Maximum load capacity 28 kg (7 kg per basket)

Chrome wire internal structure with two shelves and pivoting external structure with the base unit door fitted with two rounded chrome wire shelves for **110x65 cm** corner base unit.



"Fly Moon - Essence Fly Moon" pull-out shelves for corner base units



- "Fly Moon Essence Fly Moon" equipment with 2 pull-out shelves with aluminium edge rail for 105x60 cm corner base unit H.73 (a) - H.76 (b)
- "Fly Moon Essence Fly Moon" equipment with 2 pull-out shelves with aluminium edge rail for 110x65 cm corner base unit H.73 (a) - H.76 (b) - H.80 (c)
- **3. "Essence Fly Moon**" equipment with 2 pull-out shelves with aluminium edge rail for **120x60** cm corner base unit H.73 (a) H.76 (b)
- **4. "Essence Fly Moon"** equipment with 2 pull-out shelves with aluminium edge rail for **125x65** cm corner base unit H.73 (a) H.76 (b) H.80 (c)

The shelves have a maximum load capacity of 40 kg (20 kg per shelf)

CODE 2c - 71016849/50 3a - 71016835/36 a - 71016833/34 3b - 71016847/48 b - 71016845/46 4a - 71016847/48 2a - 71016837/38 4b - 71016843/44 2b - 71016841/42 4c - 71016851/52

[09-2020]



Baskets for 105 cm corner base unit

SCAVOLINI[®]

 $\ensuremath{\text{Chrome-finish}}\xspace$ metal carousel baskets for $105\ensuremath{\mbox{cm}}\xspace$ corner base unit

Maximum load capacity 20kg (10 kg per basket)

CODE - 31105310



Revolving baskets for 90x90 cm corner base unit

SCAVOLINI

Maximum load capacity 30 kg (15 kg per basket)

 $\label{eq:metal} \textbf{Metal} \ \textbf{structure} \ \textbf{with} \ \textbf{2} \ \textbf{chrome-finish} \ \textbf{metal} \ \textbf{revolving} \ \textbf{baskets}$



90x90 cm corner base unit with revolving shelves

SCAVOLINI[®]

90x90 cm corner base unit with revolving shelves

The revolving shelves have a maximum load capacity of 50 kg. (25 kg per shelf). The shelf is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing that prevents slamming.

CODE 71016733

14



"Programma 92" single chrome-finish basket for base units



1. 45 cm chrome-finish metal pull-out basket with Overglass set-up for base unit or larder unit

2.60 cm chrome-finish metal pull-out basket with Overglass set-up for base unit or larder unit

3.45 cm chrome-finish metal pull-out basket with Chrome wire set-up for base unit or larder unit

4.60 cm chrome-finish metal pull-out basket with Chrome wire set-up for base unit or larder unit

5. 90 cm chrome-finish metal pull-out basket with Chrome wire set-up for base unit or larder unit

6.90 cm chrome-finish metal pull-out basket with Overglass set-up for base unit or larder unit.

[01-2018]

For 45 cm chrome-finish pull-out basket code 31105300/31105992 order elements set up for chrome wire baskets:

45 cm base unit - H.73.4 cm code 71015323/24 (3 baskets recommended)
45 cm base unit - H.76.4 cm code 71020095/96 (3 baskets recommended)
45 cm larder unit - H.127.2 cm code 71026139/40 (3 baskets recommended)
45 cm larder unit, lower door aligned with base units code 71030159/60
(2 baskets in lower compartment, 3 baskets in upper compartment recommended)
45 cm larder unit, upper door aligned with wall units code 71030157/58
(3 baskets in lower compartment, 2 baskets in upper compartment recommended)
45 cm larder unit with full-length door code 71030173/74 (5 baskets recommended)
For 60 cm chrome-finish pull-out baskets code 31105301/31105993
order elements set up for chrome wire baskets:

- 60 cm base unit - H.73.4 cm code 71015723/24 (3 baskets recommended)
- 60 cm base unit - H.76.4 cm code 71015723/24 (3 baskets recommended)
- 60 cm larder unit - H.127.2 cm code 71026239/40 (3 baskets recommended)
- 60 cm larder unit, lower door aligned with base units code 71030299/00
(2 baskets in lower compartment, 3 baskets in upper compartment recommended)
- 60 cm larder unit, upper door aligned with wall units code 71030301/02 and 71030325/26
(3 baskets in lower compartment, 2 baskets in upper compartment recommended)
- 60 cm larder unit with full-length door code 71030333/34 (5 baskets recommended)
For 90 cm chrome-finish pull-out baskets code 31106357/58

order elements set up for chrome wire baskets:

- 90 cm base unit - H.73.4 cm code 71016281 (3 baskets recommended)
- 90 cm base unit - H.76.4 cm code 71020225 (3 baskets recommended)
- 90 cm larder unit - H.127.2 cm code 71026473 (3 baskets recommended)
- 90 cm larder unit, lower door aligned with base units code 71030535
(2 baskets in lower compartment, 3 baskets in upper compartment recommended)
- 90 cm larder unit, upper door aligned with wall units code 71030531

(3 baskets in lower compartment, 2 baskets in upper compartment recommended) - 90 cm larder unit with full-length door code 71030553

(5 baskets recommended)

N.B. The load capacity for each individual basket is 30 kg distributed evenly.

]



"Blum Plus" 30, 45, 60, 90,120 cm pull-out baskets and drawers with painted metal sides

The 30-45-60-90-120 cm drawers have a maximum load capacity of 50 kg. They are equipped with the Blumotion closing system that ensures cushioned closing of the drawer; some models are fitted with the "Tip-on" push-latch opening; the Servodrive motorised opening system is also available upon request.

Full-extraction drawer with sides and back panel in **Anthracite painted metal**, decorative melamine base and sliding runners on the base unit side panels.



"Intivo" 30, 45, 60, 90, 120 cm pull-out drawers with steel sides

Full-extraction drawer with satin finish **steel** sides from the **Intivo** line, decorative melamine base and sliding runners on the base unit side panels.

The 30-45-60-90-120 cm drawers have a maximum load capacity of 50 kg. They are equipped with the Blumotion closing system that ensures cushioned closing of the drawer; some models are fitted with the "Tip-on" push-latch opening; the Servodrive motorised opening system is also available upon request.



"Intivo" 30, 45, 60, 90, 120 cm pull-out baskets with steel-glass sides

The 30-45-60-90-120 cm baskets have a maximum load capacity of 50 kg. They are equipped with the Blumotion closing system that ensures cushioned closing of the basket; some models are fitted with the "Tip-on" push-latch opening; the Servodrive motorised opening system is also available upon request.

Full-extraction basket with **steel-glass** sides from the **Intivo** line, decorative melamine base and sliding runners on the base unit side panels.



30, 45, 60, 90, 120 cm pull-out baskets with aluminium sides

Full-extraction basket with **aluminium** sides, decorative melamine base and sliding runners on the base unit side panels

The 30-45-60-90-120 cm baskets have a maximum load capacity of 50 kg. They are equipped with the Blumotion closing system that ensures cushioned closing of the basket; some models are fitted with the "Tip-on" push-latch opening; the Servodrive motorised opening system is also available upon request.



30, 45, 60, 90, 120 cm pull-out baskets with metal sides

The 30-45-60-90-120 cm baskets have a maximum load capacity of 50 kg. They are equipped with the Blumotion closing system that ensures cushioned closing of the basket. The Servodrive cannot be installed. Only available for Scavolini Basic.

Full-extraction basket with ${\it grey\ painted\ metal}$ sides, decorative melamine base and sliding runners on the base unit side panels



30, 45, 60, 90 cm pull-out baskets with wooden sides

Full-extraction basket with **Beech** sides, decorative melamine base and sliding runners on the base unit side panels

The baskets have a maximum load capacity of 50 kg. They are equipped with the Blumotion closing system that ensures cushioned closing of the basket. The Servodrive cannot be installed. Only available for classic models.



Base unit with pull-out basket and 2 inner drawers

 $1.\,45~\mbox{cm}$ base unit with pull-out basket and 2 full-extraction inner drawers (a)

2. 60 cm base unit with pull-out basket and 2 full-extraction inner drawers (a)

Hob base units also available (b). Baskets and drawers are equipped with the Blumotion closing system that ensures cushioned closing of the drawer and basket. Load capacity 50 kg per drawer/basket.

la - 71015427 2a - 71015777 lb - 71017010 2b - 71017032



Base unit with 4 inner drawers

SCAVOLINI

45 cm base unit with 4 inner drawers (a).
 60 cm base unit with 4 inner drawers (a).

Hob base units also available **(b)**. The drawers are equipped with the Blumotion closing system that ensures cushioned closing of the drawer. Load capacity 50 kg per drawer.

CODE 1a - 71015329/30 2a - 71015731/32 1b - 71016999/00 2b - 71017017/18

24



Base unit with 2 pull-out baskets and inner drawer



- 1. 45 cm base unit with 2 baskets and inner drawer (a)
- 2. 60 cm base unit with 2 baskets and inner drawer (a)
- 3.90 cm base unit with 2 baskets and inner drawer (a)

Hob base units also available **(b).** Baskets and drawers are equipped with the Blumotion closing system that ensures cushioned closing of the drawer and basket. Load capacity 50 kg per drawer/basket.

1

1a - 7101554 1b - 7101700 2a - 7101586 2b - 7101703 3a - 7101631 3b - 7101708



Gas cylinder holder for base units

SCAVOLINI[®]

Grey plastic gas cylinder holder for 45 cm base units
 Grey plastic gas cylinder holder for 90 cm sink base units
 Grey plastic gas cylinder holder for 120 cm sink base units.

CODE 1 - 71015339/40 2 - 71017621/22 3 - 71017671/72

26



Steel Ining for Sink bas

SCAVOLINI"

Aluminium lining also available. For availability, see Elements for All Models Price List, Accessories section, Wall units/Base units/Larder units.

Sink base unit with Steel lining



"Pixo" pull-out table for 90 cm base unit

Pull-out table for 90 cm base unit.

The table stows away under the top. Maximum load capacity 60 kg distributed evenly. ${\bf N.B.}$ The base unit must be secured to the wall.

| | CODE | |
|--------------|-------|--|
| 710 1 | 16241 | |
| 710 1 | 16242 | |
| 7101 | 16249 | |
| 7101 | 16250 | |





"Friendly" pull-out table for 90 cm base unit with drawer and basket"

The mechanism is designed to pull out an overall top measuring 138 cm consisting of 3 extensions. The capacity of the mechanism is 100 kg. The top must always be pulled out fully.

- 1. Pull-out table for ${\bf 90}~{\rm cm}$ base unit H.73 cm with foldaway telescopic leg.
- 2. Pull-out table for ${\bf 90}~{\rm cm}$ base unit H.76 cm with foldaway telescopic leg.
- ${\bf 3.}$ Pull-out table for ${\bf 90}~{\rm cm}$ base unit H.80 cm with foldaway telescopic leg.
- 4. Pull-out table for 90 cm base unit H.80 cm with double recessed grip profile and foldaway telescopic leg.



- 1 710162 2 - 710202 3 - 710462
- 4 71046404


"Friendly" pull-out table for 90 cm base unit with chair storage

SCAVOLINI[®]

Pull-out table with foldaway telescopic leg for 90 cm base unit H.80 cm with chair storage..

The mechanism is designed to pull out an overall top measuring 138 cm consisting of 3 extensions. The capacity of the mechanism is 100 kg. The top must always be pulled out fully. Up to 4 Enjoy model folding chairs can be inserted inside the base unit.



- 71046384







Ironing board for 45 cm base unit with drawers

SCAVOLINI[®]

Pull-out metal ironing board with fire-retardant cover

CODE - 71020131 - 71020132 - 71015475 - 71046203 - 71046235 - 71015477







Larder unit with upper roll-up door

SCAVOLINI[®]







0289 0559 0287/8 0557

|--|

60 cm larder unit with 2 pull-out baskets and upper roll-up door
 90 cm larder unit with 2 pull-out baskets and upper roll-up door
 3. 60 cm larder unit with door and upper roll-up door

4.90 cm larder unit with door and upper roll-up door

Larder unit with roll-up door and base unit set-up comprising: A - 2 melamine shelves, roll-up door compartment and 220 V Corner double power outlet (only available for Italy). Additional set-ups:

B - pull-out tray with aluminium sides.

C - LED light with switch (E)



SCAVOLINI



"Tidyserver" pull-out detergent and broom organiser

The broom organiser is equipped with 2 full-extraction runners with "Soft-closing" mechanism (which provides automatic return of the basket with cushioned closing that prevents slamming). Complete with two plastic bowls and one pack of 4 bottle retaining partitions Available with runners on the left or right. The anti-tilt wall attachment supplied must be fitted to the top panel of the larder unit. Maximum load capacity 50 kg distributed evenly Pull-out detergent and broom organiser for ${\bf 15}~{\rm cm}$ tall unit

| CODE |
|----------|
| 71019419 |
| 71019420 |
| 71019425 |
| 71019485 |

[01-2018]



"Wineserver" pull-out bottle rack wine cellar

SCAVOLINI

"Wineserver" chrome-finish metal bottle rack wine cellar for ${\bf 15}\ {\rm cm}\ {\rm tall}\ {\rm unit}$

The wine cellar is equipped with 2 full-extraction runners with "Soft-closing" mechanism (which provides automatic return of the basket with cushioned closing that prevents slamming). Also equipped with 1 pack of 4 bottle retaining partitions and 3 plastic bowls. The anti-tilt wall attachment supplied must be fitted to the top panel of the larder unit. Maximum load capacity 50 kg distributed evenly

CODE - 71019419 - 71019420 - 71019425





4





Pull-out baskets for larder units with "Overglass" set-up

- 1. 30 cm larder unit with full-extraction, soft-closing pull-out baskets with Overglass set-up.
- 2. Rational 45 cm larder unit with pull-out baskets joined to the door with **Overglass set-up** (fulllength door).
- Rational 45 cm larder unit with pull-out baskets joined to the door with Overglass set-up (lower door aligned with the base units).
- Rational 45 cm larder unit with pull-out baskets joined to the door with Overglass set-up (upper door aligned with the wall units).
- **5.45** cm larder unit consisting of 2 doors with full-extraction, soft-closing chrome-finish pull-out basket with **Overglass set-up** and 1 full-extraction, soft-closing drawer.
- **6.45** cm RH/LH larder unit with double pull-out element with 12 baskets with **Overglass set-up** (6 inner, 6 outer) with upper door aligned with the wall units.
- **7. 45** cm RH/LH larder unit with double pull-out element with 12 baskets with **Overglass set-up** (6 inner, 6 outer) with lower door aligned with the base units.
- 8. Rational 60 cm larder unit with pull-out baskets joined to the door with **Overglass set-up** (fulllength door).
- Rational 60 cm larder unit with pull-out baskets joined to the door with Overglass set-up (lower door aligned with the base units).
- 10. Rational 60 cm larder unit with pull-out baskets joined to the door with **Overglass set-up** (upper door aligned with the wall units).
- **11. 60** cm RH/LH larder unit with double pull-out element with 12 baskets with **Overglass set-up** (6 inner, 6 outer) with upper door aligned with the wall units.

| 5 - 71030191 | 11- 71030161/2 |
|-----------------|---|
| 6 - 71030363/4 | 12 - 71030163/4 |
| 7 - 71030361/2 | 13 - 71030551 |
| 8 - 71030379/80 | 14 - 71030550 |
| 9 - 71030375/6 | |
| 10 - 71030377/8 | |
| | 6 - 71030363/4 7 - 71030361/2 8 - 71030379/80 9 - 71030375/6 |

12. 60 cm RH/LH larder unit with double pull-out element with 12 baskets with Overglass set-up (6 inner, 6 outer) with lower door aligned with the base units.

13. 90 cm larder unit with double pull-out element with 24 baskets with Overglass set-up (12 inner, 12 outer) with upper door aligned with the wall units.

14. 90 cm larder unit with double pull-out element with 24 baskets with Overglass set-up (12 inner, 12 outer) with lower door aligned with the base units

(1) The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming. The anti-tilt wall attachment supplied must be fitted to the top panel of the larder unit. Maximum load capacity 120 kg distributed evenly. (2-3-4-8-9-10) Total maximum load capacity 75 kg distributed evenly (15 kg per basket). (5) Basket load capacity in upper compartment 64 kg distributed evenly, basket load capacity in lower compartment 25 kg distributed evenly. The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming. The anti-tilt wall attachment supplied must be fitted to the top panel of the larder unit. (6-7-11-12-13-14) The maximum load capacity for each single basket is 2.5 kg for door-mounted baskets and 5 kg for inner baskets, so the total load capacity is 45 kg for 45 and 60 cm larder units and 90 kg for the 90 cm version. The anti-tilt wall attachment supplied must be fitted to the top panel of the larder unit.

SCAVOLINI









Pull-out baskets for larder units with "Chrome wire" set-up

- 1. 30 cm larder unit with full-extraction, soft-closing pull-out baskets with Chrome wire set-up.
- ${\bf 2.}\ {\rm Rational}\ {\bf 45}\ {\rm cm}\ {\rm larder}\ {\rm unit}\ {\rm with}\ {\rm pull-out}\ {\rm baskets}\ {\rm joined}\ {\rm to}\ {\rm the}\ {\rm door}\ {\rm with}\ {\rm Chrome}\ {\rm wire}\ {\rm set-up}\ ({\rm full-length}\ {\rm door}).$
- **3.** Rational **45** cm larder unit with pull-out baskets joined to the door with **Chrome wire set-up** (lower door aligned with the base units).
- 4. Rational 45 cm larder unit with pull-out baskets joined to the door with Chrome wire set-up (upper door aligned with the wall units).
- **5.45** cm larder unit consisting of 2 doors with full-extraction, soft-closing chrome-finish pull-out basket with **Chrome wire set-up** and 1 full-extraction, soft-closing drawer.
- 6. 45 cm RH/LH larder unit with double pull-out element with 12 baskets with Chrome wire setup (6 inner, 6 outer) with upper door aligned with the wall units
- 7. 45 cm RH/LH larder unit with double pull-out element with 12 baskets with Chrome wire setup (6 inner, 6 outer) with lower door aligned with the base units
- 8. Rational 60 cm larder unit with pull-out baskets joined to the door with Chrome wire set-up (full-length door).
- **9.** Rational **60** cm larder unit with pull-out baskets joined to the door with **Chrome wire set-up** (lower door aligned with the base units).
- **10.** Rational **60** cm larder unit with pull-out baskets joined to the door with **Chrome wire set-up** (upper door aligned with the wall units).
- **11. 60** cm RH/LH larder unit with double pull-out element with 12 baskets with **Chrome wire set-up** (6 inner, 6 outer) with upper door aligned with the wall units

| 5 - 71030191 | 11- 7103016/2 |
|-----------------|---|
| 6 - 71030161/2 | 12 - 71030163/4 |
| 7 - 71030163/4 | 13 - 71030551 |
| 8 - 71030379/80 | 14 - 71030550 |
| 9 - 71030375/6 | |
| 10 - 71030377/8 | |
| | 6 - 71030161/2 7 - 71030163/4 8 - 71030379/80 9 - 71030375/6 |

12. 60 cm RH/LH larder unit with double pull-out element with 12 baskets with Chrome wire set-up (6 inner, 6 outer) with lower door aligned with the base units

13. 90 cm larder unit with double pull-out element with 24 baskets with Chrome wire set-up (12 inner, 12 outer) with upper door aligned with the wall units

14. 90 cm larder unit with double pull-out element with 24 baskets with Chrome wire set-up (12 inner, 12 outer) with lower door aligned with the base units

(1) The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming. The anti-tilt wall attachment supplied must be fitted to the top panel of the larder unit. Maximum load capacity 120 kg distributed evenly. (2-3-4-8-9-10) Total maximum load capacity 75 kg distributed evenly (15 kg per basket). (5) Basket load capacity in upper compartment 64 kg distributed evenly, basket load capacity in lower compartment 25 kg distributed evenly. The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming. The anti-tilt wall attachment supplied must be fitted to the top panel of the larder unit. (6-7-11-12-13-14) The maximum load capacity for each single basket is 2.5 kg for door-mounted baskets and 5 kg for the 90 cm version. The anti-tilt wall attachment supplied must be fitted to the top panel of the larder units and 90 kg for the 90 cm version. The anti-tilt wall attachment supplied must be fitted to the top panel of the larder units and 90 kg for the 90 cm version.

SCAVOLINI





1





Pull-out baskets for larder units with "Essence" set-up

- 15 cm larder unit with full-extraction, soft-closing pull-out baskets with Essence set-up. Tall unit kit consisting of frame and roller runners, Anthracite baskets with Satin finish Steel sides and glass uppers
- 2. 30 cm larder unit with full-extraction, soft-closing pull-out baskets with Essence set-up. Tall unit kit consisting of frame and roller runners, Anthracite baskets with Satin finish Steel sides and glass uppers
- 3.45 cm larder unit with pull-out baskets and Essence set-up. Pull-out frame designed to accommodate 180° opening door, Anthracite baskets with Satin finish Steel sides and glass uppers
- 4. 60 cm larder unit with pull-out baskets and Essence set-up. Pull-out frame designed to accommodate 180° opening door, Anthracite baskets with Satin finish Steel sides and glass uppers

(1-2.3-4) The basket is equipped with a "Soft-closing" mechanism providing automatic return with cushioned closing to prevent slamming. The anti-tilt wall attachment supplied must be fitted to the top panel of the larder unit. (1-2) Total maximum load capacity is 100kg distributed evenly.
 (3-4) The maximum load capacity is 80 kg distributed evenly.

- 71030011 - 71030040 - 71030041/2
 - 30041/2 4 710303
 - J30043/4 4 7103
- 3 710303



Set of baskets for broom cupboard



Basket in chrome-finish metal with three containers with side sliding runners.

The total maximum load capacity is 30 kg (7.5 kg per basket) distributed evenly.

CODI 71030135/0 71030137/8 71030235/0 71030237/8



180 cm larder unit with sliding Aluminium frame doors

The shelves have a maximum load capacity of 100 kg (25 kg $$\rm per\ shelf)$$

180 cm larder unit with sliding Aluminium frame doors:

- two 90 cm doors with veneered / glass / glass-wood panels

- four 180 cm chrome wire shelves

















- CODE 30689/90
- 71031689/90
- c 71030693/94
- 71031693/9

- 105x105 H.210/215 cm (a) and H.240/245 cm (b) corner storage cupboard with upper door aligned with the wall units or lower door aligned with the base units H.210/215 cm (c) and H.240/245 cm (d) comprising:
 - 1. 4 shelves (load capacity 25 kg per shelf)
 - 2. 1 under-shelf basket (load capacity 9 kg)
 - 3.1 accessory and vacuum cleaner organiser (load capacity 9 kg)
 - 4. 4 accessory storage baskets (load capacity 12 kg)
 - 5. 5 multi-purpose hooks (load capacity 10 kg)
 - 6. 1 stackable basket (load capacity 15 kg)
 - 7. 1 bottle rack (4) (load capacity 6 kg)
 - The equipment can be fitted on both the internal sides of the cabinet.



Storage cupboard

| SCA | VO | | NI |
|-----|----|----|----|
| UUA | | LU | |

| 1. Storage cupboard with 60 cm door - L.122x60 cm H.227 cm for plinth H.7 cm |
|--|
| 2. Storage cupboard with 60 cm door - L.122x74 cm H.227 cm for plinth H.7 cm |
| 3. Storage cupboard with 60 cm door - L.135x60 cm H.227 cm for plinth H.7 cm |
| 4. Storage cupboard with 60 cm door - L.135x74 cm H.227 cm for plinth H.7 cm |
| 5. Storage cupboard with 60 cm door - L.122x60 cm H.216 cm for plinth H.10 cm |
| 6. Storage cupboard with 60 cm door - L.122x74 cm H.216 cm for plinth H.10 cm |
| 7. Storage cupboard with 60 cm door - L.135x60 cm H.216 cm for plinth H.10 cm |
| 8. Storage cupboard with 60 cm door - L.135x74 cm H.216 cm for plinth H.10 cm |
| 9. Storage cupboard with 60 cm door - L.122x60 cm H.221 cm for plinth H.15 cm |
| 10. Storage cupboard with 60 cm door - L.122x74 cm H.221 cm for plinth H.15 cm |
| 11. Storage cupboard with 60 cm door - L.135x60 cm H.221 cm for plinth H.15 cm |
| 12. Storage cupboard with 60 cm door - L.135x74 cm H.221 cm for plinth H.15 cm |
| 13. Storage cupboard with 60 cm door - L.122x60 cm H.230 cm for plinth H.10 cm |
| 14. Storage cupboard with 60 cm door - L.122x74 cm H.230 cm for plinth H.10 cm |
| 15. Storage cupboard with 60 cm door - L.135x60 cm H.230 cm for plinth H.10 cm |
| 16. Storage cupboard with 60 cm door - L.135x74 cm H.230 cm for plinth H.10 cm |
| 17. Storage cupboard with 75 cm door - L.137x60 cm H.216 cm for plinth H.10 cm |
| 18. Storage cupboard with 75 cm door - L.137x74 cm H.216 cm for plinth H.10 cm |
| |

| To be equipped as required |
|---|
| - shelves on shelf brackets D.25 or 56 cm |
| shelves on rack D.30 cm |
| |

- sneives on rack D.30 cm - drier support shelf We recommend you insert the Crop LED lamps. Picture **A** shows the equipment with shelves on shelf brackets; picture **B** shows the equipment with shelves on rack; picture **C** shows the equipment with drier support shelf.

| CODE | | | | | | | |
|-----------------|------------------|------------------|------------------|------------------|------------------|------------------|------|
| | | | | | | 37 - 71041965/66 | |
| 2 - 71051071/72 | 8 - 71042001/02 | 14 - 71051101/02 | 20 - 71042003/04 | 26 - 71051073/74 | 32 - 71051113/14 | 38 - 71042025/26 | |
| 3 - 71051011/12 | 9 - 71041961/62 | 15 - 71051041/42 | 21 - 71041963/64 | 27 - 71051013/14 | 33 - 71041935/36 | 39 - 71041975/76 | - |
| 4 - 71051081/82 | 10 - 71042021/22 | 16 - 71051111/12 | 22 - 71042023/24 | 28 - 71051083/84 | 34 - 71041995/96 | 40 - 71042035/36 | |
| 5 - 71041931/32 | 11 - 71041971/72 | 17 - 71041933/34 | 23 - 71041973/74 | 29 - 71051033/34 | 35 - 71041945/46 | 41 - 71051005/06 | 101 |
| 6 - 71041991/92 | 12 - 71042031/32 | 18 - 71041993/94 | 24 - 71042033/34 | 30 - 71051103/04 | 36 - 71042005/06 | 42 - 71051075/76 | 40.1 |
| | | | | | | | |





Storage cupboard shelf bracket detail







40.2

| | 47 - 71051045/46 | 53 - 75063943 | 59 - 75063946 | 65 - 31107612 |
|-----|------------------|---------------|---------------|---------------|
| | 48 - 71051115/16 | 54 - 75063929 | 60 - 75063945 | 66 - 31107613 |
| /16 | 49 - 75063993 | 55 - 75063944 | 61 - 75061365 | 67 - 31107614 |
| | 50 -75063861/2 | 56 - 75063931 | 62 - 75061366 | 68 - 31107615 |
| | 51 - 75063995 | 57 - 75063947 | 63 - 75061367 | 69 - 31107616 |
| 06 | 52 - 75063863/4 | 58 - 75063948 | 64 - 75061368 | 70 - 31107617 |













[09-2020]



"Fly Moon - Essence Fly Moon" pull-out shelves for corner larder units

- "Fly Moon" (A) "Essence Fly Moon" (B) equipment with 4 pull-out shelves with aluminium edge rail for 107 cm corner larder unit H.127 cm (a) - H.133 cm (b) - H.140 cm (c) H.200 cm (d) - H.206 cm (e)
- "Essence Fly Moon" equipment with 4 pull-out shelves with aluminium edge rail for 122 cm corner larder unit H.127 cm (a) - H.133 cm (b) - H.140 cm (c) H.200 cm (d) - H.206 cm (e) - H.220 cm (f)

The shelves have a maximum load capacity of 80 kg (20 kg per shelf)

Α











1-3-5.Door joined with 1 drawer and 2 baskets, 1 drawer and 1 inner pull-out basket. **2-4-6.**Two doors joined with 1 drawer and 2 baskets, 1 drawer and 1 inner pull-out basket. The drawers and baskets are equipped with the Blumotion closing system that ensures cushioned closing of the drawer and basket. Load capacity 50 kg per drawer/basket. The anti-tilt wall attachment supplied must be fitted to the top panel of the larder unit.

30 cm RH/LH larder unit with pull-out full-length door, inner baskets and drawers
 30 cm RH/LH larder unit with lower door aligned with the base units with inner baskets and drawers

3. 45 cm RH/LH larder unit with pull-out full-length door, inner baskets and drawers
 4. 45 cm RH/LH larder unit with lower door aligned with the base units with inner baskets and drawers

5. 60 cm RH/LH larder unit with pull-out full-length door, inner baskets and drawers6. 60 cm RH/LH larder unit with lower door aligned with the base units with inner baskets and drawers

COD

- 71030051/52
- 2 71030033/3-
- 3 71030181/82
- 71030183/84
- 710202/1//



Pull-out drawers and baskets for base unit or larder unit

The drawers and baskets are equipped with the Blumotion closing system, a mechanism providing automatic return with cushioned closing of the drawer and basket that prevents slamming. Load capacity 50 kg per drawer/basket.

- 1. Pull-out drawers and baskets for ${\bf 45}~{\rm cm}$ larder unit
- ${\bf 2.} \ {\rm Pull-out} \ {\rm drawers} \ {\rm and} \ {\rm baskets} \ {\rm for} \ {\bf 60} \ {\rm cm} \ {\rm larder} \ {\rm unit}$



Dresser unit for 90 cm base units

SCAVOLINI[®]

Equipped beech dresser unit complete with: 1 rolling pin 3 kitchen roll holders 1 magnetic knife rack 1 plywood chopping board

44





Maximum capacity 80 kg

"Telescope" breakfast bench support **H.69-91.5** cm in Aluminium. Leg diameter 11 cm, plate diameter 23.3 cm and foot diameter 12.6 cm



CODE - 75020203





"Podium" breakfast bench support

SCAVOLINI

"Podium" breakfast bench support H.69-95 cm in Black, White or Chrome-finish painted metal

Maximum capacity 80 kg



44.2

CODE 75086331



Max.capacity 50 kg

"Flux Swing" breakfast bench support H.82 cm in Grey or Metallic Grey painted metal N.B. the top must protrude between 70 and 100 cm from the element before the support.



CODE 75020222



"Sloper" breakfast bench support

72 6 1

60/80

"Sloper" metal breakfast bench support, table height, available in: 1. Black, White or Grey L.60 - H.72 cm 2. Black, White or Grey L.80 - H.72 cm

"Sloper" metal breakfast bench support, island height, available in:

- 3. Black, White or Grey L.60 H.83 cm4. Black, White or Grey L.80 H.83 cm
- 5. Black, White or Grey L.60 H.86 cm
- 6. Black, White or Grey L.80 H.86 cm
- 7. Black, White or Grey L.60 H.88 cm
- 8. Black, White or Grey L.80 H.88 cm
- 9. Black, White or Grey L.60 H.91 cm
- 10. Black, White or Grey L.80 H.91 cm⁴



44.4

[09-2020]



'Slender' breakfast bench support with one leg, in Steel or Bronze finish metal $\ensuremath{\textbf{H.72}}$ cm



CODE - 75020335



70

5.5

60/80

1. 'Slender' breakfast bench support with two legs, Satin finish Nickel finish metal L.70 - H.70/91.5 cm

2. 'Slender' breakfast bench support with two legs, Satin finish Nickel finish metal L.90 - H.70/91.5 cm

CODE 1 - 75086455 2 - 75086456







'Hold Up' breakfast bench support resting on the front of base units

"Hold Up" breakfast bench support in Black, White or Grey metal L.70 - H.71.9 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.71.9 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.70 - H.83.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.83.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.70 - H.86.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.86.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.70 - H.88.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.88.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.88.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.88.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.88.4 cm

- 750860

- 75086087
 - 96076 Q
- 000070
- 75086080
- [09-2020]

1.]





'Hold Up' breakfast bench support with extending supports

SCAVOLINI

"Hold Up" breakfast bench support in Black, White or Grey metal L.70 - H.71.9 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.71.9 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.70 - H.83.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.83.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.83.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.86.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.86.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.88.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.88.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.88.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.88.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.88.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.91.4 cm
 "Hold Up" breakfast bench support in Black, White or Grey metal L.90 - H.91.4 cm

CODE

6-7

86085 /

- 75086068

- 75086069



44.8





1.1

44.9

"Hold Up+" support for base units





| 1 - 75086851 | 7 - 75086856 | 13 - 75086864 | 19 - 75086871 | 25 - 75086876 | 31 - 75086884 |
|--------------|---------------|---------------|---------------|---------------|---------------|
| 2 - 75086852 | 8 - 75086857 | 14 - 75086897 | 20 - 75086872 | 26 - 75086877 | 32 - 75086899 |
| 3 - 75086853 | 9 - 77080970 | 15 - 75086865 | 21 - 75086873 | 27 - 77080971 | 33 - 75086885 |
| 4 - 75086854 | 10 - 75086861 | 16 - 75086866 | 22 - 75086874 | 28 - 75086881 | 34 - 75086886 |
| 5 - 75086896 | 11 - 75086862 | 17 - 75086867 | 23 - 75086898 | 29 - 75086882 | 35 - 75086887 |
| 6 - 75086855 | 12 - 75086863 | 18 - 77080972 | 24 - 75086875 | 30 - 75086883 | |
| | | | | | |

1. "Hold Up +" support for base unit D.56.3 cm with back frame for base unit and 58.8 cm top, in Black, White or Grey metal L.68.7 - H.70 cm (table height)

2. "Hold Up +" support for base unit D.56.3 cm with back frame for base unit and 58.8 cm top, in Black, White or Grey metal L.68.7 - H.71.9 cm (table height)

 "Hold Up +" support for base unit D.56.3 cm with back frame for base unit and 58.8 cm top, in Black, White or Grey metal L.68.7 - H.83.4 cm (breakfast bench height)

 4. "Hold Up +" support for base unit D.56.3 cm with back frame for base unit and 58.8 cm top, in Black, White or Grey metal L.68.7 - H.86.4 cm (breakfast bench height)

 5. "Hold Up +" support for base unit D.56.3 cm with back frame for base unit and 58.8 cm top, in Black, White or Grey metal L.68.7 - H.87 cm (breakfast bench height)

6. "Hold Up +" support for base unit D.56.3 cm with back frame for base unit and 58.8 cm top, in Black, White or Grey metal L.68.7 - H.88.4 cm (breakfast bench height)

7. "Hold Up +" support for base unit D.56.3 cm with back frame for base unit and 58.8 cm top, in Black, White or Grey metal L.68.7 - H.90 cm (breakfast bench height)

 8. "Hold Up +" support for base unit D.56.3 cm with back frame for base unit and 58.8 cm top, in Black, White or Grey metal L.68.7 - H.91.4 cm (breakfast bench height)

9. Pack of extensions 56.5 cm L.68.7

10. "Hold Up +" support for base unit D.56.3 cm and base unit D.34 cm and 58.8 cm top, in Black, White or Grey metal L.95.3 - H.70 cm (table height)

 "Hold Up +" support for base unit D.56.3 cm and base unit D.34 cm and 58.8 cm top, in Black, White or Grey metal L.95.3 - H.71.9 cm (table height)

 "Hold Up +" support for base unit D.56.3 cm with base unit D.34 cm and 58.8 cm top, in Black, White or Grey metal L.95.3 - H.83.4 cm (breakfast bench height)

 "Hold Up +" support for base unit D.56.3 cm and base unit D.34 cm and 58.8 cm top, in Black, White or Grey metal L.95.3 - H.86.4 cm (breakfast bench height)

14. "Hold Up +" support for base unit D.56.3 cm and base unit D.34 cm and 58.8 cm top, in Black, White or Grey metal L.95.3 - H.87 cm (breakfast bench height)

 "Hold Up +" support for base unit D.56.3 cm and base unit D.34 cm and 58.8 cm top, in Black, White or Grey metal L.95.3 - H.88.4 cm (breakfast bench height)

16. "Hold Up +" support for base unit D.56.3 cm and base unit D.34 cm and 58.8 cm top, in Black, White or Grey metal L.95.3 - H.90 cm (breakfast bench height)

17. "Hold Up +" support for base unit D.56.3 cm and base unit D.34 cm and 58.8 cm top, in Black, White or Grey metal L.95.3 - H.91.4 cm

18. Pack of extensions 56.5 cm L.95.3 cm

19. "Hold Up +" support for base unit D.56.3 cm with back frame for base unit and 60 cm top, in Black, White or Grey metal L.71.1 - H.70 cm (table height)

20. "Hold Up +" support for base unit D.56.3 cm with back frame for base unit and 60 cm top, in Black, White or Grey metal L.71.1 - H.71.9 cm (table height)

21. "Hold Up +" support for base unit D.56.3 cm with back frame for base unit and 60 cm top, in Black, White or Grey metal L.71.1 - H.83.4 cm (breakfast bench height)

22. "Hold Up +" support for base unit D.56.3 cm with back frame for base unit and 60 cm top, in Black, White or Grey metal L.71.1 - H.86.4 cm (breakfast bench height)

23. "Hold Up +" support for base unit D.56.3 cm with back frame for base unit and 60 cm top, in Black, White or Grey metal L.71.1 - H.87 cm (breakfast bench height)

24. "Hold Up +" support for base unit D.56.3 cm with back frame for base unit and 60 cm top, in Black, White or Grey metal L.71.1 - H.88.4 cm (breakfast bench height)

25. "Hold Up +" support for base unit D.56.3 cm with back frame for base unit and 60 cm top, in Black, White or Grey metal L.71.1 - H.90 cm (breakfast bench height)

26. "Hold Up +" support for base unit D.56.3 cm with back frame for base unit and 60 cm top, in Black, White or Grey metal L.71.1 - H.91.4 cm

27. Pack of extensions 57.7 cm L.71.1 cm (breakfast bench height)

28. "Hold Up +" support for base unit D.56.3 cm and base unit D.34 cm and 60 cm top, in Black, White or Grey metal L.97.7 - H.70 cm (table height)

29. "Hold Up +" support for base unit D.56.3 cm and base unit D.34 cm and 60 cm top, in Black, White or Grey metal L.97.7 - H.71.9 cm (table height)

30. "Hold Up +" support for base unit D.56.3 cm with base unit D.34 cm and 60 cm top, in Black, White or Grey metal L.97.7 - H.83.4 cm (breakfast bench height)

 "Hold Up +" support for base unit D.56.3 cm and base unit D.34 cm and 60 cm top, in Black, White or Grey metal L.97.7 - H.86.4 cm (breakfast bench height)

32. "Hold Up +" support for base unit D.56.3 cm and base unit D.34 cm and 60 cm top, in Black, White or Grey metal L.97.7 - H.87 cm (breakfast bench height)

33. "Hold Up +" support for base unit D.56.3 cm with base unit D.34 cm and 60 cm top, in Black, White or Grey metal L.97.7 - H.88.4 cm (breakfast bench height)

34. "Hold Up +" support for base unit D.56.3 cm and base unit D.34 cm and 60 cm top, in Black, White or Grey metal L.97.7 - H.90 cm (breakfast bench height)

35. "Hold Up +" support for base unit D.56.3 cm and base unit D.34 cm and 60 cm top, in Black, White or Grey metal L.97.7 - H.91.4 cm (breakfast bench height)

The fixed size of the top when it is not extended is 72.5 cm for tops with a depth of 60 cm; for tops with a depth of 58.8 cm, the size is 71.3 cm. **N.B.**It can be fitted on the side of base units or against the wall; It cannot be fitted on the front of a base unit. Available for 2, 3 and 4 cm thick laminate tops.







"Levity" glass support for breakfast bench

- $1.\ensuremath{``\text{Levity''}}$ breakfast bench glass support L.55 H.70 cm
- 2. "Levity" breakfast bench glass support L.70 H.70 cm
- 3. "Levity" breakfast bench glass support L.55 H.71.9 cm 4. "Levity" breakfast bench glass support L.70 - H.71.9 cm
- 5. "Levity" breakfast bench glass support $\ensuremath{\text{L.55}}$ $\ensuremath{\text{H.83.4}}$ cm
- 6. "Levity" breakfast bench glass support L.70 H.83.4 cm
- 7. "Levity" breakfast bench glass support L.55 H.86.4-87 cm
- 8. "Levity" breakfast bench glass support L.70 H.86.4-87 cm
- 9. "Levity" breakfast bench glass support L.55 H.88.4 cm
- 10. "Levity" breakfast bench glass support $\ensuremath{\text{L.70}}$ $\ensuremath{\text{H.88.4}}$ cm
- 11. "Levity" breakfast bench glass support $\ensuremath{\text{L.55}}$ $\ensuremath{\text{H.90}}$ cm
- 12. "Levity" breakfast bench glass support L.70 H.90 cm
- 13. "Levity" breakfast bench glass support L.55 H.91.4 cm
- 14. "Levity" breakfast bench glass support L.70 H.91.4 cm

11 - 75086889 12 - 75086891

1.



Pack of 2 legs **H.69.5 cm** for "Motus" table with 2 corners to fix the top, in Black, White or Grey



CODE - 78086381


Support $\textbf{H.69.5}\ \textbf{cm}$ for "Motus" table with extending supports between $118.4\ \textbf{and}\ 178.4\ \textbf{cm},$ in Black, White or Grey



CODE - 75086380





"Network" breakfast bench support resting on the front of base units

"Network" breakfast bench support resting on the front of base units, in White or Grey metal L.70 - H.71.9 cm

- 1. "Network" breakfast bench support resting on the front of base units, in White or Grey metal L.90 H.71.9 cm
- 2. "Network" breakfast bench support resting on the front of base units, in White or Grey metal L.70 H.83.4 cm
- 3. "Network" breakfast bench support resting on the front of base units, in White or Grey metal L.90 - H.83.4 cm
- 4. "Network" breakfast bench support resting on the front of base units, in White or Grey metal L.70 H.86.4 cm
- 5. "Network" breakfast bench support resting on the front of base units, in White or Grey metal L.90 H.86.4 cm
- 6. "Network" breakfast bench support resting on the front of base units, in White or Grey metal L.70 H.88.4 cm
- 7. "Network" breakfast bench support resting on the front of base units, in White or Grey metal L.90 H.88.4 cm
- 8. "Network" breakfast bench support resting on the front of base units, in White or Grey metal L.70 H.91.4 cm
- 9. "Network" breakfast bench support resting on the front of base units, in White or Grey metal L.90 H.91.4 cm

CODE 75086393



44.14

6 - 7508 7 - 7508 8 - 7508

75086389 9





Network breakfast bench support with extending supports"



"Network" metal breakfast bench support with extending supports, White or Grey L.70 - H.71.9 cm
"Network" metal breakfast bench support with extending supports, White or Grey L.90 - H.71.9 cm
"Network" metal breakfast bench support with extending supports, White or Grey L.90 - H.83.4 cm
"Network" metal breakfast bench support with extending supports, White or Grey L.90 - H.83.4 cm
"Network" metal breakfast bench support with extending supports, White or Grey L.90 - H.83.4 cm
"Network" metal breakfast bench support with extending supports, White or Grey L.90 - H.86.4 cm
"Network" metal breakfast bench support with extending supports, White or Grey L.90 - H.86.4 cm
"Network" metal breakfast bench support with extending supports, White or Grey L.90 - H.88.4 cm
"Network" metal breakfast bench support with extending supports, White or Grey L.90 - H.88.4 cm
"Network" metal breakfast bench support with extending supports, White or Grey L.90 - H.88.4 cm
"Network" metal breakfast bench support with extending supports, White or Grey L.90 - H.88.4 cm
"Network" metal breakfast bench support with extending supports, White or Grey L.90 - H.88.4 cm
"Network" metal breakfast bench support with extending supports, White or Grey L.90 - H.88.4 cm
"Network" metal breakfast bench support with extending supports, White or Grey L.90 - H.88.4 cm
"Network" metal breakfast bench support with extending supports, White or Grey L.90 - H.88.4 cm
"Network" metal breakfast bench support with extending supports, White or Grey L.90 - H.91.4 cm
"Network" intermediate support, White or Grey metal L.70 - H.32.7 cm
"Network" intermediate support, White or Grey metal L.90 - H.32.7 cm
"Network" intermediate support, White or Grey metal L.90 - H.35.7 cm
"Network" intermediate support, White or Gr

13 - 75086401 14 - 75086402 1.1

[09-2020]

12 - 7508

44.15



Universal support for "Network" support, 4 cm thick. Only available in Essenziale White, Natura Ash, Hono Elm and Kuuki Elm





[09-2020]



"Mizu" breakfast bench support, available in Steel, Quarz, Porcelain Stoneware, Veneered or wood particle board panel covered in laminate, $4\ cm\ thick$ - L.70 - $H.max\ 100\ cm$



CODE - 77081851





"Blend" breakfast bench support

SCAVOLINI[®]

- 1. "Blend" breakfast bench support, Vintage Oak veneered L.68 H.72 cm
- 2. "Blend" breakfast bench support, Vintage Oak veneered L.68 H.83 cm
- 3. "Blend" breakfast bench support, Vintage Oak veneered L.68 H.86 cm
- 4. "Blend" breakfast bench support, Vintage Oak veneered ${\rm L.68}$ ${\rm H.88}$ cm
- 5. "Blend" breakfast bench support, Vintage Oak veneered L.68 H.91 cm





"Clever" metal breakfast bench support, White, Bronze, Grey, Black and Brass L.65 - H.71-91.5 cm



CODE - 75086895

44.19



"Infratop" support for 95x95 cm table

SCAVOLINI[®]

'Infratop' support for 95x95 cm table available in Black, White and Grey metal

N.B. only available for composition with plinth H.10 cm



CODE 75086140





Dishwasher connector tap

SCAVOLINI

Dishwasher connector tap

CODE - 41000579



SCAVOLINI[®]

Pack of 2 filters for tap set connection

Supplied in the Nuvola twin-command set



CODE - 41000581



12-litre capacity, opens with the door.

Stainless steel waste bin with plastic bucket







Plastic waste bin

SCAVOLINI

Metallic grey plastic waste bin

13-litre capacity, opens with the door.

2

CODE - 31100347





Sliding waste bin

SCAVOLINI[®]

Manual opening.

Sliding waste bin with two 14-litre containers







"Host 550" sliding waste bin

Sliding waste bin with two 35-litre containers, manual opening.

Internal cover secured to the base unit side panels. The trolley is supplied with a central storage compartment







SCAVOLINI[®]

"Host 222" sliding waste bin

Manual opening.

Sliding waste bin with two 21-litre containers.







"Host 500" sliding metal waste bin

Sliding stainless steel waste bin with two 21-litre containers.

Opens with the door. The waste bin is supplied with an additional separating element to create two containers of 10.5 litres each. Cover suitable for storing gloves and sponges.

CODE 31107029





SCAVOLINI[®]

Sliding metal waste bin

Opens with the door.

Sliding stainless steel waste bin with two 17-litre containers.



"All Out" 2-door sink base unit with pull-out baskets and waste bin joined to the doors

A twist and turn mechanism allows you to pull out the bins and accessory baskets completely, to grant complete access to anyone needing to work on the sink. To allow the doors to open fully, maintain the following clearances from adjacent elements

with greater depth or walls:

- 37 cm for 90 cm sink base units
- 48 cm for 120 cm sink base units

1. Pull-out basket with 3 multi-purpose Chrome wire baskets and waste bin on the Left with two 15-litre bins (W.28.5 - D.21 - H.31 cm) for "All Out" 90 cm sink base unit

 Pull-out basket with 3 multi-purpose Chrome wire baskets and waste bin on the Right with two 15-litre bins (W.28.5 - D.21 - H.31 cm) for "All Out" 90 cm sink base unit

 Pull-out basket with 3 multi-purpose Chrome wire baskets and waste bin on the Left with two 15-litre bins (W.28.5 - D.21 - H.31 cm) for "All Out" 120 cm sink base unit

 Pull-out basket with 3 multi-purpose Chrome wire baskets and waste bin on the Right with two 5-litre bins (W.28.5 - D.21 - H.31 cm) for "All Out" 120 cm sink base unit

> COD |1 - 71018116/ |2 - 71018118/ |3 - 71020665/ |4 - 71020695/







SCAVOLINI"

105-110-120-125 cm corner sink base unit with "Dividenda" pull-out waste bin



Basket opening example. The baskets have a maximum load capacity of 40kg. The basket is equipped with a "Softclosing"mechanism providing automatic return with cushioned closing to prevent slamming.

- 1. Waste bin for 105 (a) 110 (b) cm corner base unit comprising:
- 3 waste bins (two 15-litre W.29 D.22 H.27.7 cm and one 6-litre W.21.5 D.14 H.27.7 cm)
- 1 sponge tidy
- 1 detergent tidy
- 2. Waste bin for 120 (a) -125 (b) cm corner base unit comprising:
- 4 waste bins (two 15-litre W.29 D.22 H.27.7 cm and one 6-litre W.21.5 D.14 H.27.7 cm)
- 2 sponge tidies
- 2 detergent tidies

| CODE | | |
|-----------------|------------------|-----------------|
| 1a - 71017747/8 | 1b - 71047163/4 | 2b - 71020757/8 |
| 1a - 71017751/2 | 2a - 71017749/50 | 2b - 71047183/4 |
| 1a - 71020387/8 | 2a - 71017753/4 | |
| 1b - 71017755/6 | 2a - 71020389/90 | |
| 1b - 71019135/6 | 2b - 71017757/8 | |
| 1b - 71020743/4 | 2b - 71019137/8 | |
| | | |







Internal cover secured to the base unit side panels. Equipped with the Blumotion closing system that ensures cushioned closing of the door.

Built-in waste bin for **30** cm H.73 cm base unit **(a)** or H.76 cm base unit **(b)** comprising one 36-litre container.



Built-in "Cling" pull-out waste bin for 45 cm base unit

SCAVOLINI[®]

Built-in waste bin for ${\bf 45}$ cm H.73 cm base unit (a) or H.76 cm base unit (b) comprising two 30-litre containers.

Internal cover secured to the base unit side panels. Equipped with the Blumotion closing system that ensures cushioned closing of the door.

CODE a - 71015433 b - 71020105



"Cling" built-in waste bin for base unit 60



Internal cover secured to the base unit side panels. Equipped with the Blumotion closing system that ensures cushioned closing of the door. The bins are reversible, they can be turned depth-wise.

Built-in waste bin for ${\bf 60}~{\rm cm}$ base unit comprising two 36-litre containers (W.36 - D.21 - H.46 cm).



CODE a - 71015851 b - 71020173

[09-2020]



"Grab" built-in pull-out waste bin for 60 cm base unit

SCAVOLINI[®]

Built-in waste bin for **60** cm H.73 cm base unit **(a)** or H.76 cm base unit **(b)** comprising: - two 42-litre containers (W.42 - D.22 - H.50 cm) - 1 cover Equipped with the Blumotion closing system that ensures cushioned closing of the door.

CODE - 71015849 - 71020171





Built-in pull-out waste bin for 45 - 60 cm base unit

Equipped with the Blumotion closing system that ensures cushioned closing of the door.

- ${\bf 3.}$ Built-in waste bin for ${\bf 60}$ cm base unit comprising:
- two 8-litre containers
- two 32-litre containers
- 4. Built-in waste bin for 45 cm base unit comprising:
- two 32-litre containers



1 - 7101585 2 - 7101543



Waste bin for 90-120 cm baskets, Scavolini modern and Scavolini Basic models

Plastic waste bin with 3 compartments and cover for **90** cm **(a)** sink base unit two 17-litre containers one 8-litre container 1 cover 1 single basket partition Plastic waste bin with 4 compartments and cover for **120** cm **(b)** sink base unit three 17-litre containers one 8-litre container 1 cover 1 single basket partition Opens with the basket. Internal cover secured to the base unit side panels. Only for installation in sink base unit with 2 pull-out baskets. Blumotion closing system cannot be installed. **N.B.** this waste bin can only be installed in the sink base unit with 2 pull-out baskets (for the Liberamente model, it cannot be installed in sink base units with 2 recessed grip profiles).

CODI a - 3110507! b - 3110507(





Waste bin for baskets Art."KIT 3"

SCAVOLINI

Single manual opening covers.

Waste bin with 3 containers for **90** cm basket, comprising: two 14-litre containers one 6.5-litre container 3 covers 1 single aluminium basket retainer



"Simple" built-in pull-out waste bin for 60 cm sink base unit

Internal cover secured to the base unit side panels. Cover for

food waste container with odour flter. The waste bin can be

installed in H.73 cm base units (a) and in H.76 cm base units

(b). Equipped with the Blumotion closing system that ensures

cushioned closing of the door.

Built-in waste bin for **60** cm sink base unit comprising: two 10-litre containers (W.21.5 - D.18 - H.37 cm). one 20-litre container container (W.43.5 - D.21 - H.26 cm). 1 shaped metal container-retainer bottom

> CODI - 31107038 a - 71017568 o - 71020633



Built-in "KIT980" waste bin for 60 cm basket

Opens with the basket. Internal cover secured to the base unit side panels. The waste bin can be installed in H.73 cm base units (a) and in H.76 cm base units (b). N.B. Can only be installed in the 60 cm sink base unit with 2 pull-out baskets.

Built-in waste bin for **60** cm basket comprising: one 14-litre container two 6.5-litre containers 1 swivelling cover 2 accessory bowls

one 60 cm shaped accessory organiser bottom

| CODE | | |
|------|--|----------|
| | | 31106071 |
| | | 7101756 |
| | | 7102063 |



Art.987GS01 Waste bin for 90 cm basket

Waste bin for **90** cm basket comprising: one 14-litre container two 6.5-litre containers 1 swivelling cover 3 accessory bowls 1 chrome-finish wire magazine rack 1 chrome-finish wire detergent tidy one 90 cm shaped accessory organiser bottom Opens with the basket. Internal cover secured to the base unit side panels. Available for Scavolini modern, classic and Basic models. Can only be installed in 90 cm sink base units with 2 pull-out baskets.

COD - 3110523





Art.982GS01 Waste bin for 90 cm basket

SCAVOLINI

Opens with the basket. Internal cover secured to the base unit side panels. Can only be installed in 90 cm sink base units with 2 pull-out baskets.

Waste bin for **90** cm basket comprising: two 14-litre containers two 6.5-litre containers 1 swivelling cover 3 accessory bowls one 90 cm shaped accessory organiser bottom



Art.994GS01 Waste bin for 120 cm basket

Waste bin for **120** cm basket comprising: two 14-litre containers two 6.5-litre containers 1 swivelling cover 4 accessory bowls 1 chrome-finish wire magazine rack 1 chrome-finish wire detergent tidy 1 dustpan and brush kit with support one 120 cm shaped accessory organiser bottom Opens with the basket. Internal cover secured to the base unit side panels. Can only be installed in 120 cm sink base units with 2 pull-out baskets.

CODI - 31105239





Cover for food waste container with odour filter

Waste bin for **60** cm basket comprising: one 16-litre container two 7-litre containers 1 metal bottom board 1 shaped metal container-retainer bottom



"Split" waste bin for 90 cm basket

SCAVOLINI

Waste bin for **90** cm basket comprising: one 16-litre container two 7-litre containers 3 accessory bowls 1 shaped metal container-retainer bottom Cover for food waste container with odour filter





"Split" waste bin for 120 cm basket

SCAVOLINI

Cover for food waste container with odour filter

Waste bin for **120** cm basket comprising: two 16-litre containers two 7-litre containers 5 accessory bowls 1 shaped metal container-retainer bottom

CODE - 31107033


+23+ \uparrow 36 \downarrow 36 \downarrow 36

Sliding waste bin for 90x90 cm corner sink base unit

SCAVOLINI

Sliding waste bin with one 13-litre container Man

Manual opening

CODE 31100350



SCAVOLINI

3



Air outlet styling accessories

SCAVOLINI[®]



- 1a. 60 cm Ø 12.5 cm circular pipe
- 1b. 100 cm Ø 12.5 cm circular pipe
- 2. 150 cm rectangular pipe
- 3. 150 cm Ø 12.7 cm flexible pipe
- 4. Rectangular pipe clip



1a - 410 1b - 410 2 - 410 3 - 410

4 - 4100154



Air outlet styling accessories

SCAVOLINI

Ø 12.5 cm white finishing flange
Circular-rectangular vertical 90° elbow
Rectangular pipe joint
Rectangular vertical 90° elbow











Air outlet styling accessories

SCAVOLINI®

CODE 1 - 41001544 2 - 41001545



- 1. Rectangular horizontal 90° elbow
- 2. Rectangular-circular pipe corner joint
- **3.** Rectangular-circular pipe joint
- 4. Rectangular wall joint









Ø12.5

2

'ø13

20.5









SCAVOLINI

Ø 12.5 cm - Ø 10 cm circular pipe joint
2. Circular vertical 90° elbow
3. Rectangular external directed grille
4. Ø 12.5 cm circular external directed grille







ACCESSORIES FOR WALL, BASE AND LARDER UNITS

SCAVOLINI



Pull-out baskets and drawers - Internal dimensions



** depth referring to drawer unit or base unit with pull-out baskets, 56.3 cm deep

Pull-out baskets and drawers - Internal dimensions





| | L | H1 | H2 | L1 | L2 | P ** |
|--|--|---------------------------------------|----------------------------------|---------------------------------------|---------------------------------------|--------------------------------------|
| INTIVO' BASKET | | <u> </u> | I | | <u> </u> | 1 |
| 50 cm deep, full extraction, dynamic load of 50 kg, with Blumotion closing system; steel-glass sides; 16 mm thick Grey decorative melamine base; Grey painted metal back panel. | | | | | | |
| | | | | | | |
| | 45 | 18,2 | 18,2 | 36,9 | 32,8 | 47,4 |
| | 60 | 18,2 | 18,2 | 51,9 | 47,8 | 47,4 |
| | 90 | 18,2 | 18,2 | 81,9 | 77,8 | 47,4 |
| | 120 | 18,2 | 18,2 | 111,9 | 107,8 | 47,4 |
| ANTHRACITE 'BLUM PLUS' DRAWER | | | | | | |
| Anthracite painted metal sides; 16 mm thick Anthracite decorative melamine base; Anthracite pair | | | | | | |
| Anthracite painted metal sides; 16 mm thick Anthracite decorative melamine base; Anthracite pair | | | | | | |
| Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite pair | 30 | 6,8 | 6,8 | 21,5 | 17,8 | 47,4 |
| Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite pair | | 6,8 6,8 | 6,8 6,8 | 21,5 36,5 | 17,8 32,8 | 47,4 |
| Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; 16 min thick | 30 | | | | | · · |
| Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; Anthracite painted metal sides; 16 min thick Anthracite decorative melamine base; 16 min thick Anthracite decorative melamine base | 30 45 60 90 | 6,8 6,8 6,8 | 6,8 6,8 6,8 | 36,5 51,5 81,5 | 32,8 47,8 77,8 | 47,4 47,4 47,4 |
| | 30 45 60 | 6,8 6,8 | 6,8 6,8 | 36,5 51,5 | 32,8 47,8 | 47,4 47,4 |
| CESTO 'BLUM PLUS' ANTRACITA | 30 45 60 90 | 6,8 6,8 6,8 | 6,8 6,8 6,8 | 36,5 51,5 81,5 | 32,8 47,8 77,8 | 47,4 47,4 47,4 |
| | 30 45 60 90 120 | 6,8 6,8 6,8 6,8 | 6,8 6,8 6,8 | 36,5 51,5 81,5 | 32,8 47,8 77,8 | 47,4 47,4 47,4 |
| CESTO 'BLUM PLUS' ANTRACITA 50 cm deep, full extraction, dynamic load of 50 kg, with Blumotion closing system; | 30 45 60 90 120 | 6,8 6,8 6,8 6,8 | 6,8 6,8 6,8 | 36,5 51,5 81,5 | 32,8 47,8 77,8 | 47,4 47,4 47,4 |
| CESTO 'BLUM PLUS' ANTRACITA 50 cm deep, full extraction, dynamic load of 50 kg, with Blumotion closing system; | 30 45 60 90 120 | 6,8 6,8 6,8 6,8 | 6,8 6,8 6,8 | 36,5 51,5 81,5 | 32,8 47,8 77,8 | 47,4 47,4 47,4 |
| CESTO 'BLUM PLUS' ANTRACITA 50 cm deep, full extraction, dynamic load of 50 kg, with Blumotion closing system; | 30 45 60 90 120 | 6,8 6,8 6,8 6,8 | 6,8 6,8 6,8 | 36,5 51,5 81,5 | 32,8 47,8 77,8 | 47,4 47,4 47,4 |
| CESTO 'BLUM PLUS' ANTRACITA 50 cm deep, full extraction, dynamic load of 50 kg, with Blumotion closing system; | 30 45 60 90 120 | 6,8 6,8 6,8 6,8 | 6,8 6,8 6,8 | 36,5 51,5 81,5 | 32,8 47,8 77,8 | 47,4 47,4 47,4 |
| CESTO 'BLUM PLUS' ANTRACITA 50 cm deep, full extraction, dynamic load of 50 kg, with Blumotion closing system; | 30 45 60 90 120 | 6,8 6,8 6,8 6,8 ck panel. | 6,8 6,8 6,8 6,8 | 36,5 51,5 81,5 111,5 | 32,8 47,8 77,8 107,8 | 47,4 47,4 47,4 47,4 47,4 |
| CESTO 'BLUM PLUS' ANTRACITA 50 cm deep, full extraction, dynamic load of 50 kg, with Blumotion closing system; | 30 45 60 90 120 nted metal ba | 6,8 6,8 6,8 6,8 ck panel. | 6,8 6,8 6,8 6,8 18,2 | 36,5 51,5 81,5 111,5 36,5 | 32,8 47,8 77,8 107,8 32,8 | 47,4 47,4 47,4 47,4 47,4 |
| CESTO 'BLUM PLUS' ANTRACITA 50 cm deep, full extraction, dynamic load of 50 kg, with Blumotion closing system; | 30 45 60 90 120 | 6,8 6,8 6,8 6,8 ck panel. | 6,8 6,8 6,8 6,8 | 36,5 51,5 81,5 111,5 | 32,8 47,8 77,8 107,8 | 47,4 47,4 47,4 47,4 47,4 |

** depth referring to drawer unit or base unit with pull-out baskets, 56.3 cm deep

Pull-out baskets and drawers - Internal dimensions



** depth referring to drawer unit or base unit with pull-out baskets, 56.3 cm deep



1. Plastic cutlery tray for ${\bf 30}~{\rm cm}$ drawer D.47.3 cm

2. Plastic cutlery tray for 45 cm drawer D.47.3 cm

3. Plastic cutlery tray for 60 cm drawer D.47.3 cm

| C | DDE |
|---|---------|
| | 3110546 |
| | 3110546 |
| | 3110547 |



SCAVOLINI[®]

Wooden cutlery tray for 30 cm drawer D.47.3 cm
Wooden cutlery tray for 45 cm drawer D.47.3 cm
Wooden cutlery tray for 60 cm drawer D.47.3 cm

Cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units.



CODE 1 - 31105471 2 - 31105472 3 - 3<u>1105473</u>





"Orange" kitchen utensil drawer organiser

SCAVOLINI

Natural citrus-fruit oil scented wood. Set up for chopping board and knife rack assembly. Cannot be installed in the first drawer of hob base units and in the first drawer of base units with recessed grip profile. Cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units

Wooden kitchen utensil organiser for ${\bf 60}~{\rm cm}$ drawer D.47.3 cm complete with:

- kitchen knife
- ice cream scoop
- universal tin opener
- corkscrew
- melon baller
- lemon peeler
- butter curler
- bottle opener and tin opener
- universal peeler
- small cleaver
- cheese knife
- oval pizza/pastry cutting wheel
- garlic crusher
- small grater







"Orange" knife rack

SCAVOLINI

Natural citrus-fruit oil scented wood. Cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units.

1. Beech blockboard knife rack for 45 cm drawers D.47.3 cm - poultry shears - cutting and slicing knife - boning knife - kitchen knife 13.5 cm - kitchen knife 20 cm-

- ham knife

- knife sharpener

2. Beech blockboard knife rack for 60 cm drawers D.47.3 cm

- kitchen knife 13.5 cm - knife sharpener - boning knife - ham knife - kitchen knife - cutting and slicing knife - bread knife - poultry shears - cleaver











Natural citrus-fruit oil scented wood. Cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units.

Beech blockboard knife rack for 45 cm drawer D.47.3 cm (for 12 knives)
Beech blockboard knife rack for 60 cm drawer D.47.3 cm (for 18 knives)



1 - 31105512 2 - 31105513





17.3

"Orange" spice rack

SCAVOLINI[®]

Beech blockboard spice rack for 45 cm drawers D.47.3 cm (5 steel bowls)
Beech blockboard spice rack for 60 cm drawers D.47.3 cm (6 steel bowls)

Natural citrus-fruit oil scented wood. Supplied without spices. Cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units.



1 - 31105518 2 - 31105519





SCAVOLINI







CODE

- 31106251
- 2 3110625
- 3 311062
- 5 211002
- 6 211062

- $\boldsymbol{1}.$ Grey finish plastic cutlery tray for $\boldsymbol{30}$ cm drawer D.47.3
- $\ensuremath{\textbf{2.}}$ Grey finish plastic cutlery tray for $\ensuremath{\textbf{45}}$ cm drawer D.47.3
- **3.** Grey finish plastic cutlery tray for **60** cm drawer D.47.3
- **4.** Grey finish plastic cutlery tray for **90** cm drawer D.47.3
- 5. Chopping board/knife rack insert (can only be installed in 60-90 cm cutlery trays)

Spice rack insert (can only be installed in 60-90 cm cutlery trays; cannot be inserted in the following base units: 60 cm hob base unit H.73.4 cm with drawers and with drawers and baskets; hob base unit H.76.4 cm with double recessed grip profile and drawers and with drawers and baskets; 90 cm hob base unit H.71.4 cm.









"Helper" pull-out basket and drawer accessories

SCAVOLINI



[09-2020]



SCAVOLINI[®]









SCAVOLINI







1. Cutlery tray in Anthracite stained Ash D.47.3 cm for 45 cm drawer 2. Cutlery tray in Natural stained Oak D.47.3 cm for 45 cm drawer 3. Cutlery tray in Anthracite stained Ash D.47.3 cm for 60 cm drawer N.B.: 1 accessory can be installed 4. Cutlery tray in Natural stained Ash D.47.3 cm for 60 cm drawer N.B.: 1 accessory can be installed 5. Cutlery tray in Anthracite stained Ash D.47.3 cm for 90 cm drawer N.B.: up to 2 accessories can be installed 6. Cutlery tray in Natural stained Oak D.47.3 cm for 90 cm drawer N.B.: up to 2 accessories can be installed 7. Cutlery tray in Anthracite stained Ash D.47.3 cm for 120 cm drawer N.B.: up to 4 accessories can be installed 8. Cutlery tray in Natural stained Oak D.47.3 cm for 120 cm drawer N.B.: up to 4 accessories can be installed 9. Knife rack in Anthracite stained Ash D.47.3 cm for drawer N.B.: can be installed individually or in combination with the cutlery tray 10. Knife rack in Natural stained Oak D.47.3 cm for drawer N.B.: can be installed individually or in combination with the cutlery tray 11. Spice rack in Anthracite stained Ash D.47.3 cm for drawer N.B.: can be installed individually or in combination with the cutlery tray 12. Spice rack in Natural stained Oak D.47.3 cm for drawer N.B.: can be installed individually or in combination with the cutlery tray 13. Kitchen roll holder in Anthracite stained Ash D.47.3 cm for drawer N.B.: can be installed individually or in combination with the cutlery tray 14. Kitchen roll holder in Natural stained Oak D.47.3 cm for drawer N.B.: can be installed individually or in combination with the cutlery tray 15. Jar rack in Anthracite stained Ash D.47.3 cm for drawer N.B.: can be installed individually or in combination with the cutlery tray 16. Jar rack in Natural stained Oak D.47.3 cm for drawer N.B.: can be installed individually or in combination with the cutlery tray 17. Partition in Anthracite stained Ash D.47.3 cm for drawer N.B.: can be installed individually or in combination with the cutlery tray 18. Partition in Natural stained Oak D.47.3 cm for drawer N.B.: can be installed individually or in combination with the cutlery tray 19. Chopping board in Natural stained Oak D.47.3 cm for drawer N.B.: can be installed individually or in combination with the cutlery tray 20. Multi-purpose work surface in Anthracite stained Ash D.47.3 cm for 45 cm drawer and basket 21. Multi-purpose work surface in Natural stained Oak D.47.3 cm for 45 cm drawer and basket 22. Multi-purpose work surface in Anthracite stained Ash D.47.3 cm for 60 cm drawer and basket 23. Multi-purpose work surface in Natural stained Oak D.47.3 cm for 60 cm drawer and basket 24. Multi-purpose work surface in Anthracite stained Ash D.47.3 cm for 90 cm drawer and basket 25. Multi-purpose work surface in Natural stained Oak D.47.3 cm for 90 cm drawer and basket 26. Multi-purpose work surface in Anthracite stained Ash D.47.3 cm for 120 cm drawer and basket 27. Multi-purpose work surface in Natural stained Oak D.47.3 cm for 120 cm drawer and basket 28. Pack of 3 plate rack pegs in Black stained Ash 29. Pack of 3 plate rack pegs in Natural stained Oak 30. Pack of 2 bottle racks in Anthracite stained Ash 31. Pack of 2 bottle racks in Natural stained Oak 32. Pack of two 12 cm partitions in Anthracite stained Ash 33. Pack for two 12 cm partitions in Natural stained Oak 34. Pack of two 24 cm partitions in Anthracite stained Ash 35. Pack for two 24 cm partitions in Natural stained Oak 36. Pack of two 41 cm partitions in Anthracite stained Ash 3 37. Pack for two 41 cm partitions in Natural stained Oak





4 86.1









"Bold" cutlery tray

SCAVOLINI

- 1. Matt Grey plastic cutlery tray for ${\bf 30}~{\rm cm}$ drawer D.47.3 cm.
- ${\bf 2.}$ Matt Grey plastic cutlery tray for ${\bf 45}$ cm drawer D.47.3 cm.
- 3. Matt Grey plastic cutlery tray for 60 cm drawer D.47.3 cm.
- 4. Matt Grey plastic cutlery tray for 90 cm drawer D.47.3 cm.

5. Natural Ash knife rack for drawer D.47.3 cm (can be installed in the 60 and 90 cm cutlery tray)











SCAVOLINI[®]

"Dock" cutlery tray



- 1. Matt White plastic cutlery tray for ${\bf 45}~{\rm cm}$ drawer D.47.3 cm.
- 2. Matt Grey plastic cutlery tray for 45 cm drawer D.47.3 cm.
- 3. Matt White plastic cutlery tray for 60 cm drawer D.47.3 cm.
- **4.** Matt Grey plastic cutlery tray for **60** cm drawer D.47.3 cm.
- 5. Matt White plastic cutlery tray for 90 cm drawer D.47.3 cm.
- 6. Matt Grey plastic cutlery tray for 90 cm drawer D.47.3 cm.
- 7. Matt White plastic cutlery tray for $120\ \mbox{cm}$ (90+40) drawer D.47.3 cm.
- **8.** Matt Grey plastic cutlery tray for **120** cm (90+40) drawer D.47.3 cm.





[09-2020]



Cannot be installed in lower baskets of curved base units base units with recessed basket and all sink base units.

45 cm steel cutlery tray D.47.3 cm
60 cm steel cutlery tray D.47.3 cm
90 cm steel cutlery tray D.47.3 cm



1 - 3110006 2 - 3110006 3 - 3110552





SCAVOLINI

artitions Cannot be installed in lower baskets of curved base units base

units with recessed basket and all sink base units.

45 cm cutlery tray D.47.3 cm with adjustable horizontal partitions
60 cm cutlery tray D.47.3 cm with adjustable horizontal partitions

3.90 cm cutlery tray D.47.3 cm comprising 2 single cutlery trays and central spice rack with adjustable horizontal partitions:

Black pepper
Paprika

- Oregano

- Fennel seeds

- Curry powder

- Roast spice mix



COD 1 - 3110549 2 - 3110549 3 - 3110549





Can be installed in all "Reset" cutlery trays.

Wooden knife rack for "Reset" cutlery tray

CODE 31105500









Ambia-Line accessories for drawers with Blum Plus Anthracite sides

SCAVOLINI



- 2. Anthracite finish plastic infill element W.10 cm D.47.3 cm
- 3. Anthracite finish plastic infill element W.20 cm D.47.3 cm
- 4. Nebraska Oak coated HDF cutlery tray $\textbf{W.30}\ \textbf{cm}$ $\textbf{D.47.3}\ \textbf{cm}.$
- 5. Nebraska Oak coated HDF infill element $W.10\ cm$ $D.47.3\ cm$
- 6. Nebraska Oak coated HDF infill element W.20 cm D.47.3 cm
- Anthracite finish plastic knife rack W.19 cm D.41 cm (We recommend you insert this item next to other accessories. Can be inserted individually or within code 31106806).
- Anthracite finish plastic cling film holder W.19 cm D.41 cm (We recommend you insert this item next to other accessories. Can be inserted individually).
- Spice rack W.20 cm D.36 cm (We recommend you insert this item next to other accessories. Can be inserted individually).
- **10.** Pack of 2 Anthracite finish side infills (We recommend you insert this item next to other accessories. Can be inserted individually.
- 11. Anthracite finish plastic frame $\textbf{W.21.8}\ \textbf{cm}$ $\textbf{D.40}\ \textbf{cm}$ for basket
- 12. Anthracite finish plastic frame W.24.7 cm D.27 cm for basket

Ambia Line accessories are designed to be installed freely to afford maximum customisation possibilities and, for instance, as regards the cutlery tray drawer, an empty space is always provided without taking up the entire drawer, to allow enough room for long utensils which never fit in traditional cutlery trays. Cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units. When inserted in baskets, we recommend you combine the spice rack (9) with the frames (12-13) to prevent it shifting inside the basket.

| | CODE |
|--------------|---------------|
| 1 - 31106803 | 7 - 31106810 |
| 2 - 31106805 | 8 - 31106807 |
| 3 - 31106806 | 9 - 31106808 |
| 4 - 31106811 | 10 - 31106958 |
| 5 - 31106812 | 11 - 31107076 |
| 6 - 31106813 | 12 - 31107075 |















Passe-Partout accessories for base units with drawers and baskets D.50 cm

SCAVOLINI[®]



47.3







| | | | | | | CODE |
|---------------|---------------|---------------|----------------|----------------|----------------|----------------|
| | 3 - 31105541 | 6a - 31106038 | 10 - 31106205 | 13 - 31105465 | 16 - 31105545 | 20 - 31105556 |
| | 3a - 31106030 | 7 - 31105538 | 10a - 31106206 | 13a - 31106035 | 16a - 31106043 | 20a - 31106053 |
| 1 - 31105540 | 4 - 31105542 | 7a - 31106041 | 11 - 31105502 | 14 - 31105511 | 17 - 31105546 | 21 - 31105555 |
| 1a - 31106029 | 4a - 31106032 | 8 - 31105537 | 11a - 31106033 | 14a - 31106036 | 17a - 31106044 | 21a - 31106054 |
| 2 - 31105501 | 5 - 31105543 | 8a - 31106040 | 12 - 31105503 | 15 - 31105544 | 19 - 31105549 | 22 - 31105558 |
| 2a - 31106031 | 6 - 31105535 | 9 - 31105539 | 12a - 31106034 | 15a - 31106042 | 19a - 31106052 | 23 - 31105557 |

)



8a - 31106055 26a - 3 4 - 31105529 8a - 31106056 5 - 31105530 5a - 31106057 5 - 31105531

)

 \bigcirc

 \bigcirc

 \bigcirc



































11a

11

Elements for 60 cm drawer











Elements for 90 cm drawer





14a

 \bigcirc

 \bigcirc

 \bigcirc

 \bigcirc

Drawer composition examples

60 cm DRAWERS





90 cm DRAWERS







(1)

Ε

SCAVOLINI

120 cm DRAWERS







4

 \bigcirc

 \bigcirc

 \bigcirc

 \bigcirc



Undermount cutlery tray / $${\sf N.B.:}$$ the numbers represent the possible positioning of the inserts





23a





24a

SCAVOLINI[®]

ACCESSORI [01-2018]

 \bigcirc

 \bigcirc

 \bigcirc

 \bigcirc








25a

SCAVOLINI

Natural citrus-fruit oil scented beech blockboard and Wengèstained Beech.

Article **9a** -**9b** is supplied without capsules.

Article **18** cannot be installed in cutlery trays placed in the first drawer of models with recessed grip profile and in the first aluminium or metal drawer of hob base units. Article **18** cannot be installed undermount in the first basket of hob base units and 120 cm base units. Articles **20 and 21** can be installed simultaneously in cutlery tray no.1. The cutlery trays and undermount elements cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units. Combinations of the various accessories are possible. The undermount elements can be installed in base units with pull-out baskets, by securing the metal runners supplied to the side panels. Opens independently from the front.

For models with recessed grip profile, cannot be installed in the first basket.

Article **24** cannot be installed in the first basket of the 120 cm hob base unit and in the first basket of base units with recessed grip profile.

Articles **22-23-24** can also be installed in Scavolini basic models, provided they are equipped with the 'Blumotion kit'

Articles **22-23-24** cannot be installed in the first basket of hob base units in the following models: Mood Flat Line with central strip, Tetrix and LiberaMente with double recessed grip profile.

Articles 24-24a cannot be installed in the first basket of hob base units in the Mood Flat Line model with central strip and in the first basket of Mood Flat Line base units with central strip and in all models with recessed grip profile and with double recessed grip profile, or in the first basket of 120 cm hob base units.

Empty cutlery tray for 30 cm drawer
 Beech blockboard cutlery tray 30 cm drawer
 Knife rack for 30 cm drawer
 Bread chopping board for 30 cm drawer
 Spice rack with 8 empty stainless steel spice jars for 30 cm drawers
 Empty infill element

7. Infill element with 4 empty stainless steel spice jars

8. Infill element with Steel rolling pin

 ${\bf 9.}$ Additional 30 cm spice rack element with 12 empty jars

Additional 30 cm Nespresso coffee capsule holder element set up for 50 capsules
 Beech blockboard cutlery tray for 45 cm drawer

- Beech blockboard cutlery tray 60 cm drawer
- 13. Beech blockboard cutlery tray 60 cm drawer

14. Beech blockboard cutlery tray 90 cm drawer

15. Kitchen roll holder insert

16. Knife rack insert

17. "Profilo" knife insert (bread knife, ham knife, cheese knife, small kitchen knife)
18. "Forgiati" knife insert (bread knife, ham knife, cheese knife, small kitchen knife)
19. Spice rack insert with stainless steel jars

20. Glass kitchen scales insert

21. Polyethylene chopping board

22. Wooden chopping board

- 23. Undermount cutlery tray for 60 cm basket
- 24. Undermount cutlery tray for 90 cm basket

25. Undermount cutlery tray for 120 cm basket









1. Beech blockboard knife rack/accessory organiser for 90 cm base units with pull-out baskets

2. Wengè-stained Beech knife rack/accessory organiser for 90 cm base units with pull-out baskets

Complete with: universal peeler, lemon peeler, bottle opener and tin opener, corkscrew, universal tongs, melon baller, nutcracker, small cleaver, garlic crusher, small grater, oval pizza/pastry cutting wheel, butter curler, ice cream scoop, kitchen knife, poultry shears, 15 cm boning knife, cutting and slicing knife, bread knife and ham knife.

For installation in base units with pull-out baskets, by securing the metal runners supplied to the side panels. Cannot be installed in lower baskets of curved base units base units with recessed basket and all sink base units. Cannot be installed in the first basket of hob base units in the Mood Flat Line model. Opens independently from the front. For models with recessed grip profile, cannot be installed in the first basket. Natural citrus-fruit oil scented beech blockboard.

ODE - 31105354 - 31106059





"Orange" plate rack for base units with baskets





- 1a. Beech blockboard plate rack for $60\ \text{cm}$ basket $D.42\ \text{cm}$ (for 24 plates) *
- 1b. Beech blockboard plate rack for 90 cm basket D.42 cm (for 36 plates) *
- 2a. Beech blockboard plate rack for 60 cm basket D.47.3 cm (for 24 plates) **
- 2b. Beech blockboard plate rack for 90 cm basket D.47.3 cm (for 36 plates)**
- 3a. Wengè-stained beech plate rack for 60 cm basket D.47.3 cm (for 24 plates)**
- 3b. Wengè-stained beech plate rack for 90 cm basket D.47.3 cm (for 36 plates)**
- 1a -1b 2a -2b Natural citrus-fruit oil scented wood.
- * Can only be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units.

** Cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units.

CODE 1a - 31105339 1b - 31105340 2a - 31105507 2b - 31105508 3a - 31106064



4



3a

| 6000 | d | de se |
|------|-----------------|-------------------|
| 5 | | 2 |
| | 6-5- | - |
| - | | |
| 6 | den an | |
| 2 | III Contraction | |
| 6 | | |
| | | |
| | - | the second second |
| 3b | | |

SCAVOLINI[®]







"Orange" bottle and pan rack for basket

SCAVOLINI

- 1a. Beech blockboard bottle and pan rack for $45\ cm$ basket $D.42\ cm\ *$
- 1b. Beech blockboard bottle and pan rack for 45 cm basket D.47.3 cm**
- 1c. Wengè-stained beech bottle and pan rack for $45\ cm$ basket $D.47.3\ cm^{**}$

For 45 cm basket pack for 4 bottles and 3 pans

- 2a. Beech blockboard bottle and pan rack for 60 cm basket D.42 cm *
- 2b. Beech blockboard bottle and pan rack for 60 cm basket D.47.3 cm**
- 2c. Wengè-stained beech bottle and pan rack for $60\ cm$ basket $D.47.3\ cm^{**}$

For 60 cm basket pack for 8 bottles and 4 pans

1a -1b - 2a -2b Natural citrus-fruit oil scented wood. *Can only be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units. ** Cannot be installed in lower baskets of: curved base units, base units with recessed basket and all sink base units. The usable height is 31.5 cm for modern, Scavolini Basic and Easy models and 30 cm for Scavolini classic models.

CODE 1a - 31105348 1b - 31105516 1c - 31106066 2a - 31105349 2b - 31105517



4

[01-2018]









2c

SCAVOLINI









"Orange" Open Space accessories for base units with basket







| | | D. | |
|--|---|----|--|
| | 9 | P | |
| | | | |
| | | | |

- 332 5 3110533 333 6 - 3110533 334 7 - 3110533 504 8 - 3110533
- 3 31105505
- 4 31105506

- 1a. Multi-purpose bottom board in beech laminate MDF for 60 cm basket D.42 cm *
- 1b. Multi-purpose bottom board in beech laminate MDF for 90 cm basket D.42 cm *
- 1c. Multi-purpose bottom board in beech laminate MDF for 120 cm basket D.42 cm *
- Multi-purpose bottom board in beech laminate MDF 60 cm basket D.47.3 cm **
 Multi-purpose bottom board in beech laminate MDF for 90 cm basket D.47.3 cm **
- Multi-purpose bottom board in beech laminate MDF for 120 cm basket D.47.3 cm **
 Multi-purpose bottom board in beech laminate MDF for 120 cm basket D.47.3 cm **

5. Set of 3 beech pegs.

6. Set of bottle partitions (pack for 4 bottles)
 7. Set of lid partitions (pack for 4 lids)

8. Set of pan partitions (pack for 3 pans)

Natural citrus-fruit oil scented wood (Beech). For installation inside pull-out baskets. Cannot be installed in base unit with drawer and inner basket. * Can only be installed in lower baskets of curved base units, base units with recessed basket and all sink base units. ** Cannot be installed in lower baskets of: curved base units, base units, base units with recessed basket and all sink base units. The usable height between the worktop and the upper basket is 26.3 cm, while it is 25 cm for models with double recessed grip profile.







SCAVOLINI[®]

45 cm aluminium pot lid holder
 60 cm aluminium pot lid holder

Cannot be installed in drawers and baskets with wooden sides. Cannot be installed in "Intivo" baskets with steel-glass sides.

Article discontinued

CODE - 31100032 - 31100033

106



Cannot be installed in drawers and baskets with wooden sides. Cannot be installed in "Intivo" baskets with steel-glass sides. 45 cm wooden plate rack
 60 cm wooden plate rack

Article discontinued

| | JDE |
|--|----------|
| | 31100027 |
| | 31100029 |



Pack of "Single" food rack partitions for baskets



Pack for aluminium painted metal food rack partitions for 45 cm baskets D.47.3 cm
 Pack for aluminium painted metal food rack partitions for 60 cm baskets D.47.3 cm
 Pack for aluminium painted metal food rack partitions for 90 cm baskets D.47.3 cm
 Pack for aluminium painted metal food rack partitions for 120 cm baskets D.47.3 cm

Cannot be installed in baskets with wooden sides and in "Intivo" baskets with steel-glass sides. Cannot be installed in lower baskets of curved base units, base units with recessed basket and all sink base units. Cannot be installed in upper baskets of base units with inner drawer. The packs include 2 sides for the assembly of the partitions.









SCAVOLINI[®]

1. Pan rack pack with lid holder function for 90 cm baskets D.47.3 cm 2. Pan rack pack with lid holder function for 120 cm baskets D.47.3 cm

Cannot be installed in baskets with wooden sides and in "Intivo" baskets with steel-glass sides. Cannot be installed in lower baskets of curved base units base units, with recessed basket and all sink base units. The pack includes 2 sides for the assembly of the partitions.







1a. Single aluminium cross-partition for aluminium or metal 45 cm baskets
1b. Single aluminium cross-partition for aluminium or metal 60 cm baskets
1c. Single aluminium cross-partition for aluminium or metal 120 cm baskets
1d. Single aluminium cross-partition for aluminium or metal 120 cm baskets
1e. Double aluminium cross-partition with bottle rack for aluminium or metal 45 cm baskets
1f. Double aluminium cross-partition with bottle rack for aluminium or metal 60 cm baskets
1g. Double aluminium cross-partition with bottle rack for aluminium or metal 90 cm baskets
1h. Double aluminium cross-partition with bottle rack for aluminium or metal 120 cm baskets

4

110

Cannot be installed in "Intivo" baskets with steel-glass sides.

CODI 1c - 3110006 1d - 3110006 2a - 3110006 2b - 3110007 5 2c - 3110007 5 2d - 3110007



"Orga-line" accessories for INTIVO range baskets with steel-glass sides









| CODE | | |
|--------------|---------------|--|
| 1 - 31106130 | 7 - 31106138 | |
| 2 - 31106131 | 8 - 31106141 | |
| 3 - 31106132 | 9 - 31106142 | |
| 4 - 31106133 | 10 - 31106450 | |
| 5 - 31106134 | | |
| 6 - 31106136 | | |



- 1. Set of "Orga-line" stainless steel partitions for ${\bf 30}~{\rm cm}$ baskets D.47.3 cm
- ${\bf 2.}~{\rm Set}$ of "Orga-line" stainless steel partitions for ${\bf 45}~{\rm cm}$ baskets D.47.3 cm
- ${\bf 3.}~{\rm Set}$ of "Orga-line" stainless steel partitions for ${\bf 60}~{\rm cm}$ baskets D.47.3 cm
- 4. Set of "Orga-line" stainless steel partitions for 90 cm baskets D.47.3 cm
- 5. Set of "Orga-line" stainless steel partitions for 120 cm baskets D.47.3 cm
 - 6. Set of "Orga-line" stainless steel bottle racks D.47.3 cm.
- This accessory can be installed individually in **30** cm baskets, or it may be combined with the partition to complete larger-sized baskets together with other accessories (partitions or partition sets).
 - 7. "Orga-line" stainless steel partition D.47.3 cm.
 - 8. Set of "Orga-line" stainless steel partitions for 90 cm basket D.47.3 cm
 - 9. Set of "Orga-line" stainless steel partitions for 120 cm basket D.47.3 cm
 - 10. Plastic/Stainless steel plate rack for baskets
- The plate rack has continuous adjustment depending on the width of the plates (from 18.6 cm to 32.2 in diameter), total height 17 cm.

Can only be installed in "Intivo" line baskets. The accessories for baskets D.50 cm cannot be installed in lower baskets of curved base units, base units with recessed basket and all sink base units. The pack includes 2 supports for the assembly of the partitions. The accessories can be combined.

Elements pictured: **Photo 1:**

- Partition for 60 basket code 31106132
- Photo 2:
- Set of bottle racks code 31106136
- Partition code 31106138
- Partition set 90 code 31106141
- Photo 3:
- Partition for 60 baskets code 31106132
- 2 partitions code 31106138
- Spice rack set code 31106144
- If 90-120 partition sets are ordered, also order partition code 31106138 or 31106137, which can be installed in combination with the bottle rack.



Mats for base units, wall units, shelves, baskets and drawers

1. 30 cm mat in Anthracite finish rubber for Aluminium drawer D.42 cm 2. 45 cm mat in Anthracite finish rubber for Aluminium drawer D.42 cm 3. 60 cm mat in Anthracite finish rubber for Aluminium drawer D.42 cm $\textbf{4.90}\ \text{cm}$ mat in Anthracite finish rubber for Aluminium drawer D.42 cm 5. 120 cm mat in Anthracite finish rubber for Aluminium drawer D.42 cm

SCAVOLINI



Cannot be installed in lower units with recess

| | | 6.30 cm mat in Anthracite finish rubber for Aluminium drawer D.47.3 cm |
|--------------------------------------|--|---|
| | | 7. 45 cm mat in Anthracite finish rubber for Aluminium drawer D.47.3 cm |
| | | 8.60 cm mat in Anthracite finish rubber for Aluminium drawer D.47.3 cm |
| | | 9.90 cm mat in Anthracite finish rubber for Aluminium drawer D.47.3 cm |
| | | 10. 120 cm mat in Anthracite finish rubber for Aluminium drawer D.47.3 cm |
| | | 11. 30 cm mat in Anthracite finish rubber for Wooden drawer D.42 cm |
| | | 12. 45 cm mat in Anthracite finish rubber for Wooden drawer D.42 cm |
| | | 13. 60 cm mat in Anthracite finish rubber for Wooden drawer D.42 cm |
| | | 14. 90 cm mat in Anthracite finish rubber for Wooden drawer D.42 cm |
| | | 15. 30 cm mat in Anthracite finish rubber for Wooden drawer D.47.3 cm |
| | | 16. 45 cm mat in Anthracite finish rubber for Wooden drawer D.47.3 cm |
| r baskets of curved base units, base | 17. DU CIII III ALIDIZICHE HIJIST HIDDEL IOL WOODED DIZWEL D.47.3 CIII | |
| essed dasket a | nd all sink base units | 18. 90 cm mat in Anthracite finish rubber for Wooden drawer D.47.3 cm |
| | | 19. 30 cm mat in Anthracite finish rubber for base unit bottom |
| | | 20. 45 cm mat in Anthracite finish rubber for base unit bottom |
| | | 21. 60 cm mat in Anthracite finish rubber for base unit bottom |
| | | 22. 90 cm mat in Anthracite finish rubber for base unit bottom |
| | | 23. 30 cm mat in Anthracite finish rubber for base unit shelf |
| | | 24. 45 cm mat in Anthracite finish rubber for base unit shelf |
| | | 25. 60 cm mat in Anthracite finish rubber for base unit shelf |
| | | 26. 90 cm mat in Anthracite finish rubber for base unit shelf |
| | | 27. 30 cm mat in Anthracite finish rubber for wall unit bottom |
| | | 28. 45 cm mat in Anthracite finish rubber for wall unit bottom |
| | | 29. 60 cm mat in Anthracite finish rubber for wall unit bottom |
| | | 30. 90 cm mat in Anthracite finish rubber for wall unit bottom |
| | | |
| | | |
| 106795 | 13 - 31106843 | 19 - 31106849 25 - 31106855 |
| 1106796 1106797 | 14 - 31106844 | 20 - 31106850 26 - 31106856 |
| 31106797 | 15 - 31106845 16 - 31106846 | 21 - 31106851 27 - 31106857 22 - 31106852 28 - 31106858 |
| 511007.96 | 10 - 31100840 | 22 - 51100052 20 - 51100050 |







"Universal" accessories

SCAVOLINI[®]



- 1. "Universal" pot lid holder for baskets
- 2. "Universal" plate rack for baskets

Can be installed in all basket types except for Overglass.

CODE - 31105316 - 31105314









3.5

SCAVOLINI



 "Orange" beech blockboard storage accessory with 5 aluminium bowls. Can be installed in the first basket of 90 cm sink base units for models with wooden baskets. Natural citrus-fruit oil scented Beech blockboard.

2. "Boxset" aluminium storage accessory for sink base unit upper basket comprising:

- 90 cm basket with 4 Anthracite coloured plastic bowls (a)

 120 cm basket with 5 Anthracite coloured plastic bowls (b)
 Can be installed in the first basket of sink base units for models with Aluminium or metal baskets.

CODE 1 - 3110592 2a - 3110595 2b - 3110595



Topper pull-out cloth holder

SCAVOLINI[®]

Pull-out cloth holder with 3 aluminium rods

CODE 31100177



Cloth holder with three separate pull-out rods

Article discontinued

CODE 31100138



Pull-out, in Aluminium, with removable Anthracite bowl

Can be installed in base units of minimum 20 cm in size

SCAVOLINI®

CODE 31100134



Can be installed in base units of minimum 20 cm in size

Pull-out, in Aluminium, with removable Anthracite bowl

CODE - 31100132







"Rack" plate rack for basket D.47.3 cm

Cannot be installed in lower baskets of curved base units, base units with recessed basket and all sink base units

1. Plate rack and glass rack in AISI 430 stainless steel sheet for 60 cm base units with pullout baskets resting on the bottom of the basket

2. Plate rack and glass rack in AISI 430 stainless steel sheet for 90 cm base units with pullout baskets resting on the bottom of the basket

> CODI - 31106554 2 - 3110655!





Basket in chrome-finish metal with three containers with side sliding runners.

Pull-out chrome-finish metal basket with key lock











1. Side facing panel for wall unit H.73 cm (a) - H.103 cm (b)

2. Side facing panel for low wall unit H.36.5 cm (a) - H.51.5 cm (b) - H.59.7 cm (c) - H.61.5 cm (d)

3. Side facing panel for slanted hood H.61.5 cm

4. Side facing panel for base unit with shaped filler strip (a) - without shaped filler strip (b) - without shaped filler strip (for base units with back door) (c) - with undermount frame (d) with undermount frame (for base units with back door) (e)

5. Side facing panel for high base unit H.91.4 cm without shaped filler strip (a) - high base unit H.91.4 cm with undermount frame (b)

6. Side facing panel for base unit with lower recessed basket

7. Side facing panel for base unit D.75 with "Scilm" system with shaped filler strip (a) without shaped filler strip (b) - with undermount frame (c)

8. Side facing panel for raised base unit

9. Side facing panel for base unit with 1 draw. and pull-out basket H.65-70 cm for steel top H.26.5 (a) Side facing panel for base unit with 1 draw. and recessed pull-out basket H.65-70 cm for steel top H.26.5 cm (b)

10. Side facing panel for low larder unit H.127.2 cm (a) - H.200 cm D.36 cm (b) - H.200 cm D.58 cm (c) - H.230 cm D.58 cm (d)

11. Side facing panel for gap between wall unit/high wall unit

12. Side facing panel for hood with pull-out front H.48 cm RH/LH (a) - H.55 cm RH/LH (b) H.80 cm RH/LH (c)

13. Bottom cover for flap door wall unit top box D. 60 (a)-90 (b)-120 (c)

14. Side facing panel for undermount appliance H.83 cm RH/LH (a) - H.88 cm RH/LH (b)

15. Side facing panel for undermount appliance with undermount frame H.83 cm RH/LH (a) -H.88 cm RH/LH (b)

Satin finish AISI 430 steel side facing panels have an anti-fingerprint coating for easy cleaning.

| \mathbf{r} | \mathbf{n} | |
|--------------|--------------|--|
| | 9 | |

[01-2018]



SCAVOLINI[®]















Steel side facing panel H.204 cm for tall unit D.58.3 cm
 Wall-larder unit filler strip H.4 cm 60 (a) /120 (b)
 Wall-larder unit filler strip H.4 cm per metre with 1 side D.36 cm or with two sides D.36 cm

CODE 1 - 75062501/2 2a - 75085775 2b - 75085776 3 - 75085777







"Comfort" inner accessories for "Fluida" Wall System D.61.3 cm







- 1. Clothes rack (pull-out 30 cm) in plastic and aluminium 44.5x16 cm, Mocha colour.
- 2. Pull-out side tie rack (30 cm) in plastic and aluminium 44.5x17 cm, Mocha colour.
- 3. Telescopic sliding clothes rack for 90 to 120 cm width in plastic and steel, Mocha colour.
- 4. Metal clothes rack, Mocha colour diameter 2.8 cm (size per cm). The central rod holder is necessary for rods with a length of more than 100 cm or loads above 15 kg.
- 5. Pull-out frame with runners, for compartment L.60 (a) 70 (b) 80 (c) 90 (d) 100 (e) -110 (f) cm in plastic and aluminium, Mocha finish.
 N.B. Pulling out the frame is obstructed by the door, order the correct quantity of 155° hinge packs to replace the standard hinges during assembly. Cannot be installed with Aluminium framed glass door
- 6. Storage bowl L.9.9 D.45.5 H.5 cm for pull-out frame in plastic and aluminium, Mocha colour.

Combine this article with the purchase of a Comfort frame.

7. Metal wire drawer L.47.5 (a) - 67.5 (b) - 77.5 (c) - D.45.8 - H.20.1 cm for pull-out frame, in Mocha coloured steel.

Combine this article with the purchase of a Comfort frame.

- Metal drawer L.47.5 (a) 67.5 (b) 77.5 (c) D.45.2 H.12.4 cm for pull-out frame, in Mocha coloured steel. Combine this article with the purchase of a Comfort frame.
- 9. Storage drawer L.48.3 (a) 68.3 (b) 78.3 (c) D.45.6 H.6.5 cm for pull-out frame, in wood finish, velvet interior.

Combine this article with the purchase of a Comfort frame.

- **10.** Trouser rack rod for pull-out frame, **L.45.9** cm in plastic and aluminium, **Mocha** colour. (the pack contains 7 rods). Combine this article with the purchase of a Comfort frame.
- 11. Fabric laundry basket for pull-out frame L.35.5 D.45.7 H.46.3 cm
- 12.Shoe rack for pull-out frame, for compartment L.60 (a) 80 (b) 90 (c) in Mocha coloured steel N.B. Pulling out the frame is obstructed by the door, order the correct quantity of 155° hinge packs to replace the standard hinges during assembly. Cannot be installed with Aluminium framed glass door

| 1 - 31107518 | 5c - 31107532 | 7b - 31107509 | 9b - 31107512 | 12c - 31107542 | Δ | |
|------------------------------|--------------------------------|--------------------------------|--------------------------------|----------------|--------|--|
| 2 - 31107522 3 - 31107517 | 5d - 31107534 5e - 31107536 | 7c - 31107510 8a - 31107506 | 9c - 31107513 10 - 31107516 | | 4 | |
| 4 - 31107528 | 5f - 31107538 | 8b - 31107507 | 11 - 31107514 | | | |
| 5a - 31107530 | 6 - 31107515 | 8c - 31107508 | 12a - 31107546 | | 124.1 | |
| 5b - 31107585 | 7a - 31107545 | 9a - 31107511 | 12b - 31107540 | | 16 111 | |



4 124.2





"Support" inner accessories for "Fluida" Wall System D.61.3 cm

In the clothes rack (1) the central rod holder is necessary for rods which are longer than 120 cm or loads above 15 kg. The pull-out drawer (4) has 4 aluminium sides and is supplied with infills so it can also be introduced like an inner drawer in compartments with doors, complete with anti-tipping device with built-in vertical and front adjustments. Bottom in Iron Grey decorative melamine. The shoe rack (10) is made in two pieces; it fits in easily without any fixing. Combine this article with the purchase of a Support drawer. The trouser rack (11) is supplied with infills for easy extraction. Complete with soft seal at the top of the rod so the trousers don't slip off. Rod supplied with nylon supports for easy positioning on the frame and sliding inside the drawer.

- 1. Clothes rack in metal and aluminium, Metal Grey colour (size per cm)
- 2. Telescopic sliding clothes rack in Orion Grey coloured metal, size between 75 and 125 cm
- 3. Pull-out hanger rail in Nickel coloured metal with Metal Grey plug
- 4. Pull-out aluminium drawer, Metal Grey colour L.56.4 L1 38.9 D.51 H.7.8 cm for size 60 compartment
- 5. Pull-out aluminium drawer, Metal Grey colour L.86.4 L1 68.9 D.51 H.7.8 cm for size 90 compartment
- Pull-out aluminium drawer, Metal Grey colour L.116.4 L1 98.9 D.51 H.7.8 cm for size 120 compartment
- 7. Pull-out aluminium drawer, Metal Grey colour L.56.4 L1 38.9 D.51 H.12.8 cm for size 60 compartment
- 8. Pull-out aluminium drawer, Metal Grey colour L.86.4 L1 68.9 D.51 H.12.8 cm for size 90 compartment
- 9. Pull-out aluminium drawer, Metal Grey colour L.116.4 L1 98.9 D.51 H.12.8 cm for size 120 compartment
- 10. Metal shoe rack for drawer, Metal Grey colour L.86.4 L1 68.9 D.51 H.21 cm for size 90 cm compartment
- 11. Metal shoe rack for drawer, Metal Grey colour L.116.4 L1 98.9 D.51 H.21 cm for size 120 cm compartment
- Aluminium trouser rack rod for drawer, Metal Grey colour L.60 D51 H.7.8 cm (complete with 6 rods) for size 60 compartment
- 13. Aluminium trouser rack rod for drawer, Metal Grey colour L.90 D51 H.7.8 cm (complete with 10 rods) for size 90 compartment
- 14. Aluminium trouser rack rod for drawer, Metal Grey colour L.120 D51 H.7.8 cm (complete with 15 rods) for size 120 compartment
- 15. Multi-purpose tray with inner partition in Elephant Grey colour leatherette 36x15 cm
- 16. Multi-purpose 3-compartment tray in Elephant Grey colour leatherette L.36 D.15 H.5 cm
- 17. Multi-purpose 5-compartment tray in Elephant Grey colour leatherette L.36 D.15 H.5 cm

| CODE 1 - 31107964 | 7 - 31107956 | 13 - 31107960 | 19 - 31107942 | 25 - 31107950 | | |
|----------------------|---------------|---------------|---------------|---------------|-------|--|
| 2 - 31107952 | 8 - 31107957 | 14 - 31107961 | 20 - 31107945 | 26 - 31107951 | 4 | |
| 3 - 31107939 | 9 - 31107958 | 15 - 31107940 | 21 - 31107946 | | · · · | |
| 4 - 31107953 | 10 - 31107962 | 16 - 31107941 | 22 - 31107947 | | | |
| 5 - 31107954 | 11 - 31107963 | 17 - 31107944 | 23 - 31107948 | | 124.3 | |
| 6 - 31107955 | 12 - 31107959 | 18 - 31107943 | 24 - 31107949 | | 124.3 | |
| | | | | | | |



\$50

150

\$50

150

\$50

150

\$50

150

\$50

150

18. Watch tray in Elephant Grey colour leatherette L.36 - D.15 - H.5 cm

19. Jewellery tray in Elephant Grey colour leatherette L.36 - D.15 - H.5 cm

21. Men's hanger with trouser rail in Wengé colour beech with metal hook, Metal Grey colour

22.Skirt hanger in Wengé colour beech with metal hook, Metal Grey colour L.39 - H.20 cm 23. Handbag hanger Wengé colour beech with metal hook, Metal Grey colour L.8.9 - H.18.5 cm 24.Scarf ring in Wengé colour beech with metal hook, Metal Grey colour L.15 - H.24.5 cm 25. Hanger rod in Wengé colour beech (screw the rod into the seat provided in the hanger) L.84 cm 26. Hanger rod in Wengé colour beech with metal hook, Metal Grey colour L.97 cm









Screw the rail into the bush on the clothes hanger





SCAVOLINI"







"Metro" wall system

SCAVOLINI[®]











SCAVOLINI[®]

"Metro" wall system comprising:

- Anthracite SCAV 882 colour aluminium structure, 2 cm thick
- Decorative melamine shelves, 2.2 cm thick with ABS edging (L. max 270 cm D.31.7 cm) in the following colours:
- Landscape Oak SCAV 922, Concrete Jersey SCAV 878 and Concrete Harlem SCAV 880 1. 2 cm thick side panel **H.97** cm
- **N.B.:** the maximum capacity of each hanging side panel is 25 kg, or 50 kg if it is resting on the floor
- 2. 2 cm thick side panel H.160 cm
 N.B.: the maximum capacity of each hanging side panel is 30 kg, or 65 kg if it is resting on the floor
- 3. 2 cm thick side panel H.235 cm
- **N.B.:** the maximum capacity of each hanging side panel is 40 kg, or 95 kg if it is resting on the floor
- 4. Linear shelf L.max 270 cm 2.2 cm thick
- 5. Pack of 2 infill elements for skirting board

N.B. The maximum distance between the structure centre distance is 90 cm (minimum 15 cm). For the assembly of shelves longer than 90 cm, which rest on three structures, the front profile can be disassembled to insert the shelves. The structures can be either wall-mounted or floor-standing. If the side panel is floor-standing and a skirting board is present, order a pack of 2 infill elements code 31107120 for every individual side panel in the composition.







Aluminium larder unit bottom

SCAVOLINI

Aluminium bottom for ${\bf 45}$ cm larder unit Aluminium bottom for ${\bf 60}$ cm larder unit




Lacquered bottom cover/top panel cover D.34 cm for wall units

SCAVOLINI

1. Lacquered bottom cover/top panel cover for 30 cm wall unit

2. Lacquered bottom cover/top panel cover for 45 cm wall unit

3. Lacquered bottom cover/top panel cover for 60 cm wall unit

4. Lacquered bottom cover/top panel cover for 90 cm wall unit

5. Lacquered bottom cover/top panel cover for 120 cm wall unit

6. Lacquered bottom cover/top panel cover for 45 cm bottom-hinged flap door wall unit
 7. Lacquered bottom cover/top panel cover for 60 cm bottom-hinged flap door wall unit
 8. Lacquered bottom cover/top panel cover for 90 cm bottom-hinged flap door wall unit
 9. Lacquered bottom cover/top panel cover for 120 cm bottom-hinged flap door wall unit
 10. Lacquered bottom cover/top panel cover/top panel cover for 45 cm flap door wall unit

11. Lacquered bottom cover/top panel cover for ${\bf 60}~{\rm cm}$ flap door wall unit

12. Lacquered bottom cover/top panel cover for 90 cm flap door wall unit

13. Lacquered bottom cover/top panel cover for 120 cm flap door wall unit

The bottom cover cannot be fitted when there is a sheet metal side facing panel th.1 mm (because they would overlap) and on a wall unit with sliding doors. Cannot be installed when there is an illuminated bottom board, on wall units with microwave or wall units with shaped bottom

| | | CODE |
|--------------|--------------|---------------|
| | 2 - 75086256 | 8 - 75086266 |
| | 3 - 75086257 | 9 - 75086267 |
| | 4 - 75086258 | 10 - 75086260 |
| | 5 - 75086259 | 11 - 75086261 |
| | 6 - 75086264 | 12 - 75086262 |
| 1 - 75086255 | 7 - 75086265 | 13 - 75086263 |
| | | |



"Plana" cloth holder

SCAVOLINI

The cloth holder can be fitted on a structural wall, on the base unit side panel or on a wall.

Pack of "Plana" cloth holders L.50 cm in satin finish steel



TECHNICAL INFORMATION

COLOUR OF LIGHT IN °K



LUMEN - WATTS

WATTS (W) indicate the quantity of energy a light bulb consumes to produce light. LUMEN (Im) are the unit used to measure the emission and luminous intensity of a light bulb. LED light bulbs have a luminous power (in lumen) of a classic light bulb, but with a lower wattage.

| LUMENS INC | TH | Т8 | LED |
|---------------|------|---------|---------|
| 00001 150.00 | | | |
| 2000 lm 150 W | | 25 W | 25-28 W |
| 1600 lm 100 W | 72 W | 20-23 W | 16-20 W |
| 1100 lm 75 W | 53 W | 16-19 W | 9-16 W |
| 800 lm 60 W | 43 W | 13-14 W | 8-12 W |
| 450 lm 40 W | 29 W | 9-10 W | 6-9 W |
| 330 lm 25 W | | | 4 W |
| 250 lm 20 W | | | 3 W |

STANDARD INCANDESCENT HALOGEN NEON LED

THE VALUES ARE TO BE CONSIDERED TO BE PURELY INDICATIVE AND VARIABLE ACCORDING TO THE BRAND AND COLOUR **TEMPERATURE**

INC: TH:

T8:

LED:



| CERTIFICATIONS | |
|---|--|
| CE | The product conforms to the essential requirements envisaged by European directives |
| | Class II appliances, which are also referred to as double insulated, are designed not to require (and therefore they do not need to have) an earthing connection. |
| | They are built so that a single fault cannot cause contact with dangerous voltage levels by the user. This is ge- nerally achieved by making the casing of the container with insulating materials, or in any case ensuring that any live parts are surrounded by a double layer of insulating material (main insulation + supplementary insula- tion) or using reinforced insulation. |
| | In Europe, this kind of appliance must be marked "Class II" or with the double insulation symbol (two concentric squares). |
| EN 62031 | Sets out the general and safety provisions for light-emitting diode (LED) modules. |
| ENEC05 | This is a European certification mark with superior technical value based on strict certification criteria. This mark offers the end user the utmost guarantee as to the procedures applied during the product manufac- turing process. Since 1993, luminaires can circulate across the whole of Europe with the ENEC mark, which certifies that a product conforms to EN 60 598 regulations. |
| ETL Electrical Testing Laboratories | The ETL Listed mark indicates the product was tested by an accredited third-party laboratory, in compliance with the applicable product standards and the minimum safety requirements, to be sold and distributed in North America. ETL is a private independent organisation, which has been in business for over 100 years in the measurements field, and it was originally founded by Thomas Alva Edison in 1896. |
| PHOTOBIOLOGICAL EN 62471 | Defines the risk classes, the emission limits and the absolute exposure limits for the surface of the skin and cornea. |
| IP International Protection | Degree of protection: the prefix IP followed by two digits indicates the resistance of the appliance to penetration by solids and liquids. The first digit indicates the resistance to the penetration of solid bodies and contact with live elements. The second digit indicates the resistance to the penetration of liquids. |
| IP20 | Protected against the penetration of solid bodies with a diameter greater than 12 mm and not protected against liquids. |
| IP44 | Protected against the penetration of solid bodies with a diameter greater than 1 mm and against water spray. |
| UL Underwriters Laboratories Inc - | This is the most popular mark testifying to the conformity of electrical and electronic items with safety regula- tions in USA and Canada. The UL Safety Mark is a voluntary product certification. Nevertheless, it constitutes an important distinguishing feature which signals product reliability. |



'System' midway elements









5

1. Linear tube Ø 16 mm 60 cm in chrome-finish metal (a), or bronzed metal (b) with transparent protective epoxy coating

1. Linear tube Ø 16~mm 100 cm in chrome-finish metal (c) or bronzed metal (d) with transparent protective epoxy coating

1. Linear tube Ø 16 mm 150 cm in chrome-finish metal (e) or bronzed metal (f) with transparent protective epoxy coating

2. Support for tube Ø 16 mm in chrome-finish metal (a) or bronzed metal (b) with transparent protective epoxy coating

2. Vertical support for tube Ø 16 mm in chrome-finish metal (c) or bronzed metal (d) with transparent protective epoxy coating

2. Plug for tube Ø 16 mm in chrome-finish metal (e) or bronzed metal (f) with transparent protective epoxy coating

3. 23 cm basket in chrome-finish metal (a) or bronzed metal (b) with transparent protective epoxy coating for 6 spice jars

3. 35 cm basket in chrome-finish metal (c) or bronzed metal (d) with transparent protective epoxy coating for 12 spice jars

4. 3-tier kitchen roll holder 30 cm in chrome-finish metal (a) or bronzed metal (b) with transparent protective epoxy coating

5. 1-tier kitchen roll holder 30 cm in chrome-finish metal (a) or bronzed metal (b) with transparent protective epoxy coating

6. Sponge tidy 26x15x7 in chrome-finish metal (a) or bronzed metal (b) with transparent protective epoxy coating

7. Container for kitchen utensils in chrome-finish metal (a) or bronzed metal (b) with transparent protective epoxy coating

SCAVOLINI



'System' midway elements







CODE 1a - 31100149 4 - 311001 1b - 31100220 5a - 31100 2a - 31100153 5b - 31100 2b - 31100224 3a - 31100160 3b - 31100231

8. Corner tube Ø 16 mm 8x8 cm in chrome-finish metal (a) or bronzed metal (b) with transparent protective epoxy coating

9. Hook for kitchen utensils in chrome-finish metal (a) or bronzed metal (b) with transparent protective epoxy coating

10. Single ${\tt corner}$ basket $31x31~{\tt cm}$ in chrome-finish metal (a) or bronzed metal (b) with transparent protective epoxy coating

11. Spice rack set with 12 jars

12. Jar rack 45x16x20 in chrome-finish metal (a) or bronzed metal (b) with transparent protective epoxy coating

SCAVOLINI







"Ritmica" midway elements



- 1. Pack of metal accessory bar 55 cm with 4 hooks in Anthracite (a) Titanium (b) Chrome (c).
- 2. Pack of metal accessory bar 85 cm with 4 hooks in Anthracite (a) Titanium (b) Chrome (c).
- 3. Pack of metal accessory bar 115 cm with 4 hooks in Anthracite (a) Titanium (b) Chrome (c).
- 4. Jar rack in Anthracite (a) Titanium (b) Chrome (c) finish metal with transparent polycarbonate bowl.
- 5. Spice rack in Anthracite (a) Titanium (b) Chrome (c) finish metal with transparent polycarbonate bowl.
- 6. Kitchen roll holder in Anthracite (a) Titanium (b) Chrome (c) finish metal.
- 7. Pack of 4 accessory hooks (\emptyset 0,3 P.4,5 H.5 cm) in Anthracite (a) Titanium (b) Chrome (c) finish metal.

| LUDE | | | |
|---------------|---------------|---------------|--------|
| 1a - 31106630 | 3a - 31106632 | 5a - 31106634 | 7a - 3 |
| 1b - 31107475 | 3b - 31107477 | 5b - 31107479 | 7b - |
| 1c - 31106623 | 3c - 31106625 | 5c - 31106627 | |
| 2a - 31106631 | 4a - 31106633 | 6a - 31106635 | |
| 2b - 31107476 | 4b - 31107478 | 6b - 31107480 | |
| 2c - 31106624 | 4c - 31106626 | 6c - 31106628 | |











Opus" equipped wall panel





1. Wall panel L.45 - H.49.8 - 54.8 cm Desert or Silver Dark finish 2. Wall panel L.45 - H.54.9 - 59.9 cm Desert or Silver Dark finish 3. Wall panel L.45 - H.61.8 - 66.8 cm Desert or Silver Dark finish 4. Wall panel L.45 - H.66.9 - 71.9 cm Desert or Silver Dark finish 5. Wall panel L.45 - H.73.8 - 78.8 cm Desert or Silver Dark finish 6. Wall panel L.60 - H.49.8 - 54.8 cm Desert or Silver Dark finish 7. Wall panel L.60 - H.54.9 - 59.9 cm Desert or Silver Dark finish 8. Wall panel L.60 - H.61.8 - 66.8 cm Desert or Silver Dark finish 9. Wall panel L.60 - H.66.9 - 71.9 cm Desert or Silver Dark finish 10. Wall panel L.60 - H.73.8 - 78.8 cm Desert or Silver Dark finish 11. Wall panel L.90 - H.49.8 - 54.8 cm Desert or Silver Dark finish 12. Wall panel L.90 - H.54.9 - 59.9 cm Desert or Silver Dark finish 13. Wall panel L.90 - H.61.8 - 66.8 cm Desert or Silver Dark finish 14. Wall panel L.90 - H.66.9 - 71.9 cm Desert or Silver Dark finish 15. Wall panel L.90 - H.73.8 - 78.8 cm Desert or Silver Dark finish 16. Storage shelf L.16.5 - H.13.5 cm Desert or Silver Dark finish 17. Storage shelf L.20 - H.12.8 cm Desert or Silver Dark finish 18. Storage shelf L.32 - H.9.7 cm Desert or Silver Dark finish 19. Shelf L.38.5 cm Desert or Silver Dark finish 20. Shelf L.53.6 cm Desert or Silver Dark finish 21. Stemmed glass rack L.38.5 cm Desert or Silver Dark finish 22. Bottle rack L.24 cm Desert or Silver Dark finish 23. Kitchen roll holder L.24 cm Desert or Silver Dark finish 24. Pack of 4 hooks Desert or Silver Dark finish

| 75090492 | 8 - 75090498 | 14 - 75090504 | 20 - 3110793 |
|----------|---------------|---------------|--------------|
| 75090493 | 9 - 75090499 | 15 - 75090505 | 21 - 3110793 |
| 75090494 | 10 - 75090500 | 16 - 31107932 | 22 - 3110793 |
| 75090495 | 11 - 75090501 | 17 - 31107930 | 23 - 3110793 |
| 75090496 | 12 - 75090502 | 18 - 31107931 | 24 - 3110793 |
| 75090497 | 13 - 75090503 | 19 - 31107934 | 25 - 3110792 |
| | | | |

25. Flame guard in Stainless steel

[09-2020]





138

CODE 2a - 31105942 2b - 31105943 - 31105937 2c - 31105944 - 31105938 3a - 31105945 - 31105939 4a - 31105946 - 31105940 5a - 31105941



| | CODE |
|------------|---------------|
| | 2a - 31105942 |
| | 2b - 31105943 |
| - 31105937 | 2c - 31105944 |
| - 31105938 | 3a - 31105945 |
| - 31105939 | 4a - 31105946 |
| - 31105940 | 5a - 31105941 |





- 1a. 45 cm Steel finish aluminium shelf
- 1b. 60 cm Steel finish aluminium shelf
- 1c. 90 cm Steel finish aluminium shelf
- 1d. 120 cm Steel finish aluminium $\ensuremath{\mathsf{shelf}}$
- 2a. Aluminium shelf 60 cm with LED lamp (1 LED) 220V in Steel finish
- 2b. Aluminium shelf 90 cm with LED lamp (2 LEDs) 220V in Steel finish
- 2c. Aluminium shelf 120 cm with LED lamp (2 LEDs) 220V in Steel finish
- 3a. Pack of 3 Steel finish hooks
- 4a. 35 cm Steel finish cloth holder
- 5a. 35 cm Steel finish aluminium kitchen roll holder shelf







"Equip" midway elements





1a. Pack of 60 cm Aluminium bar with 3 hooks
1b. Pack of 90 cm Aluminium bar with 3 hooks
1c. Pack of 120 cm Aluminium bar with 3 hooks
2a. 90 cm Glass shelf with Aluminium profile and 3 hooks
2b. 120 cm Glass shelf with Aluminium profile and 3 hooks
3. Aluminium kitchen roll holder

CODE 1a - 31106323 1b - 31106324 1c - 31106325 2a - 31106327 2b - 31106328 3 - 31106326







"Tonda" midway elements

SCAVOLINI









- 1a. 90 cm accessory bar in satin finish stainless steel (a)
- 1b. 120 cm Accessory bar in satin finish stainless steel (b)
- 1c. 150 cm Accessory bar in satin finish stainless steel (c)
- 1d. 180 cm Accessory bar in satin finish stainless steel (d)
- 2. Shelf in polished stainless steel 26 cm
- 3. Shelf with spice jars in polished stainless steel 26 cm
- $\label{eq:constraint} \textbf{4.} \ \textbf{Lids for spice jars in polished stainless steel}$
- 5. Kitchen roll holder in polished stainless steel 30 cm
- 6. Pack of 3 hooks in satin finish stainless steel
- 7. Knife rack in stainless steel and black heat-proof ABS plastic
- 8. Chopping board for bar in stainless steel and black back-painted glass

| 1a - 31105913 | 4 - 31105920 |
|---------------|--------------|
| 1b - 31105914 | 5 - 31105904 |
| 1c - 31105915 | 6 - 31105905 |
| 1d - 31105916 | 7 - 31105906 |
| 2 - 31105902 | 8 - 31105907 |
| 3 - 31105903 | |
| | |

141











"Tonda" magnetic midway elements

SCAVOLINI











- 1. 26 cm polished stainless steel shelf.
- 2. 30 cm polished stainless steel kitchen roll holder.
- 3. Pack of 3 satin finish stainless steel hooks.
- 4. Knife rack in stainless steel and black heat-proof plastic with magnet.
- 5. Element with 4 satin finish stainless steel hooks.
- 6. Surcharge for wall panel processing for Tonda accessory bar.

- CODE
 - 31106188
- 2 31106189
- 3 3110619
- 21100131
- 5-5

[01-2018]





Tonda magnetic accessory bar for wall panel

Tonda magnetic accessory bar for wall panel.

Order custom-sized profile (max 400 cm). The bar can be installed on wall panels both th.1.2 cm and 2 cm. On wall panels th. 2 cm a wall panel must also be fitted at the top of the bar (compulsory). The bar must either be placed between two separate wall panels or placed above a wall panel. The bar cannot be secured to the front of the wall panel.

> CODE 31106455 -





"Titan" midway elements

SCAVOLINI







CODE 1a - 31105409 3b - 311 1b - 31105410 4 - 311 1c - 31105411 5 - 311 2a - 31105412 2b - 31105413 3a - 31105414

1a. Pack of 60 cm accessory bar with 3 hooks (a).
1b. Pack of 90 cm accessory bar with 3 hooks (b).
1a. Pack of 120 cm accessory bar with 3 hooks (c).
2a. 35 cm glass shelf (d).
2b. 50 cm glass shelf (e).
3a. 35 cm aluminium shelf (f).
3b. 50 cm aluminium shelf (g).

5. 35 cm steel kitchen roll holder shelf (h).

6.35 cm steel ladle rail/cloth holder (i).

SCAVOLINI







"Timeline" midway elements

SCAVOLINI

- 1. Pack of $\mathbf{90}\ \mathbf{cm}\ \mathbf{bar}$ in $\mathbf{Cast}\ \mathbf{Iron}\ \mathbf{finish}\ \mathbf{metal}$ with 6 accessory hooks
- 2. Pack of 120 cm bar in Cast Iron finish metal with 6 accessory hooks
- $\textbf{3.} \ \textbf{30} \ \textbf{cm} \ \textbf{shelf in} \ \textbf{Cast Iron finish metal}$
- 4. 38 cm kitchen roll holder in Cast Iron finish metal

| C | ODE |
|---|---------|
| | 3110712 |
| | 3110712 |
| | 3110712 |
| | 3110712 |

5 146.1



 $\begin{bmatrix}
 28.5 \\
 9
 \end{bmatrix}
 \begin{bmatrix}
 28.5 \\
 9
 \end{bmatrix}$



 Line System 1.2 cm thick Wall Panel (available in the following materials: Steel, Biomalta, Decorative Melamine, Fenix NTM, Porcelain Stoneware, Veneered, Lacquered, Metal Effect Lacquered, Laminate and Quarz)

2. Lower profile for Line System wall in Dark Steel painted Aluminium

3. Central profile for Line System wall in Dark Steel painted Aluminium

4. Upper profile for Line System wall in Dark Steel painted Aluminium 5. Upper profile with light for Line System wall (absorption 11.4W per metre. Order power supply

for electrical connection) in Dark Steel painted Aluminium 6. Upper profile with channel for Line System wall in Dark Steel painted Aluminium N.B.: the upper profle cannot be positioned at a distance of less than 7 cm from the bottom of a wall

7. unit or any object preventing the insertion of dedicated accessories

8. Side profile for Line System wall in Dark Steel painted Aluminium
 9. Accessory-holder bar H.12 - Th.3.8 cm in Dark Steel painted Aluminium

N.B. If there is a wall panel underneath the accessory holder profile, the Line System wall panel must be positioned above the accessory holder bar to allow the bar to be fixed.

Accessory-holder bar with light H.12 - Th.3.8 cm in Dark Steel painted Aluminium (absorption 11.4W per metre. Order power supply for electrical connection)
 11. Shelf L.30 - D.12.9 cm in Dark Steel painted Aluminium

12. Shelf L.45 - D.12.9 cm in Dark Steel painted Aluminium

13. Shelf L.60 - D.12.9 cm in Dark Steel painted Aluminium

14. Storage shelf L.28.5 - H.5 - D.9 cm in Dark Steel painted Aluminium

15. Storage shelf L.28.5 - H.10 - D.9 cm in Dark Steel painted Aluminium 16. Tablet rest shelf L.28.5 - H.10 - D.9 cm in Dark Steel painted Aluminium

17. Shelf with 2 bowls L.39 - H.10 - D.12.4 cm in Aluminium

18. Bottle rack L.26.7 - H.2.5 - D.18.3 cm in Dark Steel painted Aluminium

19. Knife rack in dark wood L.30 - H.13 - D.6 cm

Kitchen roll holder L.26.7 - H.2.5 - D.11.7 cm in Dark Steel painted Aluminium
 Double hook L.8 - D.2.8 - H.3.8 cm in Dark Steel painted Aluminium

22. Triple hook L.15 - D.2.8 - H.3.8 cm in Dark Steel painted Aluminium

23. Container L.28.5 - H.11 - D.14,9 cm in Dark Steel painted Aluminium

24. Wiring hole plate in Dark Steel painted Aluminium

25. Power outlet block and switch in Dark Steel painted Aluminium

26. Food-warming lamp with adjustable height between 85 and 144 cm in Aluminium

 11 - 31107437
 17 - 31107443
 23 - 3110620

 12 - 31107438
 18 - 31107444
 24 - 3110748

 13 - 31107439
 19 - 31107445
 25 - 4101919

 14 - 31107440
 20 - 31107446
 26 - 3110639

 15 - 31107441
 21 - 31107447
 27 - 3110746

 16 - 31107442
 22 - 31107448
 28 - 3110746

5

146.2

[09-2020]



5 146.3



-

26-27-28

25







SCAVOLINI[®]







"Setup" System

SCAVOLINI









16 - 31108047 17 - 31108048 18 - 31108051



The Setup System is designed to guarantee alignment with tall units H 206.2 and 220 cm. The accessories can only be used on the elements of the Setup System.



[09-2020]

146.5















1. 45 cm resting element between top and wall unit in Anthracite colour Aluminium 2. 60 cm resting element between top and wall unit in Anthracite colour Aluminium 3. 90 cm resting element between top and wall unit in Anthracite colour Aluminium 4. 120 cm resting element between top and wall unit in Anthracite colour Aluminium 5. 45 cm element between top and Larder unit/Tall unit in Anthracite colour Aluminium 6. 60 cm element between top and Larder unit/Tall unit in Anthracite colour Aluminium 7. 90 cm element between top and Larder unit/Tall unit in Anthracite colour Aluminium 8. Pack of 3 hooks in Anthracite colour Aluminium 9. Tablet rest shelf in Anthracite colour Aluminium 10. Container stand in Anthracite colour Aluminium 11. Glass/Anthracite colour Aluminium shelf (cannot be installed on element for 60-90 island) 12. Kitchen roll holder in Anthracite colour Aluminium 13. 4 stemmed glass rack in Anthracite colour Aluminium 14. 6 stemmed glass rack in Anthracite colour Aluminium 15. Island element 60 - H.41 cm in Anthracite colour aluminium 16. Island element 90 - H.41 cm in Anthracite colour aluminium 17. Container bowl 60 cm in Anthracite colour Aluminium 18. Container bowl 90 cm in Anthracite colour Aluminium





5 146.7





3

4

Articles $\ensuremath{\textbf{1a-1b-1c}}$ can be installed on the shelf bracket or

directly on the wall. The shelf bracket (4) is available in 2

shelf bracket is 20 kg including the shelf.

solutions: shelf bracket solution, to match the shelf D.17 to be

ordered separately; and the midway unit solution, as an element to be fitted to the bottom of the wall unit. For both solutions, the

ladle rail can be installed. The load capacity for each individual



"Country" midway elements

SCAVOLINI



- 1a. Pack of 60 cm Antique Brass ladle rail (c).
- 1b. Pack of 90 cm Antique Brass ladle rail (d).
- 1c. Pack of 120 cm Antique Brass ladle rail (e).
- 2. Metal kitchen roll holder in Antique Brass finish (a).
- 3. Metal jar rack in Antique Brass finish (b).
- 4. Midway unit/shelf bracket in Antique Brass (f)



- 2 31105418
- 3 31105419

[01-2018]





Ladle rail bar L.70 in satin finish steel
 Ladle rail bar L.100 in satin finish steel
 Pack of 3 hooks in satin finish steel

The bar can be installed on the wall, under a shelf or under a wall unit.

CODE - 31106922 - 31106923 - 31106924

148



SCAVOLINI[®]

The wall panel is only available in glossy Prestige White SCAV 028, while the aluminium perimeter profile is available in Steel finish Aluminium or matt White. The maximum size is 300x115 cm. Wall mounting is via a magnet system. The "Orizzonte" range of accessories can be magnetically attached to the wall panel.

- Illuminated glass wall panel with LED strip with 3000°K warm light and 13W per metre absorption inserted in the upper edging.
- 2.35W 220V transformer
- 3.60W 220V transformer
- 4. ON-OFF remote control with dimmer



- 1 7506
- 2 31106938
- 3 3110693
- 31106937



"Orizzonte" range of magnetic accessories for illuminated glass wall panel



SCAVOLINI



Accessory-holder bar in satin finish steel L.40 cm complete with 5 (five) hooks
 Accessory-holder bar in satin finish steel L.80 cm complete with 10 (ten) hooks
 Tablet/book rest shelf in satin finish steel
 Storage shelf in satin finish steel L.30 cm
 Kitchen roll holder shelf in satin finish steel L.30 cm with beech rod







CODI 1106932

2 - 31106933 3 - 31106936

- 3110693





"Orizzonte More" illuminated glass wall panel

SCAVOLINI

The wall panel is only available in polished Prestige White SCAV 028, while the aluminium perimeter profile is available in Steel finish Aluminium or matt White. The maximum size is $320 \mathrm{x} 120$ cm. The light intensity can be adjusted by means of the ON-OFF remote control with dimmer and by means of the "Smart moving" system which, thanks to hand movement sensors, manages the switching on and off and the light intensity. Wall mounting is via a magnet system. **N.B.** The **"Orizzonte and** Magneto" series of accessories can be magnetically attached to the wall panel



5

150.1

2.35W - 220V transformer.

- 3.60W 220V transformer.
- 4. ON-OFF remote control with dimmer.






"Orizzonte Up" magnetic wall panel

1. "Orizzonte Up" magnetic wall panel in Stratified Laminate and Stratified Fenix NTM®

The wall panel is available in all the colours in the range of Stratified Laminate and Stratified Fenix NTM ® tops. The wall panel is available with LED strip with natural light **3000°K** - **4000°K** and **13W per metre absorption**, inserted in the upper edging, or without light.

2. 35W - 220 V transformer.

3. 60W - 220V transformer.

4. ON-OFF remote control with dimmer.

Available with or without upper light.Maximum wall panel length 320 cm, maximum height 120 cm. N.B. The "Orizzonte and Magneto" series of accessories can be magnetically attached to the wall panel.









"Magneto" series of accessories with magnet for "Orizzonte" series wall panels

SCAVOLINI[®]









| - 31108013 | 8 - 31108020 |
|------------|--------------|
| - 31108016 | 9 - 31108023 |
| - 31108017 | 10 - 3110802 |
| - 31108019 | 11 - 3110802 |
| - 31108018 | 12 - 3110802 |









- Open-fronted metal element, White L.25 H.25 D.16 cm Th.2 cm
 Open-fronted metal element, Anthracite L.25 cm H.25 D.16 cm Th.2 cm
 Open-fronted metal element, White L.25 cm H.50 D.16 cm Th.2 cm
 Open-fronted metal element, Anthracite L.25 cm H.50 D.16 cm Th.2 cm
 S. Metal shelf, White L.45 cm
 Metal shelf, Anthracite L.45 cm
 Metal shelf, Anthracite L.45 cm with hooks
 Metal shelf, Anthracite L.45 cm with hooks
 Metal shelf, Anthracite L.45 cm
 Metal shelf, Anthracite L.28 cm
 Metal kitchen roll holder, White L.28 cm
 Metal kitchen roll holder, White L.28 cm
 - 12. Metal kitchen roll holder with shelf, Anthracite L.28 cm

N.B. These accessories can be fitted on all the wall panels in the Orizzonte series





K Concept is an illuminated panel which, when used as a wall panel, allows you to illuminate the worktop. The Emotion Dual Color LED light source allows you to vary the colour temperature from 3000°K to 4000°K. The various sized panels can be combined together.

- 1. LED illuminated wall panel in Plexiglas with warm light $3000^\circ K$ or Natural light $4000^\circ K$ L.50 cm 17.3W 24V
- 2. LED illuminated wall panel in Plexiglas with warm light 3000°K or Natural light 4000°K L.60 cm 21.2W 24V
- 3. LED illuminated wall panel in Plexiglas with warm light $3000^\circ K$ or Natural light $4000^\circ K$ L.70 cm 25.1W 24V
- 4. LED illuminated wall panel in Plexiglas with warm light 3000°K or Natural light 4000°K L.80 cm 29W 24V
- 5. LED illuminated wall panel in Plexiglas with warm light $3000^\circ K$ or Natural light $4000^\circ K$ L.90 cm 32.9W 24V
- LED illuminated wall panel in Plexiglas with warm light 3000°K or Natural light 4000°K L.120 cm 44.6W - 24V
- 7. LED illuminated wall panel in Plexiglas with warm light $3000^\circ K$ or Natural light $4000^\circ K$ L.150 cm 56.3W 24V
- LED illuminated wall panel in Plexiglas with warm light 3000°K or Natural light 4000°K L.180 cm 68W - 24V
- 9. LED illuminated wall panel in Plexiglas with warm light $3000^\circ K$ or Natural light $4000^\circ K$ L.240 cm 91.4W 24V
- LED illuminated wall panel in Plexiglas with warm light 3000°K or Natural light 4000°K -L.270 cm 103.1W - 24V
- 11. LED illuminated wall panel in Plexiglas with warm light 3000°K or Natural light 4000°K L.300 cm 114.8W 24V
- 12. Power outlet block L.8 cm H.40 cm with 2 Shuko sockets and 2 USB sockets
- 13. Hook for wall panel
- 14. Metal shelf L.30 cm
- 15. Glass shelf L.30 cm
- 16. Kitchen roll holder in wood and metal L.32 cm
- 17. Flame-guard panel in transparent tempered glass L.65 H.38.3 cm
- 18. Flame-guard panel in transparent tempered glass L.95 H.38.3 cm
- 19. Control unit plus power supply
- 20. 4-channel remote control

| CODE 1 - 31107564 2 - 31107565 3 - 31107566 | 7 - 31107570 8 - 31107571 9 - 31107572 | 13 - 31107576 14 - 31107577 15 - 31107578 | 19 - 31107582 20 - 31107583 | 5 | |
|--|---|--|--------------------------------|-------|--|
| 4 - 31107567 5 - 31107568 6 - 31107569 | 10 - 31107573 11 - 31107574 12 - 31107575 | 15 - 31107579 16 - 31107580 17 - 31107581 18 - 31107581 | | 150.5 | |



















SCAVOLINI[®]













Lamp with natural light, inserted in an aluminium profile with touch switch and IP54 protection. Keep your finger under the touch switch for a few seconds to change light intensity. Supplied with transformer and quick attachment clip to the rear profile of the drainer unit. It is perfectly integrated as it covers the rear space of the aluminium profile like a casing, but with flush-fit light. **N.B.** Cannot be installed in Easy line drainer units and cannot be installed on drainer units code 71011085-86

- 1. LED lamp with natural light, $4000^\circ K$ L.45 cm for 45 cm drainer unit 2W 12V
- 2. LED lamp with natural light, $4000^\circ K$ L.60 cm for 60 cm drainer unit 3.4W 12V
- 3. LED lamp with natural light, $4000^\circ K$ L.80 cm for 80 cm drainer unit 4.5W 12V
- 4. LED lamp with natural light, 4000°K L.90 cm for 90 cm drainer unit 4.1W 12V
- 5. LED lamp with natural light, 4000°K L.120 cm for 120 cm drainer unit 6.4W 12V

- CODE 1 - 3110621 2 - 3110621 3 - 3110621 4 - 3110621
- 5 31106218



Lamp for "Easy" line drainer units

LED lamp for 45 cm "Easy" drainer unit 2.4W - 12V with central illuminated touch switch
 LED lamp for 60 cm "Easy" drainer unit 3.9W - 12V with central illuminated touch switch
 LED lamp for 90 cm "Easy" drainer unit 5.8W - 12V with central illuminated touch switch

Aluminium and polycarbonate lamp with natural light **4000°K**. Power lead L.240 cm supplied with European plug. Supplied **with 15W power supply** with quick attachment clip and L.140 cm connecting lead. Can be installed in the aluminium frame at the rear. Certified IP44. **N.B:** Only for installation in Easy line drainer units.

> CODE - 31106363 - 31106364 - 31106365

152



LED spotlight **3.5 W-12V** - natural light **4000°K**. 190 cm power lead with switch. Pack of 2 stainless steel spotlights and 1 transformer
 Pack of 3 stainless steel spotlights and 1 transformer

CODE 1 - 3110619 2 - 3110619





1. Round external LED spotlight with 3000°K warm light and 4000°K natural light - 2.5W - 12V

in satin finish Nickel. 2. 12V aluminium touch switch for low voltage line with 6-way distributor for spotlights. Supplied with a 300 cm distribution/power lead.

3. Remote controlled switch for 220V power supply line

4. 4-way power supply - 6W - 220V

- 5. 12-way power supply 15W 220V
- 6. 12-way power supply 30W 220V
- 7. 12-way power supply 45W 220V
- 8. 12-way power supply 60W 220V
- 9. 4-way power supply 6W 110V
- 10. 12-way power supply 30W 110V

The warmth of the light can be set during lamp assembly. 250 cm power lead. The spotlight cannot be fitted in a midway position. The spotlight can be switched on using the touch switch (2), the remote controlled switch (3) or the wall switch. N.B. Order power supply for electrical connection. To cover the connecting lead, if necessary, order the wiring hole conduit code 31105959.











The warmth of the light can be set during lamp assembly. 250 cm power lead. The spotlight cannot be fitted in a midway position. The spotlight can be switched on using the touch switch (2), the remote controlled switch (3) or the wall switch. **N.B.** Order power supply for electrical connection. To cover the connecting lead, if necessary, order the wiring hole conduit code 31105959.

- 1. Round recessed LED spotlight with $3000^\circ K$ warm light and $4000^\circ K$ natural light 2.5W 12V in satin finish Nickel.
- **2. 12V** aluminium touch switch for low voltage line with 6-way distributor for spotlights. Supplied with a 300 cm distribution/power lead.
- 3. Remote controlled switch for 220V power supply line
- 4. 4-way power supply 6W 220V
- 5. 12-way power supply 15W 220V
- 6. 12-way power supply 30W 220V
- 7. 12-way power supply 45W 220V
- 8. 12-way power supply 60W 220V
- 9. 4-way power supply 6W 110V
- 10. 12-way power supply 30W 110V



| CODE | |
|------------|--------|
| - 31106645 | |
| - 31105998 | |
| - 31106703 | |
| - 31106335 | 10 - 3 |
| 21105007 | |







"Saturn" recessed spotlight

SCAVOLINI

- 1. Round recessed LED spotlight with $4000^\circ K$ natural light 3.4W 12V in Metal with polished Chrome finish
- 3. 12-way power supply 15W 220V
- 4. Remote controlled switch for 220V power supply line

200 cm power lead. The cut-out required for installation has a diameter of 6.8 cm and a depth of 1.2 cm. The spotlights can be switched on using the wall switch or the remote controlled switch (4). N.B. Order power supply for electrical connection. The spotlights cane be installed on shelves, on wall unit top panels, on wall unit bottoms (facing the top) and on the top panel of larder units H.127. The relating processing is never continuous, the power lead comes out of the back.







"Polar SE" midway lamp

SCAVOLINI

200 cm power cable **N.B.** Order power supply for electrical using the remotecontrolled switch (7) or the wall switch.

- 1. Aluminium LED lamp L.19 D.7 th.0.4 cm with natural light 3900 °K 24V 5W without on/off sensor
- 2. Aluminium LED lamp L.19 D.7 th.0.4 cm with warm light 3000 °K 24V 5W without on/off sensor
- 3. FLAT15/24D 9-way power supply 15W 220V 200 cm power cable, 50 cm distribution cable
- 4. ST30/24D 9-way power supply 30W 220V 200 cm power cable, 50 cm distribution cable
- 5. SLT15/24D 6-way power supply 15W 110V 200 cm power cable, 50 cm distribution cable
- 6. SLT30/24D 9-way power supply 30W 110V 200 cm power cable, 50 cm distribution cable

5

156.1

7. Remote controlled switch for 220V power supply line



- 1107627 7 3 1107628 1107637
- 4 3110763
- [09-2020]



"Polar SE SDM" midway lamp

200 cm power cable

Aluminium LED lamp L.19 - D.7 - th.0.4 cm with natural light 3900 °K - 24V - 5W with electric infrared switch

1. Aluminium LED lamp L.19 - D.7 - th.0.4 cm with warm light 3000 °K - 24V - 5W with electric infrared switch

2. FLAT15/24D 9-way power supply 15W - 220V 200 cm power cable, 50 cm distribution cable

3. ST30/24D 9-way power supply 30W - 220V 200 cm power cable, 50 cm distribution cable 4. SLT15/24D 6-way power supply 15W - 110V 200 cm power cable, 50 cm distribution cable 5. SLT30/24D 9-way power supply 30W - 110V 200 cm power cable, 50 cm distribution cable







"Polar XS SE" midway lamp

SCAVOLINI[®]

200 cm power cable

N.B. Order power supply for electrical connection. the lamp can be switched on using the remote-controlled switch (7) or the wall switch.

- 1. Aluminium LED lamp L.8 D.8 Th.0.4 cm with natural light 3900 °K 24V 5W without on/ off sensor
- 2. Aluminium LED lamp 8x8x0.4 cm with warm light 3000 °K 24V 5W without on/off sensor
- 3. FLAT15/24D 9-way power supply 15W 220V 200 cm power cable, 50 cm distribution cable
- 4. ST30/24D 9-way power supply 30W 220V 200 cm power cable, 50 cm distribution cable
- 5. SLT15/24D 6-way power supply 15W 110V 200 cm power cable, 50 cm distribution cable
- 6. SLT30/24D 9-way power supply 30W 110V 200 cm power cable, 50 cm distribution cable

5

156.3

7. Remote controlled switch for $\ensuremath{\textbf{220V}}$ power supply line



- 31107631 7 -31107632 31107637 31107638
- 5 3110782
- [09-2020]



"Polax XL2" midway lamp

1. Aluminium LED lamp L.45 - D.7 - th.0.4 cm with natural light 3900 °K - 24V - 10W without on/off sensor

2. Aluminium LED lamp L.45 - D.7 - th.0.4 cm with warm light 3000 °K - 24V - 10W without on/ off sensor

3. FLAT15/24D 9-way power supply 15W - 220V 200 cm power cable, 50 cm distribution cable
4. ST30/24D 9-way power supply 30W - 220V 200 cm power cable, 50 cm distribution cable
5. SLT15/24D 6-way power supply 15W - 110V 200 cm power cable, 50 cm distribution cable
6. SLT30/24D 9-way power supply 30W - 110V 200 cm power cable, 50 cm distribution cable
7. Remote controlled switch for 220V power supply line

200 cm power cable

 ${\rm N.B.}$ Order power supply for electrical connection. The lamp can be switched on using the remote-controlled switch (7) or the wall switch.







"Polar XL3" midway lamp

SCAVOLINI[®]

200 cm power cable

N.B. Order power supply for electrical connection. The lamp can be switched on using the remote-controlled switch (7) or the wall switch.

- 1. Aluminium LED lamp L.60 D.7 th.0.4 cm with natural light 3900 $^\circ \! K$ 24V 5W without on/off switch
- 2. Aluminium LED lamp L.60 D.7 th.0.4 cm with warm light 3000 °K 24V 5W without on/off sensor
- 3. FLAT15/24D 9-way power supply 15W 220V 200 cm power cable, 50 cm distribution cable
- 4. ST30/24D 9-way power supply 30W 220V 200 cm power cable, 50 cm distribution cable
- 5. SLT15/24D 6-way power supply 15W 110V 200 cm power cable, 50 cm distribution cable
- 6. SLT30/24D 9-way power supply 30W 110V 200 cm power cable, 50 cm distribution cable

5

156.5

7. Remote-controlled switch for 220V power supply line



- 31107635 7 -31107636 31107637
- 4 3110763

[09-2020]









Infrared on/off switch. The switch has an ON/OFF and colour intensity variation function; the colour temperature varies from warm to natural. L.300 cm power cable **N.B.** Order power supply for electrical connection.

"Ghibli" midway lamp

SCAVOLINI





| | 4 - 31107559 | 10 - 31105997 |
|---------|--------------|---------------|
| | 5 - 31107560 | 11 - 31106696 |
| | 6 - 31107561 | 12 - 31106352 |
| 1107556 | 7 - 31107563 | 13 - 31106697 |
| 1107557 | 8 - 31107562 | 14 - 31106336 |
| 1107550 | 0 01100005 | 15 01105000 |



5

156.6

- LED lamp in Black Aluminium L.45 cm light tone can be set to 3000 °K (warm light) or 4000°K (natural light) 24V - 5.6W.
- LED lamp in Black Aluminium L.60 cm light tone can be set to 3000 °K (warm light) or 4000°K (natural light) 24V - 7.5W.
- 3. LED lamp in Black Aluminium L.90 cm light tone can be set to 3000 $^\circ K$ (warm light) or 4000 $^\circ K$ (natural light) 24V 11.4W.
- 4. LED lamp in Black Aluminium L.120 cm light tone can be set to $3000\ ^\circ K$ (warm light) or $4000^\circ K$ (natural light) 24V 15.3W.
- LED lamp in Black Aluminium L.180 cm light tone can be set to 3000 °K (warm light) or 4000°K (natural light) 24V - 23.1W.
- LED lamp in Black Aluminium L.240 cm light tone can be set to 3000 °K (warm light) or 4000 °K (natural light) 24V - 30.9W.
- 7. Shelfin Black Aluminium L.30 H.15 D.12.5 cm for Ghibli lamp.
- 8. Shelf in Black Aluminium L.30 H.25 D.12.5 cm for Ghibli lamp.
- 9. 12-way power supply $\mathbf{15W}$ $\mathbf{220V}.$
- 10. 6-way power supply 30W $220V\!.$
- 11. 12-way power supply 45W 220V
- 12. 12-way power supply 60W $220V\!.$
- 13. 4-way power supply 6W $110V\!.$
- 14. 12-way power supply 30W 110V.

SCAVOLINI[®]



The power supply comes with a 200 cm power cable supplied with European plug and the lamp is supplied with a 200 cm power cable. **N.B.** Order power supply for electrical connection.

LED lamp in Lead colour aluminium, with dual luminous intensity, warm light 3000°K or with natural light 4000°K L.45 - H.1.5 - D.1.8 cm 4.18 W - 24 V with touch control key switch.
 LED lamp in Lead colour aluminium, with dual luminous intensity, warm light 3000°K or with natural light 4000°K L.60 - H.1.5 - D.1.8 cm 5.7 W - 24 V with touch control key switch.
 LED lamp in Lead colour aluminium, with dual luminous intensity, warm light 3000°K or with natural light 4000°K L.90 - H.1.5 - D.1.8 cm cm 9.12 W - 24 V with touch control key switch.
 LED lamp in Lead colour aluminium, with dual luminous intensity, warm light 3000°K or with natural light 4000°K L.120 - H.1.5 - D.1.8 cm cm 9.12 W - 24 V with touch control key switch.
 LED lamp in Lead colour aluminium, with dual luminous intensity, warm light 3000°K or with natural light 4000°K L.120 - H.1.5 - D.1.8 cm cm 12.54 W - 24 V with touch control key switch.
 LED lamp in Lead colour aluminium, with dual luminous intensity, warm light 3000°K or with natural light 4000°K L.150 - H.1.5 - D.1.8 cm cm 15.6 W - 24 V with touch control key switch.
 LED lamp in Lead colour aluminium, with dual luminous intensity, warm light 3000°K or with natural light 4000°K L.150 - H.1.5 - D.1.8 cm cm 15.6 W - 24 V with touch control key switch.
 LED lamp in Lead colour aluminium, with dual luminous intensity, warm light 3000°K or with natural light 4000°K L.180 - H.1.5 - D.1.8 cm 19.38 W - 24 V with touch control key switch.
 LED lamp in Lead colour aluminium, with dual luminous intensity, warm light 3000°K or with natural light 4000°K L.180 - H.1.5 - D.1.8 cm 19.38 W - 24 V with touch control key switch.
 LED lamp in Lead colour aluminium, with dual luminous intensity, warm light 3000°K or with natural light 4000°K L.180 - H.1.5 - D.1.8 cm 19.38 W - 24 V with touch control key switch.





183 8 - 3110



Lamp with dual luminous intensity with electronic touch control to switch the device on and off and adjust the brightness. **N.B.** Order power supply for electrical connection. 200 cm power cable.

- LED profile with asymmetrical projection of warm light 3000°K and natural light 4000°K
 L.45 H.2.2 D.1.4 cm 24V 6.2W in matt Black finish
- LED profile with asymmetrical projection of warm light 3000°K and natural light 4000°K
 L.45 H.2.2 D.1.4 cm 24V 6.2W in Dark Stainless Steel finish
- 3. LED profile with asymmetrical projection of warm light 3000°K and natural light 4000°K L.60 - H.2.2 - D.1.4 cm 24V - 8.2W in matt Black finish
- 4. LED profile with asymmetrical projection of warm light 3000°K and natural light 4000°K
 L.60 H.2.2 D.1.4 cm 24V 8.2W in Dark Stainless finish
- LED profile with asymmetrical projection of warm light 3000°K and natural light 4000°K
 L.90 H.2.2 D.1.4 cm 24V 12.5W in matt Black finish
- LED profile with asymmetrical projection of warm light 3000°K and natural light 4000°K
 L.90 H.2.2 D.1.4 cm 24V 12.5W in Dark Stainless Steel finish
- 7. LED profile with asymmetrical projection of warm light 3000°K and natural light 4000°K
 L.120 H.2.2 D.1.4 cm 24V 16.8W in matt Black finish
- 8. LED profile with asymmetrical projection of warm light 3000°K and natural light 4000°K
 L.120 H.2.2 D.1.4 cm 24V 16.8W in Dark Stainless Steel finish
- 9. FLAT15/24D 9-way power supply 15W 220V
- 10. ST30/24D 9-way power supply 30W 220V
- 11. SLT15/24D 6-way power supply 15W 110V
- 12. SLT30/24D 9-way power supply 30W 110V



| CODE | |
|--------------|---------------|
| 1 - 31108006 | 7 - 31108009 |
| 2 - 31108010 | 8 - 31108013 |
| 3 - 31108007 | 9 - 31107637 |
| 4 - 31108011 | 10 - 31107638 |
| 5 - 31108008 | 11 - 31107824 |
| 6 - 31108012 | 12 - 31107825 |



156.9







2

1



Article discontinued

SCAVOLINI





- 1. Grey LED lamp with natural light 4000°K 12V 5.5W without switch.
- 2. Grey LED lamp with natural light 4000°K 12V 5.5W with switch.
- 3. Grey LED lamp with natural light 1000°K 12V 5.5W with switch and loudspeaker.
- 4. White LED lamp with natural light 4000°K 12V 5.5W without switch.
- 5. White LED lamp with natural light 4000°K 12V 5.5W with switch.
- 6. White LED lamp with natural light 4000°K 12V 5.5W with switch and loudspeaker
- 7. 4-way power supply 6W 220V.
- 8. 12-way power supply 15W 220V.

"Genius" midway lamp

- 9. 6-way power supply 30W 220V.
- **10.** 12-way power supply **45W 220V**.
- 11. 12-way power supply 60W 220V
- 12. 4-way power supply $\mathbf{6W}$ 110V.
- 13. 12-way power supply 30W 110V.
- **14. 12V** aluminium touch switch for low voltage line with 6-way distributor for spotlights. Supplied with a 300 cm distribution/power lead.
- 15. Remote controlled switch for $\ensuremath{\text{220V}}$ power supply line

Built-in loudspeaker with Bluetooth connection for playing audio files. The lamp with built-in infrared switch can be connected to one or more lamps (up to 3) without switch to be turned on or off simultaneously. The lamp without switch (1-4) can be switched on using the touch switch (14), the remote controlled switch (15) or the wall switch. N.B. Order power supply for electrical connection.

5

 1 - 31106602
 7 - 31106335
 13 - 3110

 2 - 31106603
 8 - 31105997
 14 - 3110

 3 - 31106603
 9 - 31106696
 15 - 3110

 4 - 31106833
 10 - 31106352

 5 - 31106834
 11 - 31106697

 6 - 31106225
 12 - 31106336

[01-2018]







"Minicorner" midway lamp

SCAVOLINI

The lamp with switch can be connected to one or more lamps (without switch), to be turned on and off simultaneously. The lamp without switch can be switched on using the touch switch (9), the remote controlled switch (10) or the wall switch. For installation in a continuous row up to 150 cm. N.B. Order power supply for electrical connection.





| | | CODE |
|------------|---------------|---------------|
| | 6 - 31106599 | 12 - 31105997 |
| - 31106592 | 7 - 31106600 | 13 - 31106696 |
| - 31106594 | 8 - 31106601 | 14 - 31106352 |
| - 31106595 | 9 - 31105998 | 15 - 31106697 |
| - 31106596 | 10 - 31106703 | 16 - 31106336 |
| - 31106597 | 11 - 31106335 | 17 - 31105996 |
| | | |

1. Anodised aluminium finish midway LED lamp with natural light 4000°K L.45 cm 12V - 4W with no touch control

 Anodised aluminium finish midway LED lamp with natural light 4000°K L.60 cm 12V - 6W with no touch control

3. Anodised aluminium finish midway LED lamp with natural light 4000°K L.90 cm 12V - 9W with no touch control

4. Anodised aluminium finish midway LED lamp with natural light 4000°K L.120 cm 12V - 12W with no touch control

 Anodised aluminium finish midway LED lamp with natural light 4000°K L.45 cm 12V - 4W with touch control

6. Anodised aluminium finish midway LED lamp with natural light 4000°K L.60 cm 12V - 6W with touch control

7. Anodised aluminium finish midway LED lamp with natural light 4000°K L.90 cm 12V - 9W with touch control

8. Anodised aluminium finish midway LED lamp with natural light 4000°K L.120 cm 12V - 12W with touch control

9. 12V aluminium touch switch for low voltage line with 6-way distributor for spotlights. Supplied with a 300 cm distribution/power lead.

10. Remote controlled switch for $\ensuremath{\text{220V}}$ power supply line

11. 4-way power supply - 6W - 220V.

- 12. 12-way power supply 15W $220V\!.$
- 13. 6-way power supply 30W 220V.
- 14. 12-way power supply 45W 220V.
- 15. 12-way power supply 60W 220V.
 - 16. 4-way power supply 6W 110V.
- 17. 12-way power supply 30W 110V.





"Pole" midway lamp

SCAVOLINI

The lamp with on/off sensor can be connected to one or more lamps (without on/off sensor), to be turned on or off simultaneously. The lamp without on/off sensor (1-2) can be switched on using the touch switch (5), the remote controlled switch (6) or the wall switch. For installation in a continuous row up to 150 cm. N.B. Order power supply for electrical connection. 250 cm power lead.

- 1. LED lamp with natural light 4000°K L.37 cm 12V 4W without on/off sensor.
- 2. LED lamp with natural light 4000°K L.52 cm 12V 5.5W without on/off sensor.
- 3. LED lamp with natural light 4000°K L.37 cm 12V 4W with on/off sensor.
- 4. LED lamp with natural light 4000°K L.52 cm 12V 5.5W with on/off sensor.
- 5. 12V aluminium touch switch for low voltage line with 6-way distributor for spotlights. Supplied with a 300 cm distribution/power lead.
- 6. Remote controlled switch for 220V power supply line
- 7. 4-way power supply 6W 220V.
- 8. 12-way power supply 15W 220V.
- 9. 12-way power supply 30W 220V.
- 10. 12-way power supply 45W 220V.
- 11. 12-way power supply 60W 220V.
- 12. 4-way power supply 6W 110V.
- 13. 12-way power supply 30W 110V.



| 1 - 31106588 | 7 - 31106335 |
|--------------|---------------|
| 2 - 31106589 | 8 - 31105997 |
| 3 - 31106590 | 9 - 31106696 |
| 4 - 31106591 | 10 - 31106352 |
| 5 - 31105998 | 11 - 31106697 |
| 6 - 31106703 | 12 - 31106336 |





"Crop" LED lamp for inside wall units

The lamp is turned on when the door opens and stays on as long as movement is detected, 30 seconds after the last movement is detected the lamp is turned off. **N.B.** Order power supply for electrical connection.

1. Aluminium LED lamp with infrared sensor and natural light 4000°K L.41 cm 4W for 45 cm element.

2. Aluminium LED lamp with infrared sensor and natural light 4000°K L.56 cm 5W for 60 cm element.

3. Aluminium LED lamp with infrared sensor and natural light 4000°K L.86 cm 8W for 90 cm element.

4. Aluminium LED lamp with infrared sensor and natural light 4000°K L.116 cm 11W for 120 cm element.

5. 220V - 50 W - 24V power supply.



5



160 cm power lead. Fluorescent lamp L.34 cm 220V - 8W with switch and plug in metal, painted black.

Article discontinued





1. Pack of 1 (one) LED lamp with natural light 4000°K (4 LEDs) L.56 cm 4W - 12V plus 1 (one)

220/12 V transformer. 2. Pack of 2 (two) LED lamps with natural light 4000°K (4 LEDs) L.56 cm 4W - 12V plus 1 (one) 220/12 V transformer.

3. Pack of 1 (one) LED lamp with natural light 4000°K (6 LEDs) L.86 cm 6W - 12V plus 1 (one) 220/12 V transformer.

4. Pack of 1 (one) LED lamp with natural light 4000°K (8 LEDs) L.116 cm 8W - 12V plus 1 (one) 220/12 V transformer.

> COD I - 3110558 2 - 3110558 3 - 3110558 1 - 3110558

162

5

Midway profile with infrared switch in natural anodised extruded aluminium fitted with 1 W LEDs, which can be replaced separately, supplied with transformer and 200 cm power lead. **N.B.** To avoid any kind of operating problem with the touch control, the minimum distance between the sensor and the object must be 5 cm.

"Odo" midway lamp





"Easylight" midway lamp

SCAVOLINI[®]

Lamp with dual luminous intensity. To avoid any kind of operating problem with the touch control, the bar must not come into contact with metal parts. 180 cm power lead. For the lamp ordered per cm, the minimum order size is 20 cm and the maximum order size is 300 cm. **N.B.** Order power supply for electrical connection. The power supply (16) can be used with the custom-sized lamp (7) when the latter is longer than 220 cm, whereas the power supply (18) can be used with the custom-sized lamp (14) when the latter is longer than 130 cm (in the 110V version).

- 1. Aluminium LED lamp with touch control switch and natural light 4000°K L.45 cm 24V 8.2W.
- 2. Aluminium LED lamp with touch control switch and natural light 4000°K L.60 cm 24V- 12W.
- 3. Aluminium LED lamp with touch control switch and natural light 4000°K L.90 cm 24V 17.3W.
- 4. Aluminium LED lamp with touch control switch and natural light 4000°K L.120 cm 24V 23W.
- 5. Aluminium LED lamp with touch control switch and natural light 4000°K L.150 cm 24V 29.8W.
- 6. Aluminium LED lamp with touch control switch and natural light 4000°K L.180 cm 24V 35.5W.
- 7. Aluminium LED lamp with touch control switch and natural light 4000°K custom-sized 220V.
- 8. Aluminium LED lamp with touch control switch and natural light 4000°K L.45 cm 24V 9W 110V (for the US market).
- 9. Aluminium LED lamp with touch control switch and natural light 3000°K L. 60 cm 24V 12W 110V (for the US market).
- 10. Aluminium LED lamp with touch control switch and natural light $3000^\circ K\ L.\ 90\ cm\ 24V$ 18W 110V (for the US market).
- 11. Aluminium LED lamp with touch control switch and natural light 3000°K L. 120 cm 24V 24W 110V (for the US market).
- 12. Aluminium LED lamp with touch control switch and natural light 3000°K L. 150 cm 24V 30W 110V (for the US market).
- Aluminium LED lamp with touch control switch and natural light 3000°K L. 180 cm 24V -36W - 110V (for the US market).
- 14. Aluminium LED lamp with touch control switch and natural light 3000°K custom-sized 110V (for the US market).
- 15. 50W 220V power supply
- 16. 75W 220V power supply
- 17. 30W 110V power supply
- 18. 75W 110V power supply



| CODE | | |
|--------------|---------------|---------------|
| 1 - 31106080 | 7 - 31107085 | 13 - 31106441 |
| 2 - 31106081 | 8 - 31106436 | 14 - 31107086 |
| 3 - 31106082 | 9 - 31106437 | 15 - 31106086 |
| 4 - 31106083 | 10 - 31106438 | 16 - 31107079 |
| 5 - 31106084 | 11 - 31106439 | 17 - 31106816 |
| 6 - 31106085 | 12 - 31106440 | 18 - 31106817 |
| | | |













CODI 2110639/

1 - 31106394 2 - 31106395

2 - 31106395

3 - 3110639

- 31<u>10639</u>/

1. Aluminium midway LED lamp with "warm light" 3000°K or "natural light" 4000°K and illuminated touch switch L.45 cm, 5.7W - 24V

2. Aluminium midway LED lamp with "warm light" 3000°K or "natural light" 4000°K and illuminated touch switch L.60 cm, 9.5W - 24V

3. Aluminium midway LED lamp with "warm light" 3000°K or "natural light" 4000°K and illuminated touch switch L.90 cm, 15.2W - 24V

4. Aluminium midway LED lamp with "warm light" 3000°K or "natural light" 4000°K and illuminated touch switch L.120 cm, 20.9W - 24V

5. 4-way power supply - 24W - 220/12V

6. 4-way power supply - 70W - 220/12V

Adjustable to either warm light 3000°K and cold light 4000°K. The temperature setting is immediate and always reversible.

The power supply comes with a 200 cm power cable supplied with European plug and the lamp is supplied with a 200 cm power cable. Connection of the number of lamps depends on the power supply capacity.



Article discontinued

"Vitraled" midway lamp

SCAVOLINI

Midway lamp with illuminated touch switch, equipped with 3-metre long power lead. To be secured to the bottom of wall units using the two screws supplied. **N.B.** Order power supply for electrical connection.

- 1. Midway LED lamp in white glass with illuminated touch switch, natural light $4000\ ^\circ\text{K}$ L.45 cm 2.6W 12V
- 2. Midway LED lamp in white glass with illuminated touch switch, natural light 4000 $^{\circ}\text{K}$ L.60 cm 6W 12V
- 3. Midway LED lamp in white glass with illuminated touch switch, natural light 4000 $^{\circ}\text{K}$ L.90 cm 7.8W 12V
- 4. Midway LED lamp in white glass with illuminated touch switch, natural light 4000 $^\circ \! K$ L.120 cm 11.3W 12V
- 5. 4-way power supply 6W 220V
- 6. 12-way power supply 15W 220V
- 7. 6-way power supply 30W 220V
- 8. 12-way power supply 45W 220V
- 9. 12-way power supply 60W 220V
- 10. 4-way power supply 6W 110V
- 11. 12-way power supply 30W 110V



| CODE | |
|--------------|---------------|
| 1 - 31106344 | 7 - 31106696 |
| 2 - 31106345 | 8 - 31106352 |
| 3 - 31106346 | 9 - 31106697 |
| 4 - 31106347 | 10 - 31106336 |
| 5 - 31106335 | 11 - 31105996 |
| 6 - 31105997 | |

[01-2018]







Midway LED lamp with aluminium profile and polycarbonate end cap, silk-screen printed Black or White glossy polycarbonate screen, natural light **4000°K - 5W - 24V**.

1. Pack of 2 White lamps plus power supply 14W -230V/24

2. Pack of 2 Black lamps plus power supply 14W -230V/24

3. Pack of 3 White lamps plus power supply 14W -230V/24

4. Pack of 3 Black lamps plus power supply 14W -230V/24

On/off controls with a touch switch for luminous intensity adjustment. The lamps are controlled from a single touch switch situated in one of the lamps in the pack. The lamp can be used either as a midway lamp or under a shelf. N.B.: **The packs include the power supply.**



1 - 3110695 2 - 3110695 3 - 3110695 4 - 3110695





Show" recessed lamp

SCAVOLINI[®]

The warmth of the light can be set during lamp assembly. The lamp can be fitted on laminate, lacquered and veneered shelves, on "Fluida" wall system shelves and on the bottom of wall units. **N.B.** If the light is teamed with a visible shelf, the lamp cannot be the same length as the shelf, but it will be 18 mm shorter per side. The lamp without switch can be switched on using a wall switch, a touch switch (8) or a remote controlled switch (9).

| 10. 4-way power supply - 6W - 220V |
|---|
| 11. 12-way power supply - 15W - 220V |
| 12. 6-way power supply - 30W - 220V |
| 13. 12-way power supply - 45W - 220V |

- **14.** 12-way power supply **60W 220V**
- **15.** 4-way power supply **6W 110V**
- **16.** 12-way power supply **30W 110V**

- 1. Recessed LED lamp L.26.3 cm light tone can be set to 3200°K or 4000°K with or without switch.
- Recessed LED lamp L.41.3 cm light tone can be set to 3200°K or 4000°K with or without switch.
- Recessed LED lamp L.56.3 cm light tone can be set to 3200°K or 4000°K with or without switch.
- Recessed LED lamp L.76.2 cm light tone can be set to 3200°K or 4000°K with or without switch.
- Recessed LED lamp L.86.3 cm light tone can be set to 3200°K or 4000°K with or without switch.
- Recessed LED lamp L.116.3 cm light tone can be set to 3200°K or 4000°K with or without switch.
- 7. Recessed LED lamp custom-sized light tone can be set to 3200°K or 4000°K with or without switch.
- **8. 12V** aluminium touch switch for low voltage line with 6-way distributor for spotlights. Supplied with a 300 cm distribution/power lead.
- 9. Remote controlled switch for 220V power supply line.



- 31105998 14 - 31106 - 31106703 15 - 31106 0 - 31106335 16 - 31105 1 - 31105997 2 - 31106696 3 - 31106352







"Velo" vertical recessed lights







- **2.50W 220V** power supply for Velo lamp
- 3. Remote controlled switch for 220V power supply line

The lamp can be fitted in base units with hinged door (except for sink base units), in wall units with hinged door (except for drainer units and hoods), in larder units with hinged door (except for those with inner baskets). **N.B.** Order power supply for electrical connection (2). Velo lights inserted in elements with glass doors do not have a switch; purchase the remote controlled switch (3).



CODE - 31106086 - 31106703





1 - 31106801 2 - 31106814





Suspension lamp with 14 cm cylindrical aluminium lampshade painted Solid White with fitted L.200 cm light grey lead. **LED lamp 4000°K - 220V (1) or 110V (2) - 6W** with E14 fitting, certified IP44

SCAVOLINI

"Qi" suspension lamp









"Qi" wall lamp

SCAVOLINI



Wall lamp with 14 cm cylindrical aluminium lampshade painted Solid White LED lamp 4000° K - 220V (1) or 110V (2) - 6W with E14 fitting, certified IP44

CODE 1 - 31106802 2 - 31106815

5





"Flux" suspension lamp

SCAVOLINI[®]

Comprising: - lower closing sheet metal painted grey - aluminium upper closing bell - cold glass cover - wall dome in chrome-finish sheet metal

- 3 (three) spotlights consisting of 7 x 1W LEDS each (tot. absorption 21 W)

- 1 transformer

- steel suspension cable

- electrical cable"




"Kiton" lamp for base units and base units with baskets

1. Aluminium LED lamp with warm light 3000°K or natural light 4000°K - L.45 cm 12V - 4.6W 2. Aluminium LED lamp with warm light 3000°K or natural light 4000°K - L.50 cm 12V - 5.2W 3. Aluminium LED lamp with warm light 3000°K or natural light 4000°K - L.60 cm 12V - 6.5W 4. Aluminium LED lamp with warm light 3000°K or natural light 4000°K - L.80 cm 12V - 9.1W 5. Aluminium LED lamp with warm light 3000°K orr natural light 4000°K - L.90 cm 12V - 10.4W 6. Aluminium LED lamp with warm light 3000°K or natural light 4000°K - L.120 cm 12V -14.3W

7. 4-way power supply - 6W - 220V 8. 12-way power supply - 15W - 220V

- 9. 12-way power supply 45W 220V
- 10. 4-way power supply 6W 110V
- 11. 12-way power supply $\mathbf{30W}$ $\mathbf{110V}$

Automatic on/off when the door is opened thanks to infrared sensor. 300 cm power cable N.B. Order power supply for electrical connection.



| 1 - 31107549 | 7 - 31106335 |
|--------------|---------------|
| 2 - 31107550 | 8 - 31105997 |
| 3 - 31107551 | 9 - 31106352 |
| 4 - 31107552 | 10 - 31106336 |
| 5 - 31107553 | 11 - 31105996 |
| 6 - 31107554 | |

[09-2020]



Simply press gently on the front and it will open automatically with the aid of the electrical motor. The motorised Servo Drive opening system replaces the handle where present. Assembly only on the left. 1.Servo Drive transformer, support and power lead

Motorised Servo Drive opening system for wall units, drainer units and hoods: Folding - flap door - bottom-hinged flap door - vertical opening









Servo Drive for base units and larder units with pull-out baskets

SCAVOLINI

Motorised Servo Drive opening system for base units and larder units with pull-out baskets.

Simply press gently on the front without handle or pull the handle gently and the drawers/baskets open automatically with the aid of the electrical motor. 2 Servo Drives are installed in the lower basket of 120 cm sink base units. Inner baskets and drawers of base units or larder units cannot be motorised. Cannot be installed on baskets with wooden sides. To be connected to the transformer pack code 31106095

 $\ensuremath{\textbf{1.Servo}}$ Drive transformer, support and power lead. The transformer supports up to 25 Servo Drives



1 - 31106095



Servo Drive 1 for 60-90-120 sink base units with pull-out baskets

Simply press gently on the lower basket without handle or pull the handle gently and the basket opens automatically with the aid of the electrical motor. **N.B.**Only for installation in the lower basket. **Kit complete with transformer.** Cannot be installed in baskets with wooden sides. The base unit with Servo Drive 1 already assembled, or only the Servo Drive 1 kit, to be installed by the customer **(1)**, can be ordered.

 $60\math{-}90\math{-}120$ sink base unit with pull-out baskets complete with motorised "Servo Drive 1" opening system kit

1. Motorised "Servo Drive 1" opening kit



LED illuminated bottom board for wall units

SCAVOLINI

- 1. LED illuminated bottom board for wall unit L.45 cm 5W 220V / 5W 110V (capacity 8.5 kg distributed evenly).
- 2. LED illuminated bottom board for wall unit L.60 cm 5.8W 220V / 5.8W 110V (capacity 11.5 kg distributed evenly)
- 3. LED illuminated bottom board for wall unit L.90 cm 11.5W 220V / 11.5W 110V (capacity 17.5 kg distributed evenly)
 - 4. LED illuminated bottom board for wall unit L.120 cm 14.4W 220V / 14.4W 110V (capacity 23.5 kg distributed evenly).

In anodised aluminium and etched tempered glass, LED lighting, infrared switch which also allows the switch from natural light (4000°K) to warm light (3000°K). **Transformer supplied**. Cannot be installed in: wall unit with sliding doors, wall unit top boxes, wall units for boiler, microwave wall unit, corner wall unit, end wall unit, drainer units, curved wall units and drainer units. When fitted with illuminated bottom board, light pelmets cannot be installed. Element already fitted in the unit.



The minimum shelf thickness is 3 cm.

Recessed ceiling light L.37 cm 8W/220V for 60 cm shelves
 Recessed ceiling light L.62 cm 13W/220V for 90-120-180 cm shelves

Article discontinued

CODE 1 - 3110060 2 - 3110059



Aluminium wiring hole profile

SCAVOLINI[®]

Aluminium wiring hole profile $\mathsf{length}\ 50\ \mathsf{cm}$

To be cut to size at the time of assembly Complete with doublesided table for assembly.



- 31105959





"Push Pull" pull-out power outlet tower - built-in flush-mount

The tower cannot be installed where there are base units with drawers or baskets.

Silver finish aluminium power outlet tower with Steel finish cover and 3 Schuko sockets (a) and 3 sockets for the Swiss market (b) $\!\!\!$



CODE a - 3110618 b - 3110620





Built-in top-recessed power outlet

SCAVOLINI

1. Built-in top-recessed power outlet $\mbox{L.25.6}$ - $\mbox{H.8.7}$ - $\mbox{D.5}$ cm with 2 Schuko sockets and 2 USB sockets with frame and black cover

2. Built-in top-recessed power outlet L.25.6 - H.8.7 - D.5 cm with 2 Schuko sockets and 2 USB sockets with frame and stainless steel cover The power outlet consists of a frame with cover and the electrified insert. It has a water protection index of IP20 so it cannot be installed near sinks.



CODE 31106940 - . 31106941 - 2

180



"Plural" built-in top-recessed power outlet

SCAVOLINI

- The power outlet consists of a frame with cover and the electrified insert. It has a water protection index of IP20 so it cannot be installed near sinks.
- 1. Built-in top-recessed power outlet L.20.3 D.7 Th.0.54 cm with 2 Schuko sockets and 2 USB sockets with frame and Black cover
- Built-in top-recessed power outlet L.20.3 D.7 Th.0.54 cm cm with 2 Schuko sockets and 2 USB sockets with frame and Silver cover



1 - 3110717 2 - 3110717





The power outlet consists of a frame with cover and the electrified insert. It has a water protection index of IP54.

Built-in top-recessed power outlet L.12.3 - D.6 - Th.0.2 cm with 1 Schuko socket, frame and Brushed Stainless Steel finish cover



- 31107588





The power outlet consists of a frame with cover and the electrified insert. It has a water protection index of IP54 with the covers closed.





CODE - 31107589





"Extra" built-in top-recessed wireless charger

Wireless charger ø 8.8 - Th.0.13 cm to charge smartphones, Brushed Stainless Steel finish

The wireless charger with Qi technology constitutes the perfect solution for charging smartphones; simply place it on the charging base, without needing to connect any cables. Charging begins with the emission of an acoustic signal and charging status is indicated by the blue LED lit for the duration of charging.



CODE 31107590



"Corner double Socket" aluminium corner modular profile with Schuko socket and three-pin socket with L.200 cm power cable



CODE 31105322



Clicks into place onto the front end of the shelf to diminish bending under concentrated loads

- 1. Reinforcing front profile in Silver finish aluminium H.3 cm for ${\bf 30~cm}$ shelf th.1.8 cm
- ${\bf 2.}$ Reinforcing front profile in Silver finish aluminium H.3 cm for ${\bf 45~cm}$ shelf th.1.8 cm
- ${\bf 3.}$ Reinforcing front profile in Silver finish aluminium H.3 cm for ${\bf 60~cm}$ shelf th.1.8 cm
- 4. Reinforcing front profile in Silver finish aluminium H.3 cm for 90 cm shelf th.1.8 cm
- 5. Reinforcing front profile in Silver finish aluminium H.3 cm for 120 cm shelf th.1.8 cm
- **6.** Reinforcing front profile in Silver finish aluminium H.3 cm for 120x60 cm corner base unit shelf th.1.8 cm

- 1 3110681 2 - 3110681 3 - 3110682 4 - 3110682

[01-2018]





 $\ensuremath{\text{Chrome-finish}}$ telescopic support rod for cornice shelf D.40 and 60 cm

| CO | D | | | |
|----|----|----|---|----|
| 31 | 11 | 05 | 1 | 39 |







Hanging rack for island

SCAVOLINI

- 1. Satin finish steel hanging rack 120 cm for island
- ${\bf 2.}$ Satin finish steel hanging rack ${\bf 150~cm}$ for island
- Satin finish steel hanging rack 180 cm for island
 Satin finish steel hanging rack 210 cm for island

- 31105129 - 31105130 - 31105131 - 31105132



Complete with shelf bracket

2.90 cm shelf

| C | :(| DDE |
|---|----|----------|
| | | 31105133 |
| | | 31105134 |





Pack of 2 connected feet for base/larder units
 Pack of 2 connected feet for tall refrigerator unit
 Pack of 2 connected feet for larder units D.36 cm
 Pack of one foot for corner base unit

CODE 1a - 31105177 1b - 31105179 1c - 31105180 2 - 31105178





Height-adjustable foot

Concealed foot, height adjustable from $\ensuremath{\text{H.13}}$ to 19 cm

CODE 31106332





1. Tempered transparent glass partition L.80 cm H.20 cm th.0.8 cm with aluminium supports 2. Tempered transparent glass partition L.100 cm H.20 cm th.0.8 cm with aluminium supports

For installation in island and peninsula tops with D. above 60 cm. The partition panel should be placed behind the hob on islands and peninsulas.

COD 1 - 3110645 2 - 3110645





Glass flame-guard wall panel

SCAVOLINI[®]

Assembly using two steel supports placed either side of the glass, to be secured to the laminate wall panel with screws.

- 1. Flame-guard wall panel in Light Grey SCAV 302 polished tempered glass $\rm L.50$ $\rm H.20$ $\rm Th.1~cm$ for 60 cm hob
- Flame-guard wall panel in Iron Grey SCAV 374 polished tempered glass L.50 H.20 Th.1 cm for 60 cm hob
- 3. Flame-guard wall panel in Light Grey SCAV 302 polished tempered glass $\rm L.68$ $\rm H.20$ $\rm Th.1~cm$ for 70/75 cm hob
- Flame-guard wall panel in Iron Grey SCAV 374 polished tempered glass L.68 H.20 Th. 1cm for 70/ 75 cm hob
- 5. Flame-guard wall panel in Light Grey SCAV 302 polished tempered glass $\rm L.90$ $\rm H.20$ $\rm Th.1 cm$ for 90 cm hob
- **6.** Flame-guard wall panel in Iron Grey SCAV 374 polished tempered glass L.90 H.20 Th.1 cm for 90 cm hob

6

188.1



Magnetic hook for plinth fastening

SCAVOLINI

Magnetic hook for plinth fastening

The characteristic of this hook is that it fastens the plinth to the feet by means of magnets. This allows you to attach/detach the plinth much more easily to make it easier to clean under the kitchen base units. It also makes it much more simple to arrange the plinth itself at the beginning. Depending on the circumstances, for the necessary quantity consider at least two magnetic hooks for every single piece of plinth and, in any case, approximately one magnetic hook per metre



CODE 31107896 -



For use in compositions with open-fronted feet.

Steel plinth, 45 (a) - 60 (b) with two sides, for open-fronted feet under undermount appliances

| C | ODE |
|---|----------|
| | 31105162 |
| | 31105163 |



Anthracite 2-step ladder In pai

In painted aluminium with non-slip steps.

6 190

CODE - 31100421





Table accessories

SCAVOLINI[®]

Plywood chopping board



CODE 31105169



Fenix NTM door cleaning sponge

Fenix NTM door cleaning sponge

6

CODE 31106464 -



Matt glass cleaning sponge

SCAVOLINI

Matt glass surface cleaning sponge







40x40 cm microfibre cloth

Made with a combination of various synthetic materials and microfibre to provide in-depth cleaning. Excellent for use in the kitchen, as well as throughout the home.

6

CODE - 31100407



Pack of 5 "Clin & Clin" cloths

SCAVOLINI[®]

Disposable wipes for cleaning and protecting all stainless steel surfaces.

Pack of 5 steel care wipes

[01-2018]



Liquid protector for granite, marble and composite tops

Imperston 0.5 litre pack

Oil- and water-repellent stain-proofing liquid specifically for kitchen and bathroom tops. Regular use helps restore the top's gloss and resistance to water, oil and stains.

CODI - 31105233





Bottle for cleaning laminate and coated surfaces

Consists of a mixture of surfactants, solvents and adjuvants in a handy spray can. Recommended for cleaning laminates and coated panels.

800 ml spray can



CODE 31100398



"Franke" paste for cleaning stainless steel sinks

Paste for cleaning "Franke" stainless steel sinks

Multi-purpose cream ideal for cleaning all types of stainless steel, synthetic or enamelled sinks and hobs. Also especially recommended for silver, copper and brass objects.






"BrioTop" universal degreasing detergent

SCAVOLINI

 $1\ \text{L}$ universal degreasing detergent recommended for cleaning Quarz tops every day.

Article discontinued





Detergent for cleaning Quarz tops

SCAVOLINI[®]

Detergent for cleaning Quarz tops



CODE 31106449 -





Qi' storage basket

SCAVOLINI

- 1. Polyurethane storage basket $\rm H.18\ cm\ L.52\ cm$ with cover painted Solid White
- 2. Polyurethane storage basket $\textbf{H.18} \ \textbf{cm} \ \textbf{L.52} \ \textbf{cm}$ painted Solid White
- 3. Cover for polyurethane storage basket painted Solid White

| CODE | | | | | |
|------|--|----|----|----|---|
| | | 31 | 10 | 68 | |
| | | 31 | 10 | 67 | 9 |
| | | 31 | 10 | 68 | 0 |





Maximum length 2.5 m. The load capacity is 100 kg per metre.

 $\ensuremath{\textbf{Galvanised}}$ iron wall unit fixing bar for tiled walls

CODE 31105240



1. Pack of 10 dowels with screw for wall unit fixing bar fixing

2. Pack of 10 dowels with hook for wall unit fixing bar fixing



204

CODE 1 - 31105161 2 - 31105160



Floor-mounting pack for base units

SCAVOLINI[®]

N.B. Order in the event of base units with pull-out elements placed as island to avoid the risk of the base units tipping with the pull-outs open.

Pack of floor-fixing anti-tilt hooks for island base units placed in the middle of the room



Caps Ø 5 mm for shelf holes

SCAVOLINI®

Pack of 100 White caps for shelves
Pack of 100 Tuga-Monza Walnut caps for shelves
Pack of 100 Aurora Cherry caps for shelves
Pack of 100 Antique Walnut caps for shelves
Pack of 100 Accademia Cherry caps for shelves
Pack of 100 Accademia Cherry caps for shelves
Pack of 100 Anthracite caps for shelves

7

| | CODE |
|---------|--------------|
| | 2 - 31105150 |
| | 3 - 31105151 |
| | 4 - 31105152 |
| | 5 - 31105153 |
| | 6 - 31105154 |
| 1105149 | 7 - 31106390 |
| | |



The load capacity, for a vertical load, of the plates bridging two sides panels is 140 kg, while the load capacity of plates on the external sides panels of the composition is 70 kg.

Pack of 5 individual wall fixing plates
Pack of 10 individual wall fixing plates

CODE 1 - 31105399 2 - 31105400





Wall fastening pack for base units with drawers or baskets

SCAVOLINI[®]

Pack of 2 galvanised iron plates.

Order in the event of free-standing base units with drawers or baskets to avoid the risk of the base units tipping with the pullouts open.



208

CODE - 31105560



SCAVOLINI[®]



- 1. Pack of 10 "Smove" stoppers for 45 cm doors
- 2. Pack of 10 "Smove" stoppers for 60 cm doors
- 3. Pack of 5 "Smove" stoppers for 2 doors







"Kinderlok" safety mechanism

SCAVOLINI

Lock (a), magnetic key (b)

Article discontinued

Safety mechanism to close doors and drawers, delivered not assembled to the unit. The magnetic lock is suitable for installation on doors and drawers with a thickness of between 16 and 29 mm. The red lever allows you to keep the lock released for the required amount of time. To reactivate, simply lower the lever again. Cannot be installed on Steel doors or Aluminium Frame doors, only on Wooden, Laminate and Lacquered doors.

> CODE a - 31100601 b - 31100597





The container can be placed inside a tall unit or a wall unit, fastening it to the top panel of the cabinet; a transformer/power supply can be placed inside the container.

1. Container in self Grey RAL7030 plastic

2. Container in self White plastic



CODE 1 - 31108045 2 - 31108052





The load capacity of a single shelf bracket is 10 kg distributed evenly on a shelf D.36 cm.

- Concealed shelf bracket for use with shelves with a minimum thickness of 3 cm and a minimum depth of 16 cm. The shelf bracket comes with 3 adjustments:
- vertically (0.5 cm)
- horizontally (1 cm)
- front tilt (0.6 cm) for shelves D.36 cm





SCAVOLINI[®]

Pack of 20 expansion plugs Ø 8 mm complete with fixing screws

The expansion plugs in this pack are suitable for concrete and solid and hollow brick walls (not for plasterboard) and are recommended in kitchens for the installation of "Tau" shelf brackets in particular

CODE - 31106220





Concealed shelf bracket

SCAVOLINI

The load capacity for each individual shelf bracket is 5 kg including the shelf.

Concealed shelf bracket



CODE 31105164



ucano snen pracket

SCAVOLINI

Pack of 2 White lacquered shelf brackets
Pack of 2 Metallic Grey lacquered shelf brackets.
Pack of 2 Bronze finish shelf brackets

For shelves with a thickness of between 1.3 cm and 3.8 cm. The load capacity for each individual shelf bracket is 20 kg, including the shelf. N.B. Cannot be installed on glass shelves with a thickness of 1 cm.

CODE 1 - 31105155 2 - 31105156 3 - 31105158





"Guard" shelf bracket or shelf support

SCAVOLINI

This article can also be used as a support for cantilever island worktops, securing it to the island back panel or to the side panel of the base unit. The load capacity for each individual shelf bracket is 20 kg, including the shelf, when wall-mounted; it is 15 kg, including the shelf, when it is fitted to the back of cabinets.

Silver finish shelf bracket or shelf support

7

CODE 31107084



SCAVOLINI

34 cm steam guard Protects the elements next to hoods.



CODE - 41003240



In plastic covered steel.

EN14800 compliant steel gas connection pipe with screw - screw connection 100 cm
EN14800 compliant steel gas connection pipe with screw - screw connection 200 cm

CODE 1 - 41008852 2 - 41008853



Wiring hole plate for living room wall panel

SCAVOLINI®

Plastic wiring hole plate for living room wall panel



CODE - 31106203





Cannot be installed in glass wall panels and tops Wiring hole conduit L.20 - H.7.2 - Th.0.15 cm in Silver finish Aluminium with synthetic bristles



CODE 1 - 31106463



SCAVOLINI

The tie rods can be installed on any type of shelf fitted with concealed shelf brackets; the tie rods do not replace the shelf brackets, they just enhance their load capacity. Each tie rod should always be placed 3.5 cm away from the front edging of the shelf and at least 3.5 cm away from the side edging. An intermediate shelf kit is available separately (c) (to be fitted onto each shelf through which the tie rod passes, except for the lower

shelf)

Ceiling-mounted tie rods for shelves

System of shelf supporting tie rods comprising:

- 1 cable L.200 (a) cm or L.300 cm (b)
- 1 ceiling-mounted cable tensioner with Satin finish Nickel canopy
- 1 Satin finish Nickel end kit to be fitted only on the lower shelf

- 1 Satin finish Nickel clamp kit for through cable (to be fitted on each shelf through which the tie rod passes, except for the lower shelf)

| CODE | | | | | | |
|------|--|---------|--|--|--|--|
| | | 3110683 | | | | |
| | | 3110683 | | | | |
| | | 3110684 | | | | |





Wall-mounted tie rods for shelves

System of shelf supporting tie rods comprising: - 1 cable L.200 (a) cm or L.300 cm (b)

- 1 long articulated cable tensioner with Satin finish Nickel canopy - 1 Satin finish Nickel end kit to be fitted only on the lower shelf

SCAVOLINI



The tie rods can be installed on any type of shelf fitted with concealed shelf brackets; the tie rods do not replace the shelf brackets, they just enhance their load capacity. Each tie rod should always be placed 3.5 cm away from the front edging of the shelf and at least 3.5 cm away from the side edging. An intermediate shelf kit is available separately (c) (to be fitted onto each shelf through which the tie rod passes, except for the lower shelf)

CODE a - 31106836 b - 31106837 c - 31106840





[01-2018]

5869.011.01.2018.2200.90113351.63079.800

SCAVOLINI[®]

ACCESSORI: Spazio alla funzione - ACCESSORIES: Functionality at your disposal - ACCESSOIRES : La fonctionnalité à votre disposition ZUBEHÖR: Raum Für Funktion - ACCESORIOS: La funcionalidad a su disposición - AKCECCYAPbI: Функциональность на службе вашего комфорта